THE EFFECTS OF FIRE AND OTHER DISTURBANCES ON SMALL MAMMALS AND THEIR PREDATORS: AN ANNOTATED BIBLIOGRAPHY

Compiler
Catherine H. Ream

INTERMOUNTAIN FOREST AND RANGE EXPERIMENT STATION
U.S. Department of Agriculture
Forest Service
Ogden, Utah 84401

THE COMPILER

DR. CATHERINE H. REAM has her B.S., M.S. and Ph.D. degrees in zoology with a plant ecology minor from the University of Wisconsin in Madison. She has done research and published on turtles, lizards, loons, small mammals, and the effects of recreationists on wildlife in backcountry areas, and has worked on the vegetation of the Boundary Waters Canoe Area and the effects of fire and logging on elk and other wildlife. The present bibliography was accomplished through an Interpersonal Loan Agreement from the Forestry School of the University of Montana to the Fire Effects.and. Use Research and Development Program at the Northern Forest Fire Laboratory in Missoula.

RESEARCH SUMMARY

This report contains an annotated bibliography of the effects of fire, logging, grazing, and spraying on small mammals and their predators. Each citation lists keywords. A brief summary of the general effects of fire on some of the more common small mammals in western coniferous forests is included.

CONTENTS

	Page
INTRODUCTION	
OVERVIEW OF FIRE EFFECTS	1
Shrews. Rabbits and Snowshoe Hare Beaver Chipmunks. Ground Squirrels. Red and Flying Squirrels Pocket Gophers. Deer Mice. Voles. Predators.	1 2 2 2 2 2 2
ORGANIZATION OF BIBLIOGRAPHY	3
BIBLIOGRAPHY	4
KEYWORD INDEX	52
Geographical Area Treatments Effects of Treatments Fire Effects on Soil and Moisture Population Characteristics Plant Associations. Plant Species Animal Species. Mammals. General Reference Information	52 52 53 53 53
	U.O

INTRODUCTION

Recently, there has been increased interest in the effects of disturbances on nongame species of wildlife such as small mammals and their predators. Because time and good library facilities are required to find these references, an annotated bibliography has been compiled to facilitate access to this information for land managers. In addition, a brief summary of the information on the habitat requirements and the effects of fire and other disturbances on some of the morestudied small mammals has been included.

The major effect of disturbances such as fire, logging, grazing, and herbicides on small mammals is the modification of vegetation. For this reason, references describing specific habitat requirements of the common small mammal species are included. Predators tend to be more closely tied to their food source than to other aspects of their habitat (such as vegetation type), so the main effects of disturbance may be through the effects on prey species. Therefore, publications dealing with predator-prey relationships, where small mammals are the prey species, have been included.

There are several small mammals, such as pikas and marmot, for which I found no references related to fire, probably because these animals are associated with fire-resistant, rocky habitats.

Bats are common small mammals for which I found no references on the effects of fire or other disturbances. Certainly, foliage-roosting species are influenced by fire or logging, but this, apparently, has not been researched.

Emphasis is on western coniferous forests, but publications specifically concerned with the effects of fire on small mammals have been included, regardless of geographical area. This bibliography should be useful for references published through 1979. Additional references will be graciously received.

This bibliography is the result of a literature search and the formation of a FAMULUS data file for the Fire Effects R&D Program, Northern Forest Fire Laboratory. The data file will be utilized in preparation of guidelines and state-of-the-art publications dealing with the effects of fire on resource production.

OVERVIEW OF FIRE EFFECTS

The responses of small mammal populations to fire and other disturbances are directly related to the modification of vegetation and food sources. Disturbance that removes dominant vegetation results in increased temperature ranges and air movements at the ground surface. Molsture regimes are altered by changes in the amount of precipitation reaching the ground. Dew, evaporation, and transpiration rates are also altered. A few months after disturbance, there is a surge in the growth of herbaceous plants in response to these environmental changes.

Short-term impacts of fire and other disturbance on animals include injury or death, ioss of food and cover, and increased exposure to predation. The long-term response of many small mammal species is increased numbers, largely due to the surge in growth of herbaceous and seed-producing plants.

Much of the research on the effects of fire on small mammals was initiated because of the high small mammal populations following timber harvests and the resulting impacts on regeneration. Publications dealing with the effects on small mammals, of wildfire, or prescribed fire for big game habitat, are relatively scarce.

Although contradictions exist, general responses to the effects of fire can be predicted for most species. The following summaries are a synopsis of information from publications representing substantial research on the common species of the Rocky Mountain area for which information is available.

Shrews

(Sorex spp.)

Shrews generally require a mat of ground vegetation for cover. Shrews are insectivores, so they depend less on vegetation for food than do herbivorous species (Rickard 1960). Shrews are temporarily eliminated from areas where fire has removed the duff and ground vegetation, and will not return until a ground cover develops (Black and Hooven 1974). They are often associated with downed logs (Dimock 1974).

Rabbits and Snowshoe Hare

(Sylvilagus spp. and Lepus americanus)

Population highs of rabbits and showshoe hare are associated with shrubs and small, pole-sized confiers (Grange 1965). Hot fires that remove all cover make areas unsuitable as habitat until these successional stages are reached (Keith and Surrendi 1971). Slash piles can provide escape cover and improve the habitat of logged areas for cottontails (Costa and others 1976).

Beaver

(Castor canadensis)

High beaver populations have historically followed disturbances such as fire (Rowe and Scotter 1973) or logging (Patrick and Webb 1953) that initiate a successional sequence in which aspen is an intermediate stage. Beaver population peaks are often correlated with the establishment of aspen (Lawrence 1954; Patrick and Webb 1953). After a single generation, aspen is usually replaced by more tolerant climax species, and beaver populations decline (Lawrence 1954).

Chipmunks

(Eutamias spp.)

Chipmunks prefer partially open areas, but need the shelter provided by fallen trees, limbs, or shrubs. Fire and other disturbances may improve chipmunk habitat by creating openings, especially if these openings

contain logging slash or rock outcrop cover (Davis 1976; Tevis 1956c). Chipmunks increase with the establishment of seed- and fruit-producing plants (Gashwiler 1970).

Ground Squirrels

(Spermophilus spp.)

Ground squirrels prefer open areas. They feed on plant species that grow in open habitat (Tevis 1953). Burrow systems provide protection from predators, so coverisnot as important as it is for chipmunks, and large open areas can be invaded (Tevis 1956b; Gashwiler 1970b). Fire and other disturbances that remove the forest canopy improve the habitat for these animals (Davis 1976).

Red and Flying Squirrels

(Tamiasciurus hudsonicus and Glaucomys spp.)

Trees are essential for dens of flying squirrels and for dens and nests of red squirrels. These squirrels are displaced when fire or logging eliminates living trees from wide areas (Gashwiler 1970b) (Lyon and others 1978). Cavities in fire-killed trees may be used for dens (Burns, no date) if such snags are surrounded by living trees. Conifer seed is the primary food of red squirrels. Flying squirrels in some areas subsist largely on fungi (McKeever 1960), and may forage in fire-created openings.

Pocket Gophers

(Thomomys spp.)

Pocket gophers are favored by disturbance which removes the forest canopy, scarifies the soil, and results in the development of an herbaceous vegetation food source (Barnes 1974; Volland 1974). In unforested areas, grazing improves gopher habitat (Beuchner 1942). Protective burrow systems allow these animals to use large open areas, lacking protective cover.

Deer Mice

(Peromyscus maniculatus)

Deer mice are a pioneer species. They occur in most regetation types during most stages of plant succession, but usually not in large numbers. Disturbances that esult in early seral stages favor this species (Williams 955). Deer mice are usually the most abundant small nammal in severely disturbed areas (Halvorson, in ress; Dimock 1974). Their success on these sites is pparently due to their food habits (insects, wind-

dispersed conifer seeds, and seeds that remain in the soil after burning), their nocturnal habits, errated movements (that provide protection from predators) and lack of competition from other species.

Voles

(Clethrionomys spp. and Microtus spp.)

Red-backed voles, Clethrionomys spp., and voles of the genus Microtus are associated with the organic layer of the ground surface. Important elements of their environment are a mat of ground cover, platable herbaceous plants, and moisture. A hot fire that destroys the surface organic layer will eliminate voles from an area (Dimock 1974). Logging improves the growth of forbs by decreasing competition for light and soil moisture. After logging, increased numbers of Microtus can be expected, but Clethrionomys populations are usually decimated by the removal of the forest canopy (Haivorson, in press; Halvorson, personal communication) and resulting lack of free surface water (Odum 1944). Occasionally, red-backed vole populations remain high after logging until the slash is burned. After burning, populations decline (Gashwiler 1959).

PREDATORS

Numerical data on the effects of fire on diversity and numbers of predators are scarce. There are, however, some general observations. Marten need climax forest communities and will be eliminated by catastrophic fire. They do benefit, however, from the vegetative mosaic resulting from regeneration following periodic small fires (Koehler and Hornocker 1977), and may not be adversely affected by selective timber harvesting (Soutiere 1979). Hawks may temporarily congregate to hunt in the vicinity of a recent burn (Baker 1940). Coyote and lion populations increase several years after fire in response to increased numbers of prey (Edwards 1954). A study of a raccoon family showed no change in the use of an area immediately after it burned (Sunquist 1967).

Although these observations are undoubtedly accurate, I am not aware of any studies that actually document numerical increases in predators following fire. The difficulties of accruing this kind of information are several:

- Even in dense populations, predators are rare, compared to their prey.
- 2. Most predatory species are, by nature, very elusive.
- 3. Studies of predators, to be valid, need to be long-term (10 years or more).
- The home range of many predators is so large that residence cannot usually be defined within a single burned area.

ORGANIZATION OF THE BIBLIOGRAPHY

The publications are listed alphabetically by author. Each publication is numbered. The annotations relate the information pertaining to the subject of this bibliography and are not meant to be abstracts. Keywords are given for each publication. A numeric rating of 1, 2, or 3 is included with the keywords. Papers rated 1 pertain more closely to the subject of this bibliography than papers rated 3. The keywords are arranged after the author index by geographic area, land treatment, effects of treatments, small mammal population characteristics, plant associations, plant species, animal species, and general reference information. Common and scientific names are used in the species indexes. Mammalian nomenclature has been standardized and follows Jones, Carter, and Genoways (1975).

The indexing system can be used in several ways. It can be used to search for publications about deer mice, or to search several words simultaneously, such as deer mouse and Douglas-fir, and to check for matching reference numbers; or the author index could be used to look for reference numbers of publications of individuals known to have studied deer mice.

BIBLIOGRAPHY

- 1 AUTH ABRAMSKY Z., DYER M. I., HARRISON P. D.
 - DATE 1979.
 - TITL COMPETITION AMONG SMALL MAMMALS IN EXPERIMENTALLY PERTURBED AREAS OF THE SHORTGRASS PRAIRIE.
 - ECOLOGY 60(3):530-536.
 - TREATMENT OF SHORTGRASS PRAIRIE WITH NITROGEN AND WATER RESULTED IN INCREASED POPULATIONS OF THE RELATIVELY RARE HARVEST MOUSE AND PRAIRIE VOLE WHILE COMMON SPECIES FOR THIS AREA, DEER MICE, 13-LINED GROUND SQUIRRELS AND GRASSHOPPER MICE AVOIDED THE TREATED AREA. WHEN THE INVADING SPECIES WERE REMOVED, DEER MICE INCREASED, APPARENTLY BECAUSE OF THE LACK OF COMPETITION. GRASSHOPPER MICE DID NOT INCREASE SUGGESTING A HABITAT PREFERENCE DIFFERENT THAN THE TREATED AREA. THE 13-LINED GROUND SQUIRRELS HIBERNATED DURING THE EXPERIMENTAL PERIOD.
 - SMALL MAMMALS, GRASSLAND, 1, DEER MOUSE, THIRTEEN-LINED GROUND SQUIRREL, WESTERN HARVEST MOUSE, PRAIRIE VOLE, NORTHERN KEYS GRASSHOPPER MOUSE, COLORADO, VEGETATION STRUCTURE
- AUTH ADAMS L.
 - DATE 1950.
 - CONSUMPTION OF PONDEROSA PINE SEED BY SMALL MAMMALS. TITL
 - USDA FOR. SERV., RES. NOTE NO. 80. 4P. NORTH. ROCKY MT. FOR. PUBL RANGE EXP. STN., MISSOULA, MONT. ANNO
 - AMOUNT OF PONDEROSA PINE SEED DESTROYED BY SMALL MAMMALS, ESPECIALLY WHITE-FOOTED MICE AND CHIPMUNKS, IS SUBSTANTIAL.
 - SMALL MAMMALS, FOOD HABITS, PONDEROSA PINE, IDAHO, MONTANA, KEYS WHITE-FOOTED MOUSE, CHIPMUNKS, 2
- AUTH ADAMS L.
 - DATE 1959.
 - AN ANALYSIS OF A POPULATION OF SNOWSHOE HARES IN NORTHWESTERN TITL
 - ECOL. MONOGR. 29(2):141-170. PUBL
 - GENERAL LIFE HISTORY OF SNOWSHOE HARES. HARES PREFER TO STAY IN ANNO AREAS WHERE THE VEGETATION OFFERS PROTECTIVE COVER. WHEN THIS COVER BECOMES TOO DENSE, FOOD PLANTS CAN NO LONGER GROW THERE AND THE HARE HAVE TO MOVE INTO MORE OPEN AREAS TO FEED, INCREASING THEIR VULNERABILITY TO PREDATION. GREAT HORNED OWLS ARE THE MOST IMPORTANT PREDATOR.
 - SMALL MAMMALS, SNOWSHOE HARE, MONTANA, FOOD HABITS, POPULATION KEYS DENSITY, RAPTORS, GREAT HORNED OWL, PREDATORS, MINK, VEGETATION
- AUTH ADAMS L., HANAVAN M.G., HOSLEY N. W., JOHNSON D. W.
 - TITL THE EFFECTS ON FISH, BIRDS AND MAMMALS OF DDT USED IN THE CONTROL OF FOREST INSECTS IN IDAHO AND WYOMING.
 J. WILDL. MANAGE. 13(3):245-254.
 - PUBL
 - 8.5 KG/HA DDT APPLIED TO FOREST LAND TO CONTROL TUSSOCK MOTH ANNO HAD NO APPARENT AFFECT ON SMALL MAMMALS EXCEPT FOR TREMORS IN SOME CHIPMUNKS AND A SHREW WHICH SHOWED TYPICAL SYMPTOMS OF DDT
 - KEYS FISH, BIRDS, SMALL MAMMALS, INSECTICIDE, WYOMING, IDAHO,

AUTH ADELMAN E.

DATE

A SURVEY OF NONGAME MAMMALS IN THE UPPER RATTLESNAKE CREEK TITL DRAINAGE OF WESTERN MONTANA.

M.S. THESIS, UNIV. MONT., MISSOULA. 129P. PUBL

DISCUSSES THE IMPACTS OF LOGGING, FIRE, AND RECREATION ON SMALL ANNO MAMMALS AND PREDATORS.

SMALL MAMMALS, HABITAT, MONTANA, PREDATORS, FIRE, LOGGING, KEYS PLANT SUCCESSION, 2

AUTH AGEE J. K.

> DATE 1974.

ENVIRONMENTAL IMPACTS FROM FIRE MANAGEMENT ALTERNATIVES. TITL

NATL. PARK SERVICE, 92P. WESTERN REGIONAL OFFICE, SAN PUBL FRANCISCO, CALIF.

DESCRIBES GENERAL DIRECT AND INDIRECT IMPACTS OF UNCONTROLLED ANNO FIRE ON WILDLIFE.

SMALL MAMMALS, LARGE MAMMALS, MORTALITY, WILDFIRE, SOIL KEYS CHARACTERISTICS, BIRDS, 2

AUTH AHLGREN C. E.

DATE 1963.

SOME BASIC ECOLOGICAL FACTORS IN PRESCRIBED BURNING IN TITL NORTHEASTERN MINNESOTA.

TALL TIMBERS FIRE ECOL. CONF. 2:143-149. PUBL

THE FIRST YEAR AFTER FIRE SEED EATING SMALL MAMMALS AND BIRDS ANNO INCREASED. THE SECOND YEAR THE NUMBERS OF THESE SPECIES WERE NEAR NORMAL. IN LABORATORY STUDIES PEROMYSCUS CONSUMED 185 JACK PINE SEEDS/DAY.

DEER MOUSE, PINE SISKIN, POPULATION DENSITY, FOOD HABITS, JACK KEYS PINE, MINNESOTA, SMALL MAMMALS, PRESCRIBED FIRE, 1, BIRDS

AUTH AHLGREN C. E.

DATE 1966.

SMALL MAMMALS AND REFORESTATION FOLLOWING PRESCRIBED BURNING. TITL

PUBL J. FOREST. 64(9):614-618.

RESPONSES OF DEER MICE, RED-BACKED VOLES AND LEAST CHIPMUNKS ONNA POPULATIONS IN A CUT AREA, TWO CUT AND BURNED AREAS, AND A CONTROL AREA, WERE DETERMINED BY SNAP TRAPPING FOR 3 CONSECUTIVE YEARS.

SMALL MAMMALS, RED-BACKED VOLES, DEER MOUSE, LEAST CHIPMUNK, FOOD HABITS, POPULATION DENSITY, POST-FIRE SUCCESSION, HABITAT, KEYS JACK PINE, LOGGING, MINNESOTA, PRESCRIBED FIRE, 1

AUTH AMBROSE H. W.

DATE 1972.

EFFECT OF HABITAT FAMILIARITY AND TOE-CLIPPING ON RATE OF OWL TITL PREDATION IN MICROTUS PENNSYLVANICUS.

PUBL J. MAMMAL. 53(4):909-912.

VOLES FAMILIAR WITH THEIR ENVIORNMENT WERE CAPTURED LESS ANNO READILY THAN ANIMALS NEWLY RELEASED. TOE-CLIPPING HAD NO SIGNIFICANT EFFECT ON RATE OF PREDATION.

SMALL MAMMALS, PREDATION, RAPTORS, BARN OWL, VOLES, 2 KEYS

AUTH AMBROSE R. E.

DATE 1975.

THE EFFECT OF CLEARCUTTING ON BIRD AND SMALL MAMMAL TITL POPULATIONS.

PUBL PH.D. DISSERTATION. UNIV. TENN., KNOXVILLE. 287P. THE WHITE-FOOTED MOUSE, EASTERN CHIPMUNK AND SHORT-TAILED District WERE ALL MORE ABUNDANT ON CLEARCUTS THAN IN ADJACENT FOREST

BIRDS, SMALL MAMMALS, CLEARCUT, TENNESSEE, RAPTORS, KEYS WHITE-FOOTED MOUSE, EASTERN CHIPMUNK, SHORT-TAILED SHREW, PREDATORS, LONG-TAILED WEASEL, POPULATION DENSITY, RESIDUE TREATMENTS, SELECTIVE CUT, 1

ANDELT W. F., GIPSON P. S. AUTH

DATE 1979.

TITL DOMESTIC TURKEY LOSSES TO RADIO-TAGGED COYOTES.

J. WILDL. MANAGE. 43(3)673-679.

ANNO DESCRIBES PREDATION ON DOMESTIC TURKEYS BY RADIO-COLLARED COYOTES.

KEYS PREDATORS, COYOTE, PREDATION, DOMESTIC TURKEY, NEBRASKA, 2

AUTH ANDELT W. F., GIPSON P. S.

1979. DATE

TITL HOME RANGE, ACTIVITY, AND DAILY MOVEMENTS OF COYOTES.

J. WILDL. MANAGE. 43(4):944-951.

ANNO DESCRIPTION OF THE ACTIVITIES AND MOVEMENTS OF TOE-CLIPPED AND RADIO-EQUIPPED COYOTES.

KEYS PREDATORS, COYOTE, NEBRASKA, MOVEMENTS, HOME RANGE, HABITAT, 3

13 AUTH ANDERSON R. J., BARNES V. G., BRUCE A. M.

DATE

A BIBLIOGRAPHY OF POCKET GOPHERS FAMILY GEOMYIDAE. TITL

PUBL WEYERHAUSER FORESTRY PAPER NO. 16. 50P.

ANNO COMPREHENSIVE POCKET GOPHER BIBLIOGRAPHY.

KEYS BIBLIOGRAPHY, SMALL MAMMALS, POCKET GOPHERS, 2

14 AUTH AUMANN G. D.

DATE 1965.

TITL MICROTENE ABUNDANCE AND SOIL SODIUM LEVELS.

J. MAMMAL 46:594-604.

ANNO CORRELATES PEAK VOLE DENSITIES WITH THE ABUNDANCE OF SODIUM IN

KEYS SMALL MAMMALS, VOLES, POPULATION DENSITY, SODIUM, 2

AUTH BAKER R. H.

DATE 1940.

TITL EFFECT OF BURNING AND GRAZING ON RODENT POPULATIONS. PUBL J. MAMMAL. 21:223.

ANNO CONCLUDES THAT GRAZING AND BURNING, ESPECIALLY THE LATTER REDUCES THE SMALL RODENT POPULATION. DESCRIBES THE ATTRACTION OF HAWKS TO WINTER BURNS. SHREWS WERE NOT CAUGHT IN TRAPS BUT CONSTITUTED 41% OF MAMMALIAN REMAINS IN OWL PELLETS FROM THE

KEYS SMALL MAMMALS, HARVEST MOUSE, NORTHERN PIGMY MOUSE, COTTON RAT, RAPTORS, GRASSLAND, GRAZING, POPULATION DENSITY, TEXAS, PREDATION, PRESCRIBED FIRE, 2

16 AUTH BAKER W. W.

DATE 1973,

TITL

LONGEVITY OF LIGHTNING-STRUCK TREES AND NOTES ON WILDLIFE USE. TALL TIMBERS FIRE ECOL. CONF. 13:497-504. PUBL

ANNO

SMALL MAMMALS USE BURNED OUT ROOT SYSTEMS OF LIGHTNING KILLED

KEYS SNAGS, BIRDS, SMALL MAMMALS, REPTILES, 3 17 AUTH BARMORE W. J. JR., TAYLOR D., HAYDEN P.

DATE 1976.

TITL ECOLOGICAL EFFECTS AND BIOTIC SUCCESSION FOLLOWING THE 1974 WATERFALLS CANYON FIRE IN GRAND TETON NATIONAL PARK.

PUBL RESEARCH PROG. REP. 1974-1975. GRAND TETON NATIONAL PARK. 99P.

ANNO LIVE TRAPPING DATA INDICATE THAT FIRE CAUSED A CHANGE IN THE SPECIES COMPOSITION AND RELATIVE ABUNDANCE OF SMALL MAMMALS.

KEYS SMALL MAMMALS, BIRDS, MORTALITY, SPECIES COMPOSITION, POPULATION DENSITY, GRAND TETON NATIONAL PARK, POST-FIRE SUCCESSION, WILDFIRE, 2

18 AUTH BARNES V. G. JR.

DATE 1974

TITL RESPONSE OF POCKET GOPHER POPULATIONS TO SILVICULTURAL PRACTICES IN CENTRAL OREGON.

PUBL IN WILDLIFE AND FOREST MANAGEMENT IN THE PACIFIC NORTHWEST. P. 267-276. H.C. BLACK ED., 1973 SYMP. ORE. STATE UNIV., CORVALLIS.

ANNO RECOMMENDS ASSESSING GOPHER POPULATIONS BEFORE LOGGING. IN AREAS WHERE GOPHERS MAY PREVENT REFORESTATION, APPROPRIATE SILVICULTURAL PRACTICES SHOULD BE USED.

KEYS OREGON, LOGGING, CLEARCUT, HABITAT, 1

19 AUTH BECK A. M., VOGL R. J.

DATE 1972.

TITL THE EFFECTS OF SPRING BURNING ON RODENT POPULATIONS IN A BRUSH PRAIRIE SAVANNA.

PUBL J. MAMMAL. 53(2):336-346.

ANNO FIRE WAS USED TO CONVERT A FOREST WITH SUPPRESSED PRAIRIE UNDERSTORY BACK TO BRUSH PRAIRIE SAVANNA. THE SMALL MAMMAL RESPONSE WAS CONSIDERED TO BE A RESULT OF THE CHANGE IN VEGETATION. PEROMYSCUS LEUCOPUS AND CLETHRIONOMYS GAPPERI WERE BEST ADAPTED TO THE UNBURNED FOREST AND P. MANICULATUS AND SPERMOPHILUS TRIDECEMLINEATUS TO FIRE MAINTAINED PRAIRIE.

KEYS SMALL MAMMALS, WHITE-FOOTED MOUSE, DEER MOUSE, THIRTEEN-LINED GROUND SQUIRREL, RED-BACKED VOLES, HABITAT, FOOD HABITS, POPULATION DENSITY, SPECIES DIVERSITY, FIRE DISCLIMAX, BRUSH-GRASS, WISCONSIN, MORTALITY, RAPTORS, PREDATION, VEGETATION STRUCTURE, PRESCRIBED FIRE, 1

20 AUTH BENDELL J. F.

DATE 1961.

TITL SOME FACTORS AFFECTING THE HABITAT SELECTION OF THE WHITE-FOOTED MOUSE.

PUBL CAN. FIELD-NAT. 75(4):244-255.

ANNO DISTRIBUTION OF WHITE-FOOTED MOUSE STUDIED IN RELATION TO COVER, FOOD AND POPULATION STRUCTURE. MICE SELECTED ROCK COVER AND AVOIDED GRASSFORM COVER. IN DENSE POPULATIONS, LESS DESIRABLE HABITATS WERE FILLED. HABITAT SELECTION APPEARED TO BE MORE FOR PROTECTIVE COVER, THAN FOR FOOD.

KEYS SMALL MAMMALS, WHITE-FOOTED MOUSE, FOOD HABITS, VEGETATION STRUCTURE, ONTARIO, 2

21 AUTH BENDELL J. F.

DATE 1974.

TITL EFFECT OF FIRE ON BIRDS AND MAMMALS.

PUBL IN FIRE AND ECOSYSTEMS. P. 73-138. T. T. KOZLOWSKI/C.E. ALGREN, EDS. ACADEMIC PRESS, NEW YORK.

- ANNO THOROUGH REVIEW OF LITERATURE COVERING VIRTUALLY ALL EFFECTS OF FIRE ON WILDLIFE.
- KEYS SMALL MAMMALS, BIRDS, FIRE, POPULATION DENSITY, POST-FIRE SUCCESSION, HABITAT, BIBLIOGRAPHY, MICROCLIMATE, VEGETATION STRUCTURE, MOSAIC, PREDATION, RAPTORS, PREDATORS, LARGE MAMMALS, FOOD HABITS, SPECIES COMPOSITION, NUTRIENTS, 1
- AUTH BERGSTROM D.
 - DATE 1979.
 - TITL SMALL MAMMALS TRAFFIC IN TRUFFLES
 - PUBL FOR. RES. WEST JAN. 79:1-3. USDA FOR. SERV., PAC. NORTHWEST FOR. AND RANGE EXP. STN., PORTLAND, ORE.
 - SMALL MAMMALS' CONSUMPTION OF TRUFFLES MAY BE IMPORTANT IN ANNO SPREADING THE SPORES OF MYCORRHIZAL FUNGI WHICH ARE IMPORTANT FOR THE SURVIVAL AND GROWTH OF TREES ON SOME UNFAVORABLE SITES.
 - KEYS SMALL MAMMALS, FOOD HABITS, 3, MYCORRHIZAL FUNGI
- 23 AUTH BERNARD S. R., BROWN K. F.
 - DATE 1977.
 - DISTRIBUTION OF MAMMALS, REPTILES, AND AMPHIBIANS BY BLM TITL PHYSIOGRAPHIC REGIONS AND A. W. KUCHLER'S ASSOCIATIONS FOR THE ELEVEN WESTERN STATES.
 - PUBL USDI-BLM TECH. NOTE 301, 169P.
 - ANNO INFORMATION ON HABITAT REQUIREMENTS, PHYSIOGRAPHIC REGIONS, ASSOCIATION NUMBERS, AND STATES WHERE EACH SPECIES OCCURS.
 - SMALL MAMMALS, PREDATORS, HABITAT, LIFE HISTORY, WESTERN U.S., **KEYS**
- 24 AUTH BISWELL H. H.
 - DATE 1963.
 - RESEARCH IN WILDLAND FIRE ECOLOGY IN CALIFORNIA. TITL
 - PUBL TALL TIMBERS FIRE ECOL. CONF. 2:63-97.
 - HARVEST MICE, PINYON MICE AND DEER MICE WERE TRAPPED IN ANNO UNTREATED AREAS BUT NO MICE WERE TRAPPED IN THE AREA OF THE PRESCRIBED BURN. SUGGESTS THAT BURNING DESTROYS COVER FOR HIDING AND LEAVES RODENTS VULNERABLE TO PREDATION BY OWLS.
 - HARVEST MOUSE, PINON MOUSE, DEER MOUSE, OWLS, PREDATION, KEYS POPULATION DENSITY, PONDEROSA PINE, MANZANITA, CALIFORNIA, SMALL MAMMALS, PRESCRIBED FIRE, 2
- BLACK H. C., DIMOCK E. J., EVANS J., ROCHELLE J. A. 25 AUTH DATE
 - ANIMAL DAMAGE TO CONIFEROUS PLANTATIONS IN OREGON AND TITL WASHINGTON . PART 1. A SURVEY, 1963-1975.
 - RES. BULL. 25. ORE. STATE UNIV., SCH. OF FOR., CORVALLIS. PUBL ANNO
 - DESCRIPTION OF ANIMAL DAMAGE TO CONIFEROUS PLANTATIONS IN OREGON AND WASHINGTON.
 - SMALL MAMMALS, LARGE MAMMALS, BIRDS, DAMAGE, OREGON, KEYS WASHINGTON, DOUGLAS-FIR, PONDEROSA PINE, 3
- 26 AUTH BLACK H. C., HOOVEN E. H.
 - DATE 1974.
 - RESPONSE OF SMALL MAMMAL COMMUNITIES TO HABITAT CHANGES IN TITL
 - IN WILDLIFE AND FOREST MANAGEMENT IN THE PACIFIC NORTHWEST. P. PUBL 177-186. H. C. BLACK ED., PROC. 1973 SYMP. ORE. STATE UNIV., CORVALLIS.
 - DESCRIBES THE EFFECTS OF FIRE, LOGGING AND HERBICIDES ON SMALL ANNO MAMMAL POPULATIONS IN MATURE DOUGLAS-FIR AND MIXED CONIFER

STANDS. SMALL MAMMALS RESPONDED TO HABITAT CHANGES CAUSED BY THESE DISTURBANCES ACCORDING TO THEIR HABITAT REQUIREMENTS.

SMALL MAMMALS, POST-FIRE SUCCESSION, SPECIES COMPOSITION, KEYS MORTALITY, SLASH FIRE, LOGGING, HABITAT, DEER MOUSE, SHREWS, VOLES, CHIPMUNKS, OREGON, DOUGLAS-FIR, HERBICIDE, POCKET GOPHERS, WILDFIRE, CLEARCUT, 1

27 AUTH BLACK H. C., TABER R. D.

DATE

MAMMALS IN WESTERN CONIFEROUS FOREST ECOSYSTEMS: AN ANNOTATED TITL BIBLIOGRAPHY.

BULL. NO. 2. CONIFEROUS FOREST BIOME ECOSYSTEM ANALYSIS PUBL STUDIES. US/INTERNATIONAL BIOLOGICAL PROGRAM. 199P.

ANNOTATED AND KEYWORDED BIBLIOGRAPHY OF MAMMALS IN WESTERN ANNO CONIFEROUS FORESTS.

SMALL MAMMALS, LARGE MAMMALS, PREDATORS, CONIFEROUS FOREST, KEYS BIBLIOGRAPHY, 1

AUTH BOCK J. H., BOCK C. E.

DATE 1978.

RESPONSE OF BIRDS, SMALL MAMMALS, AND VEGETATION TO BURNING SACATON GRASSLANDS IN SOUTHEASTERN ARIZONA. TITL

J. RANGE MANAGE. 31(4):295-300. PUBL

NUMBERS OF PEROMYSCUS WERE UNAFFECTED BY FIRE. COTTON RAT ANNO NUMBERS WERE REDUCED, BUT POCKET MICE AND KANGAROO RATS INCREASED. RELATED THESE CHANGES TO FOOD HABITS. SEED EATERS INCREASED, VEGETATION EATERS DECREASED.

SMALL MAMMALS, BIRDS, GRASSLAND, PRESCRIBED FIRE, ARIZONA, KEYS GRAZING, FOOD HABITS, RAPTORS, COTTON RAT, POCKET MOUSE, KANGAROO RATS, DEER MOUSE, 2

AUTH BOCK J. H., BOCK C. E., MCKNIGHT J. R.

DATE

A STUDY OF THE EFFECTS OF GRASSLAND FIRES AT THE RESEARCH RANCH TITL IN SOUTHEASTERN ARIZONA.

ARIZONA ACADEMY OF SCIENCE 11(3):49-57. PUBL

SMALL MAMMALS SHOWED NO SIGNIFICANT INCREASE IN BURNED AREA AND ANNO IN SOME CASES DECREASED.

WILDFIRE, BIRDS, SMALL MAMMALS, GRASSLAND, ARIZONA, 2 KEYS

BORRECCO J. E., BLACK H. C., HOOVEN E. F. HTUA

DATE 1979.

RESPONSE OF SMALL MAMMALS TO HERBICIDE-INDUCED HABITAT CHANGES. TITL

NORTHWEST SCI. 53(2):97-106. PUBL

SPECIES COMPOSITION OF SMALL MAMMAL COMMUNITIES WAS ALTERED BY ANNO CONTROLLING THE HERBACEOUS VEGETATION. SPECIES PREFERRING GRASSY HABITATS- DEERMICE AND TROWBRIDGE SHREWS INCREASED AFTER TREATMENT WITH 2,4-D, VAGRANT SHREWS, OREGON VOLES AND PACIFIC JUMPING MICE DECREASED.

SMALL MAMMALS, HABITAT, HERBICIDE, CREEPING VOLE, DEER MOUSE, KEYS PACIFIC JUMPING MICE, TROWBRIDGE SHREW, VAGRANT SHREW, OREGON,

31 AUTH BRABANT A.

DATE 1922.

TITL THE FIRE FIEND'S THREAT TO THE FUR TRADE.

PUBL CAN. FOR. MAG. 18(12):1204-1205.

ANNO FIRE CAUSES DISAPPEARANCE OF MARTEN. KEYS MARTEN, FIRE, PREDATORS

32 AUTH BRAND C. J., KEITH L. B.

DATE 1979.

TITL LYNX DEMOGRAPHY DURING A SNOWSHOE HARE DECLINE IN ALBERTA.

PUBL J. WILDL. MANAGE. 43(4):827-849.

ANNO DURING AN INTERVAL WHEN LYNX AND SNOWSHOE HARE POPULATIONS WARRE DECLINING, THE BODY FAT OF LYNX DECLINED AND THE PERCENTAGE 👈 KITTENS IN THE POPULATION DECREASED.

KEYS PREDATORS, SMALL MAMMALS, LYNX, SNOWSHOE HARE, POPULATION DENSITY, ALBERTA, PREDATION, 1

33 BRAND C. J., KEITH L. B., FISCHER C. A.

DATE

TITL LYNX RESPONSES TO CHANGING SNOWSHOE HARE DENSITIES IN CENTRAL ALBERTA.

PUBL J. WILDL. MANAGE. 40:416-428.

WHEN THE POPULATION OF SNOWSHOE HARES WAS LOW, THERE WERE FEWER ANNO LYNX IN THE STUDY AREA AND THE FREQUENCY OF HARES IN THE LYNX DIET WAS LOWER THAN IN YEARS OF HARE ABUNDANCE.

LYNX, SNOWSHOE HARE, POPULATION DENSITY, PREDATORS, ALBERTA, KEYS SMALL MAMMALS, 3

34 AUTH BROADBROOKS H. E.

DATE 1970.

TITL POPULATIONS OF THE YELLOW-PINE CHIPMUNK, EUTAMIAS AMOENUS.

PUBL AM. MIDL. NAT. 83(2):472-488.

PINE SQUIRRELS, GOLDEN-MANTLED GROUND SQUIRRELS AND CHIPMUNKS, ANNO ALL DIÛRNAL AND SHARING HABITATS AND FOOD, LIVED TOGETHER SUCCESSFULLY. CHIPMUNK POPULATION DENSITY CONTROLLED BY SPACING OF INDIVIDUALS AND PREDATORS.

SMALL MAMMALS, YELLOW-PINE CHIPMUNK, PREDATORS, LYNX, HABITAT, **KEYS** FOOD HABITS, POPULATION DENSITY, PREDATION, WASHINGTON, RED SQUIRREL, GOLDEN-MANTLED GROUND SQUIRREL, SELECTIVE CUT, RAPTORS, REPTILES, 3

AUTH BUCKNER J. L., LANDERS J. L.

DATE 1979.

FIRE AND DISKING EFFECTS ON HERBACEOUS FOOD PLANTS AND SEED TITL SUPPLIES.

J. WILDL. MANAGE. 43(3):807-811. ANNUALS AND MOST PERENIALS WERE FAVORED BY DISKING. SEEDS ON ANNO DISKED AND ANNUALLY BURNED SITES WERE AVAILABLE TO SEED EATERS. SEEDLINGS ON DOUBLE DISKED SITES DEVELOPED WITH LITTLE COMPETITION BECAUSE WIREGRASS AND BRACKEN FERN HAD BEEN ELIMINATED, AND SEED PRODUCTION INCREASED 34% OVER THAT IN

SMALL MAMMALS, LARGE MAMMALS, BIRDS, PRESCRIBED FIRE, DISKING. KEYS FOOD HABITS, SEED, 1, GEORGIA, LONGLEAF PINE-WIREGRASS-BRACKEN

BUECH R. R., SIDERITS K., RADTKE R. E., SHELDON H. L., ELSING 36 AUTH

DATE

SMALL MAMMAL POPULATIONS AFTER A WILDFIRE IN NORTHEAST TITL

USDA FOR, SERV. RES. PAP. NC-151. 8P. NORTH CENTRAL FOR. EXP. PUBL ANNO

AFTER A LARGE WILDFIRE ONLY 16 PERCENT AS MANY SMALL MAMMALS WERE IN THREE FOREST COMMUNITIES THAT HAD BURNED AS WERE IN COMPARABLE UNBURNED AREAS. THE RED-BACKED VOLE WAS THE MOST

- AFFECTED. DEER MICE APPEARED TO HAVE IMMIGRATED INTO THE BURNED AREA.
- KEYS RED-BACKED VOLES, DEER MOUSE, MASKED SHREW, ROCK VOLE, LEAST CHIPMUNK, POPULATION DENSITY, SPECIES DIVERSITY, MINNESOTA, SMALL MAMMALS, WILDFIRE, 1
- 37 AUTH BUECHNER H. K.
 - DATE 1942.
 - TITL INTERRELATIONSHIPS BETWEEN THE POCKET GOPHER AND LAND USE.
 - PUBL J. MAMMAL. 23(3):346-348.
 - ANNO OVERGRAZING GREATLY INCREASED THE NUMBER OF POCKET GOPHERS.
 - KEYS SMALL MAMMALS, POCKET GOPHERS, GRAZING, POPULATION DENSITY, GRASSLAND, TEXAS, 2
- 38 AUTH BURNS S.
 - DATE NO DATE.
 - TITL MANAGING SNAGS FOR WILDLIFE HABITAT. COORDINATING GUIDELINES FOR WILDLIFE HABITAT NO 2.
 - PUBL USDA FOR. SERV. BITTERROOT NATL. FOREST, NORTHERN REGION, MISSOULA, MONT.
 - ANNO RECOMMENDATIONS FOR PRESERVING SNAGS FOR WILDLIFE HABITAT.
 - KEYS SNAGS, BIRDS, SMALL MAMMALS, HABITAT, 3
- 39 AUTH BURTON D. H., BLACK H. C.
 - DATE 1978.
 - TITL FEEDING HABITS OF MAZAMA POCKET GOPHERS IN SOUTH-CENTRAL OREGON.
 - PUBL J. WILDL. MANAGE. 42(2):383-390.
 - ANNO MAZAMA POCKET GOPHERS PREFERRED SUCCULENT PLANTS. GRASSES WERE HEAVILY UTILIZED WHEN FORBS WERE NOT AVAILABLE. PONDEROSA PINE WERE EATEN IN THE WINTER, BUT WERE A VERY MINOR PART OF THE DIET. SUGGESTS HABITAT MODIFICATION TO CONTROL POCKET GOPHER DAMAGE TO TREE REGENERATION.
 - KEYS SMALL MAMMALS, WESTERN POCKET GOPHER, OREGON, FOOD HABITS, 2
- 40 AUTH CHEW R. M., BUTTERWORTH B. B., GRECHMAN R.
 - DATE 1958.
 - TITL THE EFFECTS OF FIRE ON THE SMALL MAMMAL POPULATIONS OF THE CHAPARRAL.
 - PUBL J. MAMMAL. 40(2):253.
 - ANNO GIVES NUMBERS OF SMALL MAMMAL CARCASSES FOUND IN CANYON AFTER CHAPARRAL FIRE. APPARENT CAUSE OF DEATH WAS ASPHYXIATION OR HEAT PROSTRATION.
 - KEYS SMALL MAMMALS, MORTALITY, CHAPARRAL, CALIFORNIA, WILDFIRE, 2
- 41 AUTH CLARK T. W., CAMPBELL T. M.
 - DATE 1979.
 - TITL POPULATION ORGANIZATION AND REGULATORY MECHANISMS OF PINE MARTEN IN GRAND TETON NATIONAL PARK, WYOMING.
 - PUBL IN PROC. 1ST CONF. ON SCI. RES. IN THE NATL. PARKS. VOL. I P. 293-295. R. M. LINN ED. USDI NATL. PARK SERV. TRANS. AND PROC. SERIES NO. 5.
 - ANNO STUDY ON UNDISTURBED MARTEN POPULATION IN GRAND TETON NATIONAL PARK AND AN ECOLOGICALLY SIMILILAR AREA ON THE TETON NATIONAL FOREST THAT WAS SUBJECT TO LOGGING. NO CHANGES IN TRAP UTILIZATION OR MARTEN HOME RANGES WERE OBSERVED AS A RESULT OF THE LOGGING OPERATIONS.
 - KEYS PREDATORS, MARTEN, GRAND TETON NATL. PARK, PREDATION, WYOMING, RODENTS, LOGGING, 1, POPULATION DENSITY, VEGETATION STRUCTURE

- 42 AUTH CLEARY B. D., GREAVES R. D., HERMANN R. K.
 - DATE
 - TITL REGENERATING OREGON'S FORESTS.
 - PUBL OREGON STATE UNIV. EXTENSION SERVICE, CORVALLIS, ORE. 203P.
 - ANNO SECTION ON DESTRUCTIVE IMPACTS OF MAMMALS ON REFORESTATION.
 - KEYS SMALL MAMMALS, LARGE MAMMALS, DAMAGE, 3, OREGON
- 43 AUTH CLOTHIER R. R.
 - DATE 1955.
 - TITL CONTRIBUTION TO THE LIFE HISTORY OF VAGRANT SHREW.
 - J. MAMMAL. 36(2):214-221. PUBL
 - LIFE HISTORY OF VAGRANT SHREW. THEY ARE MOST COMMON IN DAMP ONNA SITUATIONS, NEAR WATER. FOOD WAS MAINLY INSECTS, EARTHWORMS, AND OTHER SMALL INVERTEBRATES.
 - SMALL MAMMALS, VAGRANT SHREW, FOOD HABITS, HABITAT, MONTANA, 3 KEYS
- AUTH COOK S. F. JR.
 - DATE 1959.
 - THE EFFECTS OF FIRE ON A POPULATION OF SMALL RODENTS. TITL
 - PUBL ECOLOGY 40:102-108.
 - THE REDUCTION OF COVER RESULTING FROM FIRE WAS CONSIDERED TO BE ANNO THE MAJOR FACTOR LIMITING THE RECOVERY OF MICE. IN THE SECOND YEAR AFTER FIRE, THE INCREASE OF SEED PRODUCING ANNUALS FAVORED SEED EATING MICE.
 - KEYS SMALL MAMMALS, POPULATION DENSITY, GRASSLAND, BRUSH-GRASS, CALIFORNIA, WILDFIRE, 2, HABITAT, FOOD HABITS
- AUTH COSTA R., FFOLLIOTT P. F., PATTON D. R. 45
 - DATE
 - COTTONTAIL RESPONSES TO FOREST MANAGEMENT IN SOUTHWESTERN TITL PONDEROSA PINE.
 - PUBL USDA FOR. SERV. RES. NOTE-RM 330. 4P. ROCKY MT. FOR. AND RANGE EXP. SIN., FT. COLLINS, COLO.
 - WHEN MANAGING PONDEROSA PINE FOR TIMBER PRODUCTION USING SHELTERWOOD OR GROUP SELECTION, COTTONTAILS CAN BE INCREASED BY ENCOURAGING DENSE REGENERATION. IN CLEARCUTS, WINDROWING SLASH AND ENCOURAGING HERBACEOUS AND SHRUBBY GROWTH WILL INCREASE
 - SMALL MAMMALS, COTTONTAIL RABBIT, CLEARCUT, PONDEROSA PINE, KEYS ARIZONA, LOGGING, 2, HABITAT
- COWAN I. MCT., MACKAY R. H. 46 AUTH
 - DATE 1950.
 - FOOD HABITS OF THE MARTEN (MARTES AMERICANA) IN THE ROCKY TITL MOUNTAIN REGION OF CANADA.
 - CAN. FIELD-NAT. 64(3):100-104.
 - MARTEN USED RED-BACKED VOLES MORE THAN ANY OTHER FOOD ITEM. ANNO SUGGESTS THAT VARYING HARE AND GROUSE '10YEAR' CYCLES DO NOT AFFECT MARTEN REPRODUCTION, BECAUSE THE MARTEN PREFERS A DIET KEYS
 - MARTEN, FOOD HABITS, PREDATION, ALBERTA, POPULATION DENSITY, RED-BACKED VOLES, 2, PREDATORS, SMALL MAMMALS
- 47 AUTH COWLES R. B.
 - DATE 1967.
 - TITL FIRE SUPPRESSION, FAUNAL CHANGES AND CONDOR DIETS.
 - PUBL: TALL TIMBERS FIRE ECOL. CONF. 7:217-244.
 - ANNO SUPPRESSION OF FIRE AND RESULTANT BRUSH FIELDS ON CALIFORNIA MOUNTAIN SIDES HAS CAUSED CALIFORNIA CONDORS TO SWITCH FROM A

PREFERRED DIET OF SMALL MAMMALS, ESPECIALLY RABBITS, TO CARCASSES OF LARGE HERBIVORES. SUGGESTS A CALCIUM DEFICIENCY HAS RESULTED FROM THE LACK OF SMALL BONES IN THE CONDORS' DIET.

RABBITS, CALIFORNIA, CALIFORNIA CONDOR, PREDATION, CHAPARRAL, CALIFORNIA, POST-FIRE SUCCESSION, SMALL MAMMALS, BIRDS, 3

48 AUTH CROUCH G. L.

> DATE 1976.

WILD ANIMAL DAMAGE TO FORESTS IN THE UNITED STATES AND CANADA. TITL

IN XVI IUFRO WORLD CONGRESS PROC. DIV. II, NORWAY P. 468-478. PUBL

DESCRIBES DAMAGE TO FOREST TREES BY DIFFERENT KINDS OF ANNO WILDLIFE.

SMALL MAMMALS, LARGE MAMMALS, BIRDS, DAMAGE, U.S., CANADA, 3, **KEYS** RAPTORS

AUTH CROUCH G. L.

DATE 1979.

ATRAZINE IMPROVES SURVIVAL AND GROWTH OF PONDEROSA PINE TITL THREATENED BY VEGETATIVE COMPETITION AND POCKET GOPHERS.

PUBL FOR. SCI. 25(1):99-111.

ATRAZINE WAS SUCCESSFULLY USED TO REDUCE COMPETITIVE PLANT ANNO COVER AND POCKET GOPHER FOOD SUPPLY. FALL APPLICATIONS WERE MORE SUCCESSFUL THAN SPRING APPLICATIONS.

KEYS SMALL MAMMALS, POCKET GOPHERS, FOOD HABITS, PONDEROSA PINE, OREGON, HERBICIDE, 3

AUTH DAVIS P. R.

DATE 1976.

RESPONSE OF VERTEBRATE FAUNA TO FOREST FIRE AND CLEARCUTTING IN TITL SOUTH CENTRAL WYOMING.

USDA FOR. SERV. AND UNIV. OF WYOMING COOP AGREEMENTS NOS. PUBL 16-391-CA AND 16-464-CA. 94P.

COMPARED EFFECTS OF CLEARCUTS AND WILDFIRE ON WILDLIFE. REASONS ANNO FOR DIFFERENCES WERE DETERMINED. RECOMMENDATIONS WERE MADE TO MAKE CLEARCUTS MORE CLOSELY RESEMBLE FIRE. CLEARCUTS SUPPORTED MORE SMALL MAMMALS THAN FORESTED AREAS OR BURNS. IT WAS RECOMMENDED THAT SOME LOGGING RESIDUE BE LEFT FOR SMALL MAMMAL ESCAPE COVER. LEAST CHIPMUNKS AND GOLDEN-MANTLED GROUND SQUIRELS WERE MORE NUMEROUS IN BURNED THAN CLEARCUT AREAS, DEER MICE WERE MORE ABUNDANT IN BURNED AND CLEARCUT AREAS THAN FORESTED AREAS, AND RED-BACKED VOLES WERE MOST ABUNDANT IN FORESTED AREAS.

LARGE MAMMALS, SMALL MAMMALS, BIRDS, WILDFIRE, CLEARCUT, KEYS WYOMING, LODGEPOLE PINE, LEAST CHIPMUNK, GOLDEN-MANTLED GROUND SQUIRREL, DEER MOUSE, RED-BACKED VOLES, BIBLIOGRAPHY

51 AUTH DE VOS A.

1951. DATE

TITL OVERFLOW AND DISPERSAL OF MARTEN AND FISHER FROM WILDLIFE REFUGES.

PUBL J. WILDL, MANAGE. 15(2):164-175.

POINTS OUT THE VALUE OF WILDLIFE REFUGES FOR PROTECTION AND AS ANNO CENTERS OF DISPERSAL FOR FUR-BEARERS.

KEYS PREDATORS, MARTEN, FISHER, POPULATION DENSITY, MIGRATION, 3

52 AUTH DE VOS A.

DATE 1951.

TITL RECENT FINDINGS IN FISHER AND MARTEN ECOLOGY AND MANAGEMENT. PUBL TRANS. N. AM. WILDL. CONF. 16:498-507.

ANNO FISHER APPEAR TO ADAPT BETTER TO EARLIER SUCCESSIONAL STAGES THAN MARTEN, BUT BOTH ARE RARE IN RECENTLY LOGGED OR BURNED-OVER AREAS. FISHER FOOD FOR THE WINTER CONSISTED OF SNOWSHOE HARE, PORCUPINE, FISH, AND MICE.

KEYS PREDATORS, MARTEN, FISHER, SMALL MAMMALS, LOGGING, FIRE, 2, SNOWSHOE HARE, MICE, PORCUPINE

53 AUTH DEBYLE N. V.

DATE 1981.

TITL CLEARCUTTING AND FIRE IN THE LARCH-FIR FORESTS OF WESTERN MONTANA--A MULTIFACETED RESEARCH SUMMARY.

USDA FOR. SERV., GEN. TECH. REP. INT-99. INTERMT. FOREST AND

RANGE EXP. STN., OGDEN, UTAH. DISCUSSES EFFECT OF BROADCAST BURNING ON SMALL MAMMALS AND THE ANNO IMPLICATIONS FOR TREE REGENERATION.

SMALL MAMMALS, FOOD HABITS, CLEARCUT, POPULATION DENSITY, BROADCAST FIRE, 3

54 AUTH DICE L. R.

DATE 1925.

A SURVEY OF THE MAMMALS OF CHARLEVOIX COUNTY, MICHIGAN, AND TITL VICINITY.

UNIV. OF MICH. MUS. ZOOL., OCCAS. PAP. 159:1-33.

FIRE HAS DISASTEROUS EFFECT ON SMALL MAMMALS BECAUSE OF THE DESTRUCTION OF THEIR HABITAT AND FOOD. MARTEN AND FISHER WHICH ARE DEPENDANT ON SMALL MAMMALS FOR FOOD ARE ALSO ELIMINATED BY

SMALL MAMMALS, MICHIGAN, LOGGING, FIRE, PREDATORS, MARTEN, KEYS

AUTH DIMOCK E. J. II. 55

DATE 1974.

ANIMAL POPULATIONS AND DAMAGE. TITL

IN ENVIORNMENTAL EFFECTS OF FOREST RESIDUES MANAGEMENT IN THE PUBL PACIFIC NORTHWEST. O. P. CRAMER, ED. P.O-1-0-27. USDA FOR. SERV. GEN. TECH. REP. PNW-24, PAC. NORTHWEST FOR. AND RANGE EXP. STN., PORTLAND, ORE.

MOST RESIDUE TREATMENTS FURTHER ENHANCE HABITATS ALREADY ANNO IMPROVED FOR PROBLEM ANIMALS BY TIMBER HARVESTING. TREATMENTS THAT MODIFY RESIDUES THE LEAST APPEAR MOST PROMISING FOR ATTAINING TIMBER, RANGE, AND WILDLIFE PRODUCTION GOALS WITH MINIMUM DAMAGE FROM ANIMALS. KEYS

SMALL MAMMALS, LOGGING, RESIDUE TREATMENTS, HABITAT, DAMAGE, LARGE MAMMALS, BIRDS, PRESCRIBED FIRE

56 AUTH EADIE W. R.

DATE 1953.

RESPONSE OF MICROTUS TO VEGETATIVE COVER. TITL PUBL J. MAMMAL. 34:263-264.

ANNO MICROTUS AVOIDED AREAS OF SPARCE VEGETATION IN MEADOW HABITAT. SUGGESTS REDUCTION OF GROUND VEGETATION IN ORCHARDS WOULD MAKE THEM LESS HABITABLE FOR VOLES.

KEYS SMALL MAMMALS, MEADOW VOLE, VEGETATION STRUCTURE, POPULATION

AUTH EASTMAN J. 57

AUTH EASTMAN J.
DATE 1976.
TITL LURE OF THE BURN.
PUBL NAT. WILDL. 14(5):10.

BRIEFLY DESCRIBES SEVERAL BENEFICIAL EFFECTS OF FIRE ON ANNO WILDLIFE.

LARGE MAMMALS, SMALL MAMMALS, BIRDS, CALIFORNIA CONDOR, **KEYS** MORTALITY, FOOD HABITS, HABITAT, WILDFIRE, 2

AUTH EDGERTON P. J., THOMAS J. W.

DATE 1977.

IMPACTS OF SILVICULTURE ON WILDLIFE HABITATS IN THE BLUE TITL MOUNTAINS.

IN INTEGRATION OF FOREST RESOURCE MANAGEMENT IN THE BLUE PUBL MOUNTAINS, J. HERBST, ED., P.61-63. MAR. 1977. LA GRANDE, ORE.

DISCUSSES METHODS OF MODIFYING WILDLIFE HABITAT THROUGH ANNO SILVICULTURAL TECHNIQUES. EMPHASIS ON STRUCTURE OF VEGETATION.

HABITAT, LOGGING, OREGON, BIRDS, VEGETATION STRUCTURE, 2 KEYS

59 EDWARDS R. Y. AUTH

DATE 1954.

FIRE AND THE DECLINE OF A MOUNTAIN CARIBOU HERD. TITL

J. WILDL. MANAGE. 18(4):521-526. PUBL

DISCUSSES THE LONG TERM EFFECTS OF CATASTROPHIC FIRE ON ANNO WILDLIFE. CLIMAX FOREST SPECIES DECLINED, SPECIES FAVORED BY EARLY SUCCESSION AND THEIR PREDATORS INCREASED.

LARGE MAMMALS, PREDATORS, SMALL MAMMALS, CARIBOU, MOOSE, MULE KEYS DEER, MARTEN, MOUNTAIN LION, COYOTE, WOLVERINE, BEAVER, FOOD HABITS, POPULATION DENSITY, BRITISH COLUMBIA, LONG TERM FIRE EFFECTS, WILDFIRE, 1

60 AUTH ELLISON L.

1946. DATE

THE POCKET GOPHER IN RELATION TO SOIL EROSION ON MOUNTAIN TITL

PUBL ECOLOGY 27(2):101-114.

ALTHOUGH POCKET GOPHERS ARE RESPONSIBLE FOR DOWNHILL ANNO DISPLACEMENT OF SOIL, OVERGRAZING IS THE PRIMARY CAUSE OF EROSION. GOPHERS INCREASED IN HEAVILY GRAZED AREAS BECAUSE OF THE INCREASE OF DEEP ROOTED OR BULBOUS FORBS. THE GOPHERS ACTUALLY IMPROVE SOIL AERATION AND IMPROVE WATER INFILTRATION.

SMALL MAMMALS, POCKET GOPHERS, POPULATION DENSITY, SOIL EROSION, UTAH, 2, GRAZING KEYS

61 AUTH ELLISON L., ALDOUS C. M.

DATE

TITL INFLUENCE OF POCKET GOPHERS ON VEGETATION OF SUBALPINE GRASSLAND IN CENTRAL UTAH.

PUBL ECOLOGY 33(2):177-186.

RESULTS OF A 9 YEAR STUDY WHERE GOPHERS WERE REMOVED FROM HALF ANNO OF THE STUDY AREA INDICATED THAT POCKET GOPHERS IMPROVE SOIL AERATION AND PROBABLY CAUSE AN INCREASE IN VEGETATION INSPITE OF WHAT THEY CONSUME ..

KEYS SMALL MAMMALS, POCKET GOPHERS, POPULATION DENSITY, UTAH, SOIL, GRASSLAND, HABITAT, FIRE, GRAZING, SOIL COMPACTION, 2

AUTH EVANS K. E., PROBASCO G. E.

DATE 1977.

TITL WILDLIFE OF THE PRAIRES AND PLAINS.

PUBL USDA FOR. SERV. GEN. TECH. REP. NC-29, 18P. NORTH CENT. FOR. EXP. STN. ST., PAUL, MINN. .-.

- ANNO DISCUSSION OF WILDLIFE RESOURCES AND HABITAT MANAGEMENT OF GRASSLANDS IN THE U.S.
- KEYS SMALL MANMALS, LARGE MAMMALS, PREDATORS, AMPHIBIANS, REPTILES, GRASSLAND, HABITAT, BIRDS, 3
- AUTH FALA R. A.
 - DATE 1975.
 - TITL EFFECTS OF PRESCRIBED BURNING ON SMALL MAMMAL POPULATIONS IN A MIXED-OAK CLEARCUT.
 - PUBL J. FOR. 73(9):586-587.
 - ANNO PRESCRIBED BURNING IN A MIXED-OAK CLEARCUT IN PENNSYLVANIA RESULTED IN A REDUCTION OF HERBIVOROUS SPECIES (VOLES), HOWEVER INSECTIVOROUS AND SEED EATING DEER MICE BECAME ESTABLISHED WITHIN ONE MONTH. CONCLUDED FIRE WAS ADVANTAGEOUS FOR SITE PREPARATION WHEN TREES ARE TO BE PLANTED BECAUSE IT REDUCED HERBIVOROUS SMALL MAMMALS.
 - SMALL MAMMALS, DEER MOUSE, RED-BACKED VOLES, MEADOW VOLE, POPULATION DENSITY, POST-FIRE SUCCESSION, OAK, PENNSYLVANIA, FOOD HABITS, PRESCRIBED FIRE, CLEARCUT, 1
- AUTH FISHER E. L., HURLEY J. F.
 - DATE 1978.
 - TITL FUELS, MANAGEMENT AND WILDLIFE.
 - USDA FOR. SERV. COORDINATION GUIDELINES FOR WILDLIFE HABITATS, PUBL NO. 10. 14P. CALIFORNIA, REGION.
 - DESCRIBES METHODS OF MANAGING FUELS TO IMPROVE WILDLIFE ANNO
 - SMALL MAMMALS, LARGE MAMMALS, BIRDS, FISH, PREDATORS, FUELS, KEYS HABITAT MANAGEMENT, SLASH, PRESCRIBED FIRE, 2
- AUTH FISHER J. L., CROSS S. P.
 - DATE 1979.
 - BATTERY-LIGHT TRACKING AS A TECHNIQUE FOR STUDYING SMALL TITL NOCTURAL MAMMAL MOVEMENTS.
 - NORTHWEST SCI. 53(2):90-93. PUBL
 - DESCRIBES A TECHNIQUE FOR MONITORING SMALL MAMMAL MOVEMENTS AT ANNO NIGHT USING A BATTERY-LIGHT PACKET ATTACHED TO MOUSE.
 - KEYS SMALL MAMMALS, MOVEMENTS, 2, MICE
- 66 AUTH FITCH H. S.
 - DATE 1947.
 - TITL. PREDATION BY OWLS IN THE SIERRA FOOTHILLS OF CALIFORNIA.
 - CONDOR 49:137-151.
 - ANALYSIS OF FOOD HABITS OF OWLS PREYING ON SMALL MAMMALS. ANNO
 - SMALL MAMMALS, RAPTORS, OWLS, CALIFORNIA, PREDATION, GREAT KEYS HORNED OWL, BARN OWL, POCKET GOPHERS, 3
- AllTH FITTOTT TO S. 67

BAIT BY SMALL MAMMALS.

- SMALL MAMMAL POPULATIONS VARY IN THEIR SUSCEPTIBILITY TO ANNO TRAPPING DUE TO SEASONAL CHANGES IN FOOD AVAILABILITY, WEATHER CONDITIONS AND OTHER FACTORS.
- KEYS SMALL MAMMALS, FOOD HABITS, POPULATION DENSITY, TRAPPING, 2

68 AUTH FOGEL R. D., TRAPPE J. M.

DATE 1978.

FUNGUS CONSUMPTION (MYCOPHAGY) BY SMALL MAMMALS. TITL

NORTHWEST SCI. 52:1-31. PUBL

A REVIEW OF THE LITERATURE ON SMALL MAMMAL FOOD HABITS, ANNO DISCUSSION OF THE FOOD VALUE OF FUNGI, AND THE SIGNIFICANCE OF THE INTERDEPENDANCE OF SMALL MAMMALS AND FUNGI TO THE FOREST ECOSYSTEM.

SMALL MAMMALS, FOOD HABITS, BIBLIOGRAPHY, FUNGI, 2 KEYS

69 AUTH FOWELLS H. A., SCHUBERT G. H.

DATE

RECENT DIRECT SEEDING TRIALS IN THE PINE REGION OF CALIFORNIA. TITL PUBL

USDA FOR. SERV. RES. NOTE NO. 78, 9P. CALIF. FOREST AND RANGE EXP. STN.

BURNING DID NOT PROTECT SEED PLANTINGS FROM RODENTS. BROADCAST ANNO POISONING OFFERED ONLY TEMPORARY RODENT CONTROL.

KEYS SMALL MAMMALS, FIRE, FOOD HABITS, 2, POISONS

AUTH FOX J, F.

DATE 1978.

FOREST FIRES AND THE SNOWSHOE HARE - CANADA LYNX CYCLE. TITL

PUBL OECOLOGIA (BERL.) 31:349-374.

AUTHOR SUPPORTS HYPOTHESIS OF POST-FIRE SECONDARY SUCCESSION TO ANNO ACCOUNT FOR SNOWSHOE HARE - CANADA LYNX PELT CYCLES, USING INFORMATION FROM FUR TRAPPING, FIRE HISTORY, PLANT ECOLOGY AND ANIMAL PHYSIOLOGY.

SNOWSHOE HARE, LYNX, POST-FIRE SUCCESSION, POPULATION DENSITY, KEYS FOOD HABITS, SMALL MAMMALS, PREDATORS, WILDFIRE, 2, CANADA

AUTH FRENZEL R. W., STARKEY E. E., BLACK H. C.

DATE 1979.

EFFECTS OF PRESCRIBED BURNING ON SMALL MAMMAL COMMUNITIES IN TITL

THE LAVA BEDS NATIONAL MONUMENT, CALIFORNIA IN PROC. 1ST CONF. ON SCI. RES. IN THE NATL. PARKS VOL. II. P. PUBL 287-292, R. M. LINN ED. USDI NATL. PARK SERV. TRANS. AND PROC. NO. 5. 1979.

PRESCRIBED FIRE IN SAGEBRUSH-BUNCHGRASS AND IN CHEATGRASS DID ONNA NOT HAVE AN IMMEDIATE EFFECT ON THE MAJOR SMALL MAMMAL SPECIES.

SMALL MAMMALS, PRESCRIBED FIRE, LAVA BEDS NATIONAL MONUMENT, KEYS CALIFORNIA, SAGEBRUSH-GRASS, CHEATGRASS, DEER MOUSE, HEERMANN KANGAROO RAT, GREAT BASIN POCKET MOUSE, MONTANE VOLE, 2

72 AUTH FRIDAY G. P.

DATE 1978.

TITL VEGETATIVE STRUCTURE AND MAMMALIAN UTILIZATION ON A FOREST-FIELD TRANSITION AND ITS ADJACENT HABITATS.

PH.D. DISSERTATION. MICH. STATE UNIV., EAST LANSING. 74P.

KEYS SMALL MAMMALS, WHITE-FOOTED MOUSE, EASTERN CHIPMUNK, FOX SQUIRREL, RED SQUIRREL, VEGETATION STRUCTURE, HABITAT, FOREST-FIELD TRANSITION, 2

73 AUTH GARMAN E. H., ORR-EWING A. L.

DATE

DIRECT-SEEDING EXPERIMENTS IN THE SOUTHERN COASTAL REGION OF TITL BRITISH COLUMBIA.

BRIT. COL. FOR. SERV., TECH. PUBL. T 31.

ANNO RAPID INCREASE IN SMALL MAMMAL POPULATION 2 WEEKS AFTER SLASH

KEYS SMALL MAMMALS, SEED, SLASH FIRE, BRITISH COLUMBIA, POPULATION DENSITY, 2

AUTH GASHWILER J. S.

DATE 1959.

SMALL MAMMAL STUDY IN WEST-CENTRAL OREGON. TITL

PUBL J. MAMMAL. 40:128-138.

ANNO SMALL MAMMAL POPULATIONS WERE STUDIED IN LOGGED AND BURNED DOUGLAS-FIR. DEER MICE INCREASED AFTER LOGGING. AFTER BURNING THEY INCREASED 2-3 TIMES ABOVE DENSITIES IN VIRGIN FOREST. RED-BACKED VOLES INCREASED AFTER LOGGING, BUT DISAPPEARED AFTER FIRE. CHIPMUNKS DECREASED AFTER LOGGING AND AFTER FIRE.

KEYS SMALL MAMMALS, DEER MOUSE, RED-BACKED VOLES, CHIPMUNKS, CLEARCUT, DOUGLAS-FIR, PACIFIC NORTHWEST, POPULATION DENSITY, MORTALITY, SLASH FIRE, 1

75 AUTH GASHWILER J. S.

DATE 1965.

TREE SEED ABUNDANCE VS. DEER MOUSE POPULATIONS IN DOUGLAS-FIR TITL

PUBL PROC. SOC. AM. FOR., 1965:219-222.

SPRING POPULATIONS OF DEER MICE SEEM TO BE AFFECTED BY FACTORS ANNO OTHER THAN SEED ABUNDANCE. FALL POPULATIONS DID NOT RESPOND TO CURRENT SEED CROPS, BUT SHOWED A POSITIVE RESPONSE TO MODERATE OR GOOD SEED CROPS FROM THE PRECEEDING YEAR. SIZE OF SPRING POPULATION HAS VERY LITTLE INFLUENCE ON THE SIZE OF FALL POPULATIONS AND VICE VERSA.

KEYS SMALL MAMMALS, DEER MOUSE, FOOD HABITS, SEED, DOUGLAS-FIR, CLEARCUT, DAMAGE, PACIFIC NORTHWEST, 2

76 AUTH GASHWILER J. S.

DATE 1967.

CONIFER SEED SURVIVAL IN A WESTERN OREGON CLEARCUT. TITL

PUBL ECOLOGY 48(3):431-438.

SMALL MAMMALS AND BIRDS CAUSED 63% OF DOUGLAS-FIR SEED LOSS ON ANNO CLEARCUT, AND 16% OF WESTERN HEMLOCK SEED LOSS. KEYS

SMALL MAMMALS, BIRDS, CLEARCUT, OREGON, SEED, FOOD HABITS, DOUGLAS-FIR, 2

77 AUTH GASHWILER J. S.

DATE 1969.

DEER MOUSE REPOPULATION OF A POISONED DOUGLAS-FIR CLEARCUT. TITL J. FOR. 67(7):494-497. PUBL

POISONED BAIT WAS EFFECTIVE FOR 38 DAYS. IMMIGRATION OCCURRED ANNO 15-19 DAYS LATER. IN 5 TO 7 MONTHS THE POPULATION WAS BACK TO PREVIOUS LEVELS.

SMALL MAMMALS, DEER MOUSE, POISONS, DOUGLAS-FIR, CLEARCUT, KEYS POPULATION DENSITY, MIGRATION, OREGON, 2

AUTH GASHWILER J. S.

DATE 1970.

FURTHER STUDY OF CONIFER SURVIVAL IN A WESTERN OREGON CLEARCUT. TITL PUBL

BIRDS, CHIPMUNKS, SHREWS AND MICE ACCOUNT FOR A LARGE ANNO PERCENTAGE OF THE LOSS OF NATURALLY DISSEMINATED SEED ON A

SMALL MAMMALS, OREGON, CLEARCUT, SEED, FOOD HABITS, KEYS DOUGLAS-FIR, WESTERN HEMLOCK, WESTERN RED-CEDAR, BIRDS, MICE, SHREWS, CHIPMUNKS, 1

79 AUTH GASHWILER J. S.

> DATE 1970.

PLANT AND ANIMAL CHANGES ON A CLEARCUT IN WEST-CENTRAL OREGON. TITL

PUBL ECOLOGY 51(6):1018-1026.

PLANT AND MAMMAL CHANGES IN A VIRGIN FOREST AND A BURNED ANNO CLEARCUT WERE STUDIED FOR 10 YEARS. DESCRIBES CHANGES IN SMALL MAMMAL POPULATIONS.

SMALL MAMMALS, CLEARCUT, DOUGLAS-FIR, OREGON, SPECIES **KEYS** COMPOSITION, POPULATION DENSITY, POST-FIRE SUCCESSION, DEER MOUSE, TOWNSEND'S CHIPMUNK, CREEPING VOLE, SNOWSHOE HARE, SHREWS, ERMINE, RED-BACKED VOLES, FLYING SQUIRRELS, DOUGLAS' SQUIRRELS, CALIFORNIA GROUND SQUIRREL, MIGRATION, SLASH FIRE, 1

GASHWILER J. S., ROBINETTE W. L., MORRIS D. W. 80 AUTH

DATE

TITL FOODS OF BOBCATS IN UTAH AND EASTERN NEVADA.

PUBL J. WILDL. MANAGE. 24(2):226-229.

REPORTS STOMACH CONTENT ANALYSIS OF BOBCATS KILLED BY HUNTERS. ANNO HARES AND RABBITS WERE THE CHIEF FOOD ITEM.

PREDATORS, SMALL MAMMALS, BOBCAT, NEVADA, UTAH, BLACK-TAILED JACK RABBIT, RABBITS, PORCUPINE, DEER MOUSE, 2 KEYS

GETZ L. L. 81 AUTH

DATE 1968.

TITL INFLUENCE OF WATER BALANCE AND MICROCLIMATE ON THE LOCAL DISTRIBUTION OF THE RED-BACKED VOLE AND WHITE-FOOTED DEER MOUSE.

PUBL ECOLOGY 49:276-286.

RESTRICTION OF RED-BACKED VOLE HABITAT AS COMPARED TO THAT OF ANNO THE WHITE-FOOTED MOUSE WAS RELATED TO THE AVAILABILITY OF WATER, RATHER THAN OTHER ASPECTS OF THE MICROCLIMATE.

KEYS SMALL MAMMALS, RED-BACKED VOLES, WHITE-FOOTED MOUSE, MICROCLIMATE, MOISTURE REQUIREMENTS, NEW ENGLAND, UPLAND WOODS, SWAMPS, 1

82 AUTH GIVENS L. S.

DATE 1962.

TITL USE OF FIRE ON SOUTHEASTERN WILDLIFE REFUGES.

TALL TIMBERS FIRE ECOL. CONF. 1:121-126. PUBL

ANNO BURNING AT LEAST EVERY OTHER YEAR IS NECESSARY IN COASTAL MARSHES TO MAINTAIN EARLY SUCCESSIONAL STAGES AND PREFERRED FOODS OF MUSKRATS, BLUE AND SNOW GEESE.

MUSKRAT, BLUE GOOSE, SNOW GOOSE, COASTAL MARSHES, SOUTHEAST, SMALL MAMMALS, BIRDS, PRESCRIBED FIRE, 3 KEYS

83 AUTH GODFREY G. K.

> DATE 1955.

TITL OBSERVATIONS ON THE NATURE OF THE DECLINE IN NUMBERS OF TWO MICROTUS POPULATIONS.

PUBL J. MAMMAL. 36(2):209-214.

ANNO EXAMINES POSSIBLE CAUSES OF POPULATION FLUCTUATIONS OF FIELD VOLES. FINDING NO ENVIORNMENTAL CAUSES, SUPPORTS HYPOTHESIS THAT IN THE YEAR OF THE POPULATION CRASH, OVER-WINTERING ANIMALS ARE ABNORMAL FROM BIRTH AS A RESULT OF INTRASPECIFIC STRIFE THE PREVIOUS BREEDING SEASON.

VOLES, POPULATION DENSITY, ENGLAND, 3 KEYS

84 AUTH GRAHAM S. A.

DATE 1928.

INFLUENCE OF SMALL MAMMALS AND OTHER FACTORS UPON THE LARCH TITL SAWFLY SURVIVAL IN THE LAKE STATES.

PUBL J. ECON. ENTOMOL.

MICE ARE IMPORTANT IN THE DESTRUCTION OF LARCH SAWFLY PREPUPARE ANNO WHERE MOUSE POPULATIONS ARE HIGH, DESTRUCTION OF SAWFLIES IS HIGH. VOLES ATE MORE SAWFLY PREPUPAE THAN THE INSECTIVOROUS SHREWS.

SMALL MAMMALS, FOOD HABITS, LARCH SAWFLY, TAMARACK, MICHIGAN, **KEYS** VOLES, SHREWS, 2

85 AUTH GRANGE W.

DATE 1965.

FIRE AND TREE GROWTH RELATIONSHIPS TO SNOWSHOE RABBITS. TITL

PUBL TALL TIMBERS FIRE ECOL. CONF. 4:111-123.

SNOWSHOE RABBIT POPULATION EXPLOSIONS OCCUR ONLY ON VERY EARLY ANNO SUCCESSIONAL FOREST STAGES, NOT LONG AFTER THE OCCURRENCE OF FIRE. ALMOST ALL PLANT SPECIES IMPORTANT TO SNOWSHOE RABBITS HAVE ADAPTATIONS TO FIRE.

KEYS SNOWSHOE HARE, POPULATION DENSITY, CONIFEROUS FOREST, WISCONSIN, MINNESOTA, ALBERTA, BRITISH COLUMBIA, ALASKA, SMALL MAMMALS, POST-FIRE SUCCESSION, WILDFIRE, 2

86 AUTH GULLION G. W.

> DATE 1977.

MAINTENANCE OF THE ASPEN ECOSYSTEM AS A PRIMARY WILDLIFE TITL HABITAT.

PUBL PROC. INT. CONGR. GAME BIOL. 13:256-265.

PROTECTION FROM FIRE AND FROM HARVESTING HAVE CAUSED LOSS OF ANNO ASPEN HABITAT THROUGH DECADENCE. SOME SPECIES OF WILDLIFE ARE CLOSELY TIED TO THE ASPEN HABITAT. COMMERCIAL HARVEST CAN BE ADJUSTED ECONOMICALLY TO MEET THE NEEDS OF THESE SPECIES OF WILDLIFE.

KEYS ASPEN, HABITAT, FIRE, BIRDS, PREDATORS, LARGE MAMMALS, 2

87 AUTH GUNDERSON H. L.

DATE 1959.

RED-BACKED VOLE HABITAT STUDIES IN CENTRAL MINNESOTA. TITL

PUBL J. MAMMAL. 40(3):405-412.

AVAILABILITY OF FREE WATER AND THE PRESENCE OF STUMPS, ROTTING ANNO LOGS AND ROOT SYSTEMS IN LOOSE FOREST LITTER AND SPAGNUM ARE IMPORTANT FACTORS IN THE HABITAT OF RED-BACKED VOLES.

SMALL MAMMALS, RED-BACKED VOLES, MINNESOTA, HABITAT, WHITE KEYS

88 AUTH HALVORSON C. H.

DATE 1981.

TITL SMALL MAMMAL POPULATIONS.

IN CLEARCUTTING AND FIRE IN THE LARCH-FIR FORESTS OF WESTERN PUBL MONTANA -- A MULTIFACETED RESEARCH SUMMARY. N. V. DEBYLE. USDA FOR. SERV. GEN. TECH. REP. INT-99. INTERMT. FOR. AND RANGE

AFTER CLEARCUTTING AND BURNING: DEER MICE INCREASED, RED-BACKED ANNO VOLES DISAPPEARED, CHIPMUNKS WERE REDUCED, AND LONG-TAILED VOLES WERE CAUGHT FOR THE FIRST TIME.

SMALL MAMMALS, DEER MOUSE, RED-TAILED CHIPMUNK, RED-BACKED VOLES, VAGRANT SHREW, FOOD HABITS, VEGETATION STRUCTURE, POST-FIRE SUCCESSION, LARCH-FIR, MONTANA, CLEARCUT, POPULATION DENSITY, REPRODUCTION, BROADCAST FIRE, 1

89 AUTH HAMILTON W. J. JR.

DATE 1930.

TITL FOOD OF THE SORICIDAE.

PUBL J. MAMMAL. 11:26-39.

ANNO INSECTS MAKE UP MORE THAN HALF THE DIET OF THE SHREWS EXAMINED.

KEYS SMALL MAMMALS, INSECTS, FOOD HABITS, SHREWS, MICE, BIRDS, 2, LOGGING

90 AUTH HAMILTON W. J. JR., COOK D. B.

DATE 1940.

TITL SMALL MAMMALS AND THE FOREST.

PUBL J. FOR. 38(6):468-473.

ANNO SMALL MAMMALS BENEFIT THE FOREST BY CONSUMING LARGE QUANTITIES OF INJURIOUS INSECTS, IMPROVING SOIL AERATION, AND PROVIDING FOOD FOR PREDATORY BIRDS AND MAMMALS. SUGGESTS MANAGEMENT PRACTICES TO INCREASE SMALL MAMMAL POPULATIONS.

KEYS SMALL MAMMALS, FOOD HABITS, INSECTS, HABITAT, SOIL AERATION, 1

91 AUTH HANDLEY C. O. JR.

DATE 1969.

TITL FIRE AND MAMMALS.

PUBL TALL TIMBERS FIRE ECOL. CONF. 9:151-159.

ANNO DISCUSSION OF ADAPTATIONS OF MAMMALS TO FIRE. EMPHASIS ON GRASSLAND HABITATS.

KEYS PIKA, SMALL MAMMALS, LARGE MAMMALS, GRASSLAND, BEHAVIORAL ADAPTATIONS, MORPHOLOGICAL ADAPTATIONS, WILDFIRE, 2

92 AUTH HANSEN L. P., WARNOCK J. E.

DATE 1978

TITL RESPONSE OF TWO SPECIES OF PEROMYSCUS TO VEGETATIONAL SUCCESSION OF LAND STRIP-MINED FOR COAL.

PUBL AM. MIDL. NAT. 100(2):416-423.

KEYS SMALL MAMMALS, DEER MOUSE, WHITE-FOOTED MOUSE, PLANT SUCCESSION, STRIP-MINING, 2

93 AUTH HANSON E. E.

DATE 1977.

TITL RADIOTELEMETRY STUDIES OF ARCTIC FOXES IN PRUDHOE BAY, ALASKA.

PUBL ECOLOGY SECTION H-8 UNIV. OF CALIF. LOS ALAMOS SCIENTIFIC LAB. LOS ALAMOS, NEW MEXICO 87544.

ANNO REPORT ON THE ECOLOGY OF ARCTIC FOX IN PRUDHOE BAY. SOME INFORMATION ON THE EFFECT OF LEMMING POPULATIONS ON THE REPRODUCTION OF FOXES.

KEYS ARCTIC FOX,, BIRDS, PREDATION, POPULATION DENSITY, ALASKA, SMALL MAMMALS, 3, PREDATORS

94 AUTH HANSON E. E.

DATE 1978

TITL THE IMPACT OF A PRESCRIBED BURN IN A TEMPERATE SUBALPINE FOREST UPON THE BREEDING BIRD AND SMALL MAMMAL POPULATIONS.

PUBL M.S. THESIS. CENTRAL WASHINGTON UNIV., ELLENSBURG, WA. 55P.

POPULATION DENSITIES OF SMALL MAMMALS DECLINED FOLLOWING BURNING EXCEPT FOR THE YELLOW PINE CHIPMUNK. THE DECLINE OF THE OTHER SPECIES WAS ATTRIBUTED TO THE LACK OF GROUND VEGETATION THE FIRST SUMMER FOLLOWING THE BURN. THE NUMBER OF BIRDS REMAINED THE SAME AFTER BURNING BUT THE SPECIES DIVERSITY INCREASED.

KEYS BIRDS, YELLOW-PINE CHIPMUNK, TOWNSEND'S CHIPMUNK, DOUGLAS' SQUIRREL, RED-BACKED VOLES, DEER MOUSE, SPECIES DIVERSITY, POPULATION DENSITY, HABITAT, MOSAIC, SMALL MAMMALS, PRESCRIEED FIRE, SUBALPINE FOREST, WASHINGTON, 2

95 AUTH HARRIS A. S.

DATE 1968.

TITL SMALL MAMMALS AND NATURAL REFORESTATION IN SOUTHEAST ALASKA. PUBL USDA FOR. SERV. RES. NOTE PNW-75, 7P. PAC. NORTHWEST FOR. AND

RANGE EXP. STN., PORTLAND, ORE.

ANNO CONTRARY TO THE USUAL SMALL MAMMAL POPULATION RESPONSES TO LOGGING, IN THIS STUDY PEROMYSCUS WERE SIX TIMES MORE PLENTIFUL. IN THE TIMBER THAN IN THE CUTOVER PLOTS, WHEREAS MICROTUS WEFE SIX TIMES, AND SOREX TWICE AS NUMEROUS ON THE CUT. DESPITE SMALL MAMMALS, ADEQUATE NATURAL REGENERATION OF SITKA SPRUCE AND WESTERN HEMLOCK OCCURRED.

KEYS SMALL MAMMALS, ALASKA, DEER MOUSE, VOLES, SHREWS, LOGGING, SITKA SPRUCE, WESTERN HEMLOCK, 2

96 AUTH HARTESVELDT R. J., HARVEY H. T.

DATE

TITL THE FIRE ECOLOGY OF SEQUOIA REGENERATION.

PUBL TALL TIMBERS FIRE ECOL. CONF. 7:65-77.

CHICKAREES HARVEST AND EAT THE FLESH OF THE SEQUOIA CONE ANNO SCALES. THE SEEDS ARE ONLY PARTIALLY CONSUMED. AFTER FIRES WHICH KILL MANY FIRS AND PINES, CHICKAREES RELY MORE ON SEQUOIA CONES AND POSSIBLY INCREASE THE DISPERSAL OF SEEDS AT A TIME WHEN SUBSTRATE CONDITIONS RESULTING FROM FIRE ARE OPTIMAL FOR REGENERATION.

DOUGLAS' SQUIRREL, SEQUOIA, FOOD HABITS, SMALL MAMMALS, KEYS WILDFIRE, 3

97 AUTH HARTESVELDT R. J., HARVEY H. T., SHELLHAMMER H. S., STECKER R.

DATE 1975.

THE GIANT SEQUOIA OF THE SIERRA NEVADA. TITL PUBL

USDI NATIONAL PARK SERVICE, WASHINGTON D.C. 180P.

DESCRIBES THE EFFECT OF THE CHICKAREE ON THE DISPERSAL OF ANNO SEQUOIA SEED. KEYS

SMALL MAMMALS, DOUGLAS' SQUIRREL, SEQUOIA, FOOD HABITS, 3

98 AUTH HAWLEY V. D., NEWBY F. E.

DATE 1957.

TITL MARTEN HOME RANGE AND POPULATION FLUCTUATIONS. PUBL

J. MAMMAL. 38(2):174-184.

HOME RANGES FOR 6 MALE MARTEN AVERAGED .92 SQ. MILES, AND .27 SQ. MILES FOR 5 FEMALES. POPULATION FLUCTUATIONS OF MARTEN RESPONDED TO THE NUMBERS OF SMALL MAMMALS.

MARTEN, POPULATION DENSITY, GLACIER NATIONAL PARK, PREDATORS, KEYS SMALL MAMMALS, 3, MONTANA

AUTH HAYWARD C. L.

DATE 1940,

FEEDING HABITS OF THE RED SQUIRREL. TITL

J. MAMMAL. 21(2):220. PUBL

ANNO RECORDS OF RED SQUIRREL CONE CUTTING ACTIVITY AND NUMBER OF DOUGLAS-FIR SEEDS CONSUMED AT ONE TIME.

KEYS RED SQUIRREL, SMALL MAMMALS, FOOD HABITS, DOUGLAS-FIR, SEED,

100 AUTH HEALEY M. C.

DATE 1967.

TITL AGGRESSION AND SELF-REGULATION OF POPULATION SIZE IN DEER MICE.

PUBL ECOLOGY 48(3):377-391.

ANNO CHANGES IN GROWTH AND SURVIVAL OF YOUNG DEER MICE CORRELATED TO CHANGES IN THE AGGRESSIVENESS OF ADULT MICE.

KEYS SMALL MAMMALS, DEER MOUSE, POPULATION DENSITY, BRITISH COLUMBIA, REPRODUCTION, 3

101 AUTH HICKIE P.

DATE 1957.

TITL THE APPLICATION OF ECOLOGY TO WILDLIFE MANAGEMENT.

PUBL ECOLOGY 38(1):53-56.

ANNO RODENT POPULATIONS INCREASE IN WEEDY SHRUBBY HABITAT AFTER LOGGING. AERIAL SEEDING OF DOUGLAS-FIR REQUIRES RODENT CONTROL FOR SUCCESS. DESCRIBES METHODS OF POSSIBLE CONTROL.

KEYS SMALL MAMMALS, RODENTS, FOOD HABITS, SEED, DOUGLAS-FIR, POPULATION DENSITY, PACIFIC NORTHWEST, LOGGING, PLANT SUCCESSION, GRAZING, 2

102 AUTH HISAW F. L., GLOYD H. K.

DATE 1926.

TITL THE BULL SNAKE AS A NATURAL ENEMY OF INJURIOUS RODENTS.

PUBL J. MAMMAL. 7(3):200-205.

DESCRIPTION OF THE BULL SNAKE AS A PREDATOR OF POCKET GOPHER. ANNO DESCRIBES KILLING TECHNIQUE AND BURROWING HABITS OF THE SNAKE AS WELL AS THE POTENTIAL CONSUMPTION OF GOPHERS.

KEYS SMALL MAMMALS, REPTILES, PREDATION, BULL SNAKE, POCKET GOPHERS,

AUTH HOFFMAN G. R. 103

DATE 1960.

THE SMALL MAMMAL COMPONENTS OF SIX CLIMAX PLANT ASSOCIATIONS IN TITL EASTERN WASHINGTON AND NORTHERN IDAHO.

ECOLOGY 41(3):571-572.

AN EXTENSION OF RICKARD'S 1960 PAPER. IDENTIFIES ELEVEN SPECIES ANNO OF SMALL MAMMALS FROM 6 CLIMAX PLANT ASSOCIATIONS THAT HAD NOT BEEN STUDIED BY RICKARD. DESCRIBES HABITATS OF DIFFERENT SPECIES.

SMALL MAMMALS, IDAHO, WASHINGTON, HABITAT, CHIPMUNKS, RED-BACKED VOLES, SHREWS, DEER MOUSE, MEADOW VOLE, 3

104 AUTH HOFFMAN R. S., PATTIE D. L.

DATE 1968.

TITL A GUIDE TO MONTANA MAMMALS: IDENTIFICATION, HABITAT, DISTRIBUTION AND ABUNDANCE.

UNIVERSITY OF MONTANA PRINTING SERVICES, MISSOULA. 133P.

ANNO IDENTIFICATION KEY, HABITAT DESCRIPTION, AND DISTRIBUTION MAPS FOR MONTANA MAMMALS.

SMALL MAMMALS, PREDATORS, LARGE MAMMALS, IDENTIFICATION KEY, HABITAT, MONTANA

105 AUTH HOOVEN E. F.

DATE

THE RELATIONSHIP OF THE WHITE-FOOTED DEER MOUSE TO TITL REFORESTATION BY DIRECT SEEDING IN THE TILLAMOOK BURN.

PUBL M.S. THESIS, OREGON STATE UNIV., CORVALLIS. 72P.
ANNO THE WHITE-FOOTED DEER MOUSE EATS AND STORES LARGE QUANTITIES OF CONIFER SEEDS, WHICH PRESENTS A PROBLEM TO REFORESTATION.

SUCCESS OF CONTROL PROGRAM DEPENDS ON KNOWLEDGE OF LIFE HISTORY FOR BEST TIME TO ATTEMPT CONTROL.

KEYS SMALL MAMMALS, DEER MOUSE, SEED, FOOD HABITS, OREGON, 3

106 AUTH HOOVEN E. F.

DATE 1969.

TITL THE INFLUENCE OF FOREST SUCCESSION ON POPULATIONS OF SMALL MAMMALS IN WESTERN OREGON.

PUBL IN WILDLIFE AND REFORESTATION IN THE PACIFIC NORTHWEST. P. 30-34. H. C. BLACK, ED. SCHOOL OF FORESTRY, ORE. STATE UNIV., CORVALLIS.

ANNO REVIEW OF EFFECTS OF FIRE, LOGGING AND OTHER DISTURBANCE ON SMALL ANIMALS. IN OREGON STUDY AREAS, SMALL MAMMALS MORE ABUNDANT IN RECENTLY LOGGED AREA THAN IN MATURE DOUGLAS-FIR. SUCCESSION OF SMALL MAMMAL AND BIRD SPECIES RELATED TO PLANT SUCCESSION AFTER LOGGING AND FIRE.

KEYS SMALL MAMMALS, LOGGING, WILDFIRE, OREGON, DOUGLAS-FIR, BIRDS, DEER MOUSE, POST-FIRE SUCCESSION, POPULATION DENSITY, SPECIES COMPOSITION, HABITAT, FOOD HABITS, REPRODUCTION, PRESCRIBED FIRE, 1

107 AUTH HOOVEN E. F.

DATE 1971.

TITL POCKET GOPHER DAMAGE ON PONDEROSA PINE PLANTATIONS IN SOUTHWESTERN OREGON.

PUBL J. WILDL. MANAGE. 35(2):346-353.

ANNO PONDEROSA SEEDLING SURVIVAL WAS REDUCED TO 12% IN AREAS OCCUPIED BY POCKET GOPHERS. CONTROL OF POCKET GOPHERS IS GENERALLY UNSUCCESSFUL. SUGGESTS CONTROLLING GOPHER POPULATION BY MODIFYING THE HABITAT I.E. CHANGING THE VEGETATION OR OTHEF IMPORTANT PHYSICAL REQUIREMENTS.

KEYS SMALL MAMMALS, POCKET GOPHERS, PONDEROSA PINE, OREGON, SEED, FOOD HABITS, LOGGING, POPULATION DENSITY, 1, DAMAGE

108 AUTH HOOVEN E. F.

DATE 1973.

TITL EFFECTS OF VEGETATIONAL CHANGES ON SMALL FOREST MAMMALS.

PUBL IN EVEN-AGE MANAGEMENT SYMPOSIUM P.75-97, R. K. HERMANN AND D. P. LAVENDER, EDS., OREGON STATE UNIV, CORVALLIS. 249P.

ANNO LITERATURE REVIEW OF THE EFFECTS OF VEGETATIONAL CHANGES ON SMALL MAMMALS. CONCLUDES THAT REGARDLESS OF FOREST TREATMENT, THE SMALL MAMMAL BIOMASS REMAINS COMPARABLE TO THAT IN THE UNCUT FOREST AND EXERTS THE SAME PRESSURE ON REGENERATION.

KEYS SMALL MAMMALS, CLEARCUT, FIRE, LOGGING, POST-FIRE SUCCESSION, SEED, FOOD HABITS, SPECIES COMPOSITION, POPULATION DENSITY, 2

109 AUTH HOOVEN E. F.

DATE 1973.

TITL RESPONSE OF THE OREGON CREEPING VOLE TO THE CLEARCUTTING OF A DOUGLAS FIR FOREST.

PUBL NORTHWEST SCI. 47(4):256-264.

ANNO THREE YEAR STUDY OF EFFECT OF CLEARCUTTING AND BURNING ON CREEPING VOLE. VOLES INCREASED RAPIDLY WHEN TIMBER WAS REMOVED INCREASED HERBACEOUS GROWTH AND RELEASED NUTRIENTS MAY IMPROVE HABITAT FOR VOLES.

KEYS CREEPING VOLE, SMALL MAMMALS, DOUGLAS-FIR, OREGON, CLEARCUT, HABITAT, POST-FIRE SUCCESSION, REPRODUCTION, POPULATION DENSITY, SLASH FIRE, 2

110 AUTH HOOVEN E. F.

DATE 1973.

TITL A WILDLIFE BRIEF FOR THE CLEARCUT LOGGING OF DOUGLAS-FIR.

PUBL J. FOR. 71(4):210-214.

ANNO STAGGERED CLEARCUT LOGGING OF 30 TO 60 ACRES IS BENEFICIAL TO WILDLIFE IN NORTHWESTERN OREGON. SMALL MAMMAL POPULATIONS INCREASE AS THE VEGETATION INCREASES AND ASSOCIATED ANTHROPOD POPULATIONS INCREASE. DESCRIBES SUCCESSIONAL STAGES PREFERRED BY DIFFERENT SMALL MAMMALS.

KEYS CLEARCUT, DOUGLAS-FIR, LARGE MAMMALS, SMALL MAMMALS, FISH, SOIL CHARACTERISTICS, OREGON, REPTILES, BIRDS, PLANT SUCCESSION, 1

111 AUTH HOOVEN E. F.

DATE 1975.

TITL BAITING TO REDUCE LOSSES OF CONIFER SEEDS TO SMALL FOREST MAMMALS.

PUBL RES. NOTE NO. 55. SCHOOL OF FOR., ORE. STATE UNIV. AND FOR. RES. LAB., CORVALLIS.

ANNO A CAGED DEER MOUSE CAN EAT 250-350 DOUGLAS-FIR SEEDS PER DAY. DESCRIBES THE EFFECTIVENESS OF DIFFERENT RODENTICIDES TO CONTROL SMALL MAMMALS WHICH EAT CONIFER SEEDS.

KEYS SMALL MAMMALS, FOOD HABITS, POISONS, POPULATION DENSITY, OREGON

112 AUTH HOOVEN E. F., BLACK H. C., LOWRIE J. C.

DATE 1979.

TITL DISTURBANCE OF SMALL MAMMAL LIVE TRAPS BY SPOTTED SKUNKS.

PUBL NORTHWEST SCI. 53(2):79-81.

ANNO SKUNKS WERE CONSIDERED RESPONSIBLE FOR DISTURBING SMALL MAMMAL TRAPS AND EATING TRAPPED MICE.

KEYS SMALL MAMMALS, SKUNK, PREDATORS, SLASH FIRE, TRAPPING, OREGON, LOGGING, DEER MOUSE, SHREWS, TOWNSEND'S CHIPMUNK, CREEPING VOLE, 2

113 AUTH HORN E. E.

DATE 1938.

TITL SOME WILDLIFE-FOREST RELATIONSHIPS.

PUBL TRANS. N. AM. WILDL. CONF. 3:376-380.

ANNO DISCUSSES THE EFFECTS OF FIRE AND LOGGING ON WILDLIFE IN TERMS OF COVER, FOOD, AND PREDATION.

KEYS SMALL MAMMALS, FOOD HABITS, VEGETATION STRUCTURE, LARGE MAMMALS, LOGGING, PREDATION, HABITAT, MORTALITY, PRESCRIBED FIRE, 2

114 AUTH HORTON J.

DATE 1930.

TITL BIRDS AND ANIMALS KILLED BY FOREST FIRES.

PUBL MURRELET 11(2):22.

KEYS MAMMALS, BIRDS, WILDFIRE, MORTALITY, 2

115 AUTH HOUTCOOPER W. C.

DATE 1978.

TITL FOOD HABITS OF RODENTS IN A CULTIVATED ECOSYSTEM.

PUBL J. MAMMAL. 59(2):427-430.

ANNO RODENTS UTILIZED PLANT MATERIAL FOR FOOD IN WINTER, ANIMAL MATERIAL (INSECTS) UTILIZED IN SUMMER.

KEYS SMALL MAMMALS, HOUSE MOUSE, DEER MOUSE, FOOD HABITS, INDIANA, CORN, 3

116 AUTH HOWARD W. E., FENNER R. L., CHILDS H. E. JR.

DATE 1959

TITL WILDLIFE SURVIVAL ON BRUSH BURNS.

PUBL J. RANGE MANAGE. 12:230-234.

ANNO MOST VERTEBRATES ARE NOT KILLED BY FIRE. CHANGES IN POPULATION DENSITIES AFTER FIRE ARE IN RESPONSE TO ALTERATIONS OF HABITAT. DATA TAKEN FROM ANIMALS IN CAGES WITH TEMPERATURE RECORDING DEVICES AND OBSERVATIONS OF WILD ANIMALS BEFORE, DURING AND AFTER THE FIRE.

KEYS SMALL MAMMALS, REPTILES, MORTALITY, BRUSH-GRASS, CALIFORNIA, BIRDS, PRESCRIBED FIRE, 1

117 AUTH INGRAM R.

DATE 1973.

TITL WOLVERINE, FISHER, AND MARTEN IN CENTRAL OREGON.

PUBL OREGON STATE GAME COMM. CENTRAL REGION ADM. REP. 73-2. 39P.

ANNO LOGGING AND FIRE HAVE A NEGATIVE EFFECT ON FISHER AND MARTEN POPULATIONS. WOLVERINE HAVE BEEN LESS EFFECTED BECAUSE OF THE REMOTENESS OF THEIR HABITAT. HUMAN ACTIVITY WILL LIMIT WOLVERINE POPULATIONS. DISCUSSION OF HABITAT, FOOD HABITS AND REPRODUCTION.

KEYS WOLVERINE, FISHER, MARTEN, OREGON, PREDATORS, PREDATION, SMALL MAMMALS, HABITAT, LOGGING, FIRE, CONIFEROUS FOREST, POPULATION DENSITY, 3

118 AUTH JAMESON E. W. JR.

DATE 1955.

TITL SOME FACTORS AFFECTING FLUCTUATIONS OF MICROTUS AND PEROMYSCUS.

PUBL J. MAMMAL. 36(2):206-209.

ANNO DISCUSSES THE DIFFERENCES IN POPULATION FLUCTUATIONS OF PEROMYSCUS AND MICROTUS AND THEIR RELATIONSHIP TO FACTORS SUCH AS FOOD QUALITY, FOOD QUANTITY, HABITAT, AND STRESS.

AS FOOD QUALITY, FOOD QUANTITY, HABITAT, AND STRESS.
KEYS SMALL MAMMALS, VOLES, DEER MOUSE, POPULATION DENSITY, FOOD HABITS, 2

119 AUTH JOHNSON D. R., HANSEN R. M.

DATE 1969.

TITL EFFECTS OF RANGE TREATMENT WITH 2,4-D ON RODENT POPULATIONS.

PUBL J. WILDL. MANAGE. 33(1):125-132.

ANNO TREATMENT WITH 2,4-D RESULTED IN AN INCREASE IN GRASS COVER AND A DECREASE IN FORBS AND BRUSH. DISCUSSES EFFECT ON POPULATION DENSITY AND LITTER SIZE OF VARIOUS RODENTS. 2,4-D CAUSED A REDUCTION OF GOPHERS AND CHIPMUNKS, WHILE VOLES INCREASED. GOPHERS RESPONDED PRIMARILY TO CHANGES IN FOOD, CHIPMUNKS TO FOOD AND COVER, AND VOLES TO COVER.

KEYS SMALL MAMMALS, POPULATION DENSITY, HERBICIDE, COLORADO, BRUSH-GRASS, DEER MOUSE, POCKET GOPHERS, MONTANE VOLE, LEAST CHIPMUNK, FOOD HABITS, VEGETATION STRUCTURE, 1

120 AUTH JOHNSON M.K., HANSEN R. M.

DATE 1979.

TITL COYOTE FOOD HABITS ON THE IDAHO NATIONAL ENGINEERING LABORATORY.

PUBL J. WILDL: MANAGE. 43(4):951-956.

ANNO COYOTES SELECT AN ABUNDANT FOOD AND MAKE IT A STAPLE AND THEREFORE ARE SELECTIVE RATHER THAN OPPORTUNISTIC PREDATORS.

KEYS PREDATORS, COYOTE, FOOD HABITS, IDAHO, SAGEBRUSH, SMALL MAMMALS, PREDATION, RABBITS, 1

121 AUTH JONES J. H., SMITH N. S.

> DATE 1979.

TITL BOBCAT DENSITY AND PREY SELECTION IN CENTRAL ARIZONA.

J. WILDL. MANAGE. 43(3):666-672. PUBL

ANALYSIS OF BOBCAT SCATS FROM THREE BAR WILDLIFE AREA INDICATED ANNO THAT RODENTS (67%), AND LAGOMORPHS (38%), WERE THE MOST COMMON FOOD ITEMS. POPULATION DENSITIES OF RODENTS AND LAGOMORPHS WERE NOT RELATED TO THE SELECTION OF PREY BY BOBCATS.

KEYS PREDATORS, BOBCAT, PREDATION, ARIZONA, SMALL MAMMALS, DESERT COTTONTAIL, KANGAROO RATS, POCKET MOUSE, WOODRATS, BLACK-TAILED JACK RABBIT, 1

122 AUTH KEITH L. B., SURRENDI P. C.

DATE

TITL EFFECTS OF FIRE ON A SNOWSHOE HARE POPULATION.

PUBL J. WILDL. MANAGE. 35(1):16-26.

ANNO SNOWSHOE HARES MOVED FROM SEVERELY BURNED SITES TO SURROUNDING HABITAT, RETURNING THE SECOND SUMMER AFTER THE FIRE AS BRUSH COVER SPROUTED. THERE WAS NO EVIDENCE OF HARES KILLED BY THE

SMALL MAMMALS, SNOWSHOE HARE, MORTALITY, MIGRATION, POPULATION DENSITY, REPRODUCTION, ALBERTA, WILDFIRE, 2

123 AUTH KEITH L. B., TODD A. W., BRAND C. J., ADAMCIK R. S., RUSH D. H. DATE 1977.

TITL AN ANALYSIS OF PREDATION DURING A CYCLIC FLUCTUATION OF SNOWSHOE HARES.

PUBL

PROC. INT. CONGR. GAME BIOL. 13:151-175.
DESCRIPTION OF LYNX, COYOTE, AND RAPTOR, POPULATION RESPONSES ONNA TO FLUCTUATIONS IN HARE AND GROUSE DENSITIES. SUGGESTS THE 10-YEAR CYCLE IS GENERATED INTRINSICALLY BY SUCCESSIVE HARE-VEGETATION AND HARE-PREDATOR CYCLES.

SMALL MAMMALS, PREDATORS, RAPTORS, SNOWSHOE HARE, LYNX, COYOTE, GREAT HORNED OWL, GOSHAWK, RED-TAILED HAWK, BIRDS, RUFFED **KEYS** GROUSE, POPULATION DENSITY, LYNX, 2

124 AUTH KIPP D. H.

> DATE 1941.

WILDLIFE IN A FIRE. TITL

PUBL AM. FOR. 37(6):323-325.

ANNO DESCRIBES DIRECT EFFECTS OF WILDFIRE ON WILDLIFE.

KEYS WILDFIRE, MORTALITY, WISCONSIN, BIRDS, LARGE MAMMALS, SMALL MAMMALS, RABBITS, RAPTORS, FISH, FALL BURN, BIRDS, 2

125 AUTH KIRKLAND G. L. JR.

DATE 1977. TITL RESPONSES OF SMALL MAMMALS TO THE CLEARCUTTING OF NORTHERN APPALACHIAN FORESTS.

PUBL J. MAMMAL. 58(4):600-609.

turi di daka Ershi Kumatan

ANNO CLEARCUTTING IN BOTH NORTHERN DECIDUOUS AND BOREAL CONIFEROUS FORESTS RESULTED IN INCREASED SMALL MAMMAL ABUNDANCE AND DIVERSTY WHICH PERSISTED UNTIL SUCCESSION RETURNED THE AREA TO FOREST.

KEYS SMALL MAMMALS, CLEARCUT, SPECIES DIVERSITY, POPULATION DENSITY, WEST VIRGINIA, PLANT SUCCESSION, 2

126 AUTH KIRKPATRICK R. C.

DATE 1941.

TITL EFFECTS OF FIRES ON WILDLIFE.

PUBL WIS. CONSERV. BULL. 6(5):28-30.

KEYS SMALL MAMMALS, FIRE

127 AUTH KLEBENOW D. R., BEALL R., BRUNER A., MASON R., ROUNDY B., STAGER W., WARD K.

DATE 1976.

TITL CONTROLLED FIRE AS A MANAGEMENT TOOL IN THE PINYON-JUNIPER WOODLAND, NEVADA

PUBL ANN. PROG. REP. COOP. RES. USDA AND NEV. AGRIC. STN.

ANNO CONTROLLED BURNING INCREASED NUMBERS OF RODENTS AND BIRDS.
SPECIES DIVERSITY INCREASED FOR BIRDS, BUT DECREASED FOR
RODENTS.

KEYS PRESCRIBED FIRE, SMALL MAMMALS, BIRDS, NEVADA, PINYON-JUNIPER, POPULATION DENSITY, SPECIES DIVERSITY, 3

128 AUTH KOEHLER G. M., HORNOCKER M. G.

DATE 1977.

TITL FIRE EFFECTS ON MARTEN HABITATS.

PUBL J. WILDL. MANAGE. 41(3):500-505.

ANNO DESCRIBES THE EFFECTS OF FIRE ON MARTEN HABITAT AND FOOD SOURCES.

KEYS MARTEN, VOLES, DEER MOUSE, CHIPMUNKS, PREDATION, HABITAT, IDAHO, FOOD HABITS, SMALL MAMMALS, PREDATORS, WILDFIRE, 2

129 AUTH KOEHLER G. M., MOORE W. R., TAYLOR A. R.

DATE 1975.

TITL PRESERVING THE PINE MARTEN MANAGEMENT GUIDELINES FOR WESTERN FORESTS.

PUBL WESTERN WILDLANDS 2(3):31-36.

ANNO DESCRIBES MARTEN HABITAT REQUIREMENTS AND FOOD HABITS. GIVES GUIDELINES FOR FOREST MANAGEMENT FOR MARTEN HABITAT.

KEYS MARTEN, HABITAT, FOOD HABITS, PREDATION, SMALL MAMMALS, IDAHO, MOSAIC, WILDFIRE, LOGGING, 3

130 AUTH KOMAREK E. V. SR.

DATE 1963.

TITL FIRE, RESEARCH, AND EDUCATION.

PUBL TALL TIMBERS FIRE ECOL. CONF. 2:181-187.

ANNO COTTON RATS DECREASED AND GOLDEN MICE AND COTTON MICE INCREASED WHEN AN OPEN PINE WOODS WAS PROTECTED FROM FIRE FOR 4 YEARS.

NONE OF THE 52 COTTON RATS ON A 4 ACRE BROOM-SEDGE FIELD WERE HARMED WHEN THE FIELD WAS BURNED AND ONLY 6 WERE SEEN ON THE FIRE BREAK. THE REST HAD TAKEN REFUGE IN 'POP HOLES'.

KEYS COTTON RAT, GOLDEN MOUSE, COTTON MOUSE, MORTALITY, POPULATION DENSITY, SOUTHEAST, SMALL MAMMALS, PRESCRIBED FIRE, 2

131 AUTH KOMAREK E. V. SR.

DATE 1965.

TITL FIRE ECOLOGY-GRASSLANDS AND MAN.

PUBL TALL TIMBERS FIRE ECOL. CONF. 4:169-220.

ANNO DESCRIBES DIRECT AND INDIRECT EFFECTS OF FIRE ON PREDATORS AND PREY IN GRASSLAND.

KEYS COTTON RAT, HOUSE MOUSE, OLDFIELD MOUSE, GRAY FOX, RED FOX, SHRIKE, RAPTORS, PREDATION, BEHAVIORAL ADAPTATIONS, GRASSLAND, SMALL MAMMALS, WILDFIRE, 2

132 AUTH KOMAREK E. V. SR.

DATE 1969.

TITL FIRE AND ANIMAL BEHAVIOR.

PUBL TALL TIMBERS FIRE ECOL. CONF. 9:161-207.

ANNO DESCRIBES BEHAVIORAL ADAPTATIONS OF ANIMALS TO FIRE. KEYS COTTON RAT, RABBITS, LARGE MAMMALS, REPTILES, AMPHIBIANS, BIRDS, MORTALITY, PREDATION, BEHAVIORAL ADAPTATIONS, SMALL MAMMALS, WILDFIRE, 1

133 AUTH KOMAREK R.

DATE 1963.

FIRE AND THE CHANGING WILDLIFE HABITAT. TITL

TALL TIMBERS FIRE ECOL. CONF. 5:177-194.

DISCUSSES THE EFFECTS OF FIRE ON PREY AND PREDATOR POPULATIONS. ANNO

KEYS DEER MOUSE, COLUMBIAN GROUND SQUIRREL, MOUNTAIN LION, COYOTE, BEAVER, MARTEN, LARGE MAMMALS, POPULATION DENSITY, PREDATION, SMALL MAMMALS, WILDFIRE, PRESCRIBED FIRE, 2, PREDATORS

134 AUTH KORSCHGEN L. J.

DATE

FOOD HABITS -- COYOTES, FOXES, HOUSE CATS, BOBCATS -- IN MISSOURI. TITL

PUBL MISSOURI CONSERV. COMM. P-R REP. 15, 64P.

ANNO STUDY OF THE PRINCIPLE FOODS OF COYOTES, FOXES, HOUSECATS, AND BOBCATS. RABBITS WERE GENERALLY THE MOST IMPORTANT PREY SPECIES.

PREDATORS, COYOTE, RED FOX, GRAY FOX, BOBCAT, HOUSECAT, SMALL KEYS MAMMALS, MISSOURI, BIRDS, 2

135 AUTH KREFTING L. W., AHLGREN C. E.

DATE

SMALL MAMMALS AND VEGETATION CHANGES AFTER FIRE IN A MIXED TITL CONIFER HARDWOOD FOREST.

ECOLOGY 55(6):1391-1398. PUBL

DEER MICE WERE THE MOST ABUNDANT SMALL MAMMALS ON 2 WILDFIRE ANNO AREAS IN MINNESOTA FOR THE FIRST 7 YEARS. LATER RED-BACKED VOLES INCREASED APPARENTLY IN RESPONSE TO VEGETATION CHANGES. FOOD AND COVER ARE IMPORTANT INFLUENCES ON SMALL MAMMAL POPULATIONS AFTER FIRE.

SMALL MAMMALS, POST-FIRE SUCCESSION, POPULATION DENSITY, DEER KEYS MOUSE, RED-BACKED VOLES, MEADOW VOLE, FOOD HABITS, HABITAT, MIXED CONIFER-HARDWOOD, MINNESOTA, WILDFIRE, 1

LAWRENCE G. E. HTUA 136

> DATE 1966.

ECOLOGY OF VERTEBRATE ANIMALS IN RELATION TO CHAPARRAL FIRE IN TITL THE SIERRA NEVADA FOOTHILLS.

ECOLOGY 47(2):278-291. PUBL

REPORTS ON FIRE MORTALITY OF SMALL MAMMALS. MORTALITY FROM POST-FIRE PREDATION WAS CONSIDERED MORE SIGNIFICANT THAN FIRE ANNO MORTALITY. SPECIES CHANGED FROM BRUSH-DWELLING TO GRASS DWELLING BIRDS AND SMALL MAMMALS.

KEYS SMALL MAMMALS, BIRDS, PREDATORS, RAPTORS, POPULATION DENSITY, SPECIES DIVERSITY, MORTALITY, CHAPARRAL, CALIFORNIA, HABITAT, PRESCRIBED FIRE, RELATIVE HUMIDITY, 1

137 AUTH LAWRENCE W. H.

DATE 1954.

TITL MICHIGAN BEAVER POPULATIONS AS INFLUENCED BY FIRE AND LOGGING.

PUBL PH.D. DISSERTATION, UNIV. MICH., ANN ARBOR. 219P.

BEAVER WERE STUDIED AS A COMPONENT OF THE FOREST COMMUNITY. FIRE, WINTHROW, AND LUMBERING HAVE MAJOR ROLES IN THE ONNA DISTRIBUTION AND ABUNDANCE OF BEAVER BY PROVIDING FAVORABLE HABITAT. SUGGESTS INTEGRATING BEAVER MANAGEMENT INTO THE FOREST MANAGEMENT PROGRAM AS A PART OF THE NATURALLY OCCURRING ASPEN-CONIFER SUCCESSIONAL CYCLE.

SMALL MAMMALS, BEAVER, LOGGING, FIRE, MICHIGAN, ASPEN, PLANT KEYS

SUCCESSION, 1

138 AUTH LENSINK C. J., SKOOG R. O., BUCKLEY J. L.

DATE

FOOD HABITS OF MARTEN IN INTERIOR ALASKA AND THEIR TITL

SIGNIFICANCE. J. WILDL. MANAGE. 19(3):364-368.

MARTEN SHOW GREAT FLEXIBILITY IN THEIR DIET. FOOD PLAYS A VERY PUBL IMPORTANT ROLE IN THE BEHAVIOR, MOVEMENTS AND SELECTION OF ANNO HABITAT BY MARTEN.

MARTEN, FOOD HABITS, PREDATION, ALASKA, PREDATORS, 2 KEYS

LOBUE J., DARNELL R. M. 139 AUTH

DATE

EFFECT OF HABITAT DISTURBANCE ON A SMALL MAMMAL POPULATION. TITL

J. MAMMAL. 40:425-437. PUBL

PRAIRIE DEER MICE SHOWED A POSITIVE RESPONSE TO REDUCED ANNO VEGETATION AFTER MOWING, WHILE MICROTUS PREFERRED COVER. FOLLOWING MOWING THERE WAS A CHANGE IN SEX RATIO AND IN THE INFLUX OF NEW INDIVIDUALS IN THE DISTURBED AREA.

SMALL MAMMALS, MEADOW VOLE, DEER MOUSE, MOWING, HABITAT, KEYS ALFALFA, MIGRATION, VEGETATION STRUCTURE, 2

140 AUTH LONG C. A., KERFOOT W. C.

1963. DATE

MAMMALIAN REMAINS FROM OWL-PELLETS IN EASTERN WYOMING. TITL

J. MAMMAL. 44(1):129-131. PUBL

LIST OF SMALL MAMMALS FOUND IN OWL PELLETS. ANNO

KEYS BIRDS, SMALL MAMMALS, OWLS, PREDATION, WYOMING, 3

141 AUTH LOWE P. O.

DATE 1975.

POTENTIAL WILDLIFE BENEFITS OF FIRE IN PONDEROSA PINE FORESTS. TITL

M.S. THESIS. UNIV. ARIZONA, TUCSON. PUBL

ANNO OUANTIFICATION OF WILDLIFE BENEFITS FROM WILDFIRE IN TERMS OF TIME TREND RESPONSE CURVES CONVERTED TO ANNUITIES OR ANNUALIZED RETURN FROM THE RESOURCE. BENEFITS WERE EXPECTED FOR SOME RODENTS BUT LOSSES COULD BE EXPECTED FOR COTTONTAIL AND CHIPMUNKS.

WILDFIRE, SMALL MAMMALS, LARGE MAMMALS, BIRDS, ARIZONA, HABITAT, COTTONTAIL RABBIT, CHIPMUNKS, RODENTS, PONDEROSA PINE,

142 AUTH LOWE P. O., FFOLLIOTT P. F., DIETERICH J. H., PATTON D. R.

DATE

TITL DETERMINING POTENTIAL WILDLIFE BENEFITS FROM WILDFIRE IN ARIZONA PONDEROSA PINE FORESTS.

PUBL USDA FOR, SERV. GEN. TECH. REP. RM-52. 12P. ROCKY MT. FOR. AND

RANGE EXP. STN., FORT COLLINS, CO.
ANNO WILDLIFE USE OF BURNED AREAS WAS EVALUATED AND CONVERTED TO DOLLAR VALUES OF BENEFITS TO WILDLIFE. WILDLIFE USE OF AREAS 1, 3, 7, AND 20 YEARS AFTER FIRE WAS STILLING

RODENTS, WHITE-TAILED DEER, ELK, BIRDS, POST-FIRE SUCCESSION, FOOD HABITS, HABITAT, PONDEROSA PINE, ARIZONA, POPULATION DENSITY, SMALL MAMMALS, LARGE MAMMALS, WILDFIRE, 3

143 AUTH LUBINA J. A.

> DATE 1978.

TITL THE EFFECTS OF FIRE ON RODENT POPULATIONS IN THE CHAPARRAL OF SOUTHERN CALIFORNIA: A COMPARATIVE APPROACH.

M.A. THESIS. CALIF. STATE UNIV., LONG BEACH. 98P. PUBL

FIRE CAUSED A REDUCTION IN SHRUB COVER AND AN INCREASE IN ONNA HERBACEOUS VEGETATION. AS A RESULT, THE AGILE KANGAROO RAT INCREASED IN NUMBERS, THE DUSKY-FOOTED WOODRAT DECREASED, DEER MICE AND CALIFORNIA VOLES COLONIZED THE BURNED SITE AND BRUSH MICE DISAPPEARED. POCKET MICE AND CALIFORNIA VOLE DENSITIES WERE LEAST AFFECTED BY THE FIRE. THE INDIRECT IMPACT OF CHANGE IN VEGETATION STRUCTURE WAS THE MOST IMPORTANT IMPACT OF THE

SMALL MAMMALS, FIRE, CHAPARRAL, CALIFORNIA, SPECIES COMPOSITION, POPULATION DENSITY, VEGETATION STRUCTURE, 1, KEYS KANGAROO RATS, DUSKY-FOOTED WOODRAT, DEER MOUSE, CALIFORNIA VOLE, BRUSH MOUSE

144 AUTH LUTZ H. J.

DATE 1956.

TITL THE ECOLOGICAL EFFECTS OF FOREST FIRES IN THE INTERIOR OF ALASKA.

U.S. DEP. AGRIC. TECH. BULL. 1133. 121P. PUBL

FIRE CAUSES THE DISAPPEARANCE OF MARTEN. SMALL MAMMALS WHICH ANNO ARE FOOD FOR PREDATORS ARE KILLED WHEN THEIR HABITAT BURNS.

MARTEN, ALASKA, SMALL MAMMALS, PREDATORS, WILDFIRE, BIRDS, FISHER, LYNX, ERMINE, LARGE MAMMALS, HABITAT, 3

145 AUTH LYON L. J., CRAWFORD H. S., CZUHAI E., FREDRIKSEN R.L., HARLOW R. F., METZ L. J., PEARSON H. A.

DATE 1978.

EFFECTS OF FIRE ON FAUNA A STATE OF THE ART REVIEW.

USDA FOR. SERV. GEN. TECH. REP. WO-6, 41P. PUBL

REVIEW OF THE LITERATURE ON THE EFFECTS OF FIRE ON ANIMALS, ANNO INCLUDING INVERTEBRATES.

KEYS FIRE, SMALL MAMMALS, LARGE MAMMALS, BIRDS, HABITAT, VEGETATION STRUCTURE, MORTALITY, BIBLIOGRAPHY, 1

146 AUTH MANVILLE R. H.

DATE 1959.

THE COLUMBIAN GROUND SQUIRREL IN NORTHWESTERN MONTANA. TITL

PUBL. J. MAMMAL. 40(1):26-45.

A LIFE HISTORY OF COLUMBIAN GROUND SQUIRRELS IN GLACIER ANNO NATIONAL PARK.

SMALL MAMMALS, COLUMBIAN GROUND SQUIRREL, MONTANA, 2 KEYS

147 AUTH MARSHALL J. T. JR.

DATE 1942.

TITL FOOD AND HABITAT OF THE SPOTTED OWL.

PUBL CONDOR 44(2):66-67.

SPOTTED OWL PREYS ON SMALL MAMMALS, BIRDS, AND CRICKETS. ANNO HABITAT RATHER THAN FOOD SEEM TO LIMIT DISTRIBUTION.

KEYS RAPTORS, PREDATION, SMALL MAMMALS, SPOTTED OWL, TRANSITION ZONE FOREST, OREGON, BIRDS, 3

148 AUTH MARSHALL W. H.

> DATE 1942.

THE BIOLOGY AND MANAGEMENT OF THE PINE MARTEN IN IDAHO. TITL

PUBL PH.D. DISSERTATION, UNIV. MICH., ANN ARBOR. 107P.

ANNO DESCRIBES BIOLOGY, HABITAT, MOVEMENTS, AND FOOD OF THE PINE MARTEN. PRIMARY FOOD ITEMS WERE FLYING SQUIRREL, RED SQUIRREL, SNOWSHOE HARE, RED-BACKED VOLE, BIG GAME CARCASSES, SHREWS, AND BERRIES. FIR AND SPRUCE FIR HABITAT WERE USED THE MOST, BUT CONCLUDES THAT FOOD SUPPLY MAY BE MORE IMPORTANT THAN COVER TYPE. LOGGING ON SMALL SCALE WAS NOT DETRIMENTAL. SINCE FIRE CONTROL WAS GOOD, CATESTROPHIC FIRE WAS NOT EXPECTED TO ELIMINATE HABIT. MAKES MANAGEMENT SUGGESTIONS ESPECIALLY PERTAINING TO TRAPPING.

KEYS MARTEN, SMALL MAMMALS, PREDATORS, IDAHO, SPRUCE-FIR, HABITAT, FOOD HABITS, 2

149 AUTH MARSHALL W. H.

DATE 1946.

WINTER FOOD HABITS OF THE PINE MARTEN IN MONTANA. TITL

PUBL J. MAMMAL. 27:83-84.

RED SQUIRRELS, RED-BACKED VOLES AND SNOWSHOE HARE WERE MOST IMPORTANT FOOD ITEMS FOR MARTEN IN MONTANA. ANNO

PREDATORS, MARTEN, FOOD HABITS, MONTANA, RED SQUIRREL, RED-BACKED VOLES, SNOWSHOE HARE, SMALL MAMMALS, 2

150 AUTH MARSHALL W. H.

DATE 1951.

TITL PINE MARTEN AS A FOREST PRODUCT.

PUBL J. FOR. 49(2):899-905.

DISCUSSES MARTEN ECOLOGY- FOOD, HABITAT, REPRODUCTION. MAKES SUGGESTIONS FOR MANAGING MARTEN AS A FOREST PRODUCT FOR TRAPPERS. MENTIONS EFFECTS OF LOGGING AND FIRE SUPPRESSION ON

MARTEN, PREDATORS, IDAHO, MONTANA, HABITAT, FOOD HABITS, SMALL KEYS MAMMALS, BIRDS, POPULATION DENSITY, FIRE SUPPRESSION, 2, LOGGING

151 AUTH MARSTON R. B., JULANDER O.

DATE

PLANT COVER REDUCTIONS BY POCKET GOPHERS FOLLOWING EXPERIMENTAL TITL REMOVAL OF ASPEN FROM A WATERSHED AREA IN UTAH.

PUBL. J. FOR. 59(2):100-102.

POCKET GOPHERS REDUCED PLANT COVER ON EXPERIMENTAL PLOT WHERE ANNO ASPEN HAD BEEN REMOVED TO THE EXTENT THAT THERE WAS CONCERN ABOUT POTENTIAL EROSION.

SMALL MAMMALS, POCKET GOPHERS, LOGGING, ASPEN, UTAH, FOOD HABITS, POPULATION DENSITY, 2

152 AUTH MARTELL A. M.

DATE 1978

TITL

SELECTION OF CONIFER SEEDS BY DEER MICE AND RED-BACKED VOLES. CAN. J. FOR. 9(2):201-204. PUBL

IN LABORATORY EXPERIMENTS, BOTH DEER MICE AND RED-BACKED VOLES ANNO STRONGLY PREFERRED THE SEEDS OF WHITE PINE OVER THOSE OF JACKPINE OR BLACK SPRUCE.

KEYS SMALL MAMMALS, DEER MOUSE, RED-BACKED VOLES, SEED, WHITE PINE, JACK PINE, BLACK SPRUCE, 3

153 AUTH MASER C., GASHWILER J. S.

DATE

TITL INTERRELATIONSHIPS OF WILDLIFE AND WESTERN JUNIPER.

IN PROCEEDINGS OF THE WESTERN JUNIPER ECOLOGY AND MANAGEMENT PUBL WORKSHOP. BEND, ORE. USDA FOR. SERV. GEN. TECH. REP. PNW-74, P. 37-82, 1978. PAC. NORTHWEST AND RANGE EXP. STN., PORTLAND, ORE.

DESCRIBES WILDLIFE HABITAT (NESTING, FEEDING AND COVER) ANNO PROVIDED BY WESTERN JUNIPER, FOR 83 SPECIES OF BIRDS AND 23 SPECIES OF MAMMALS.

BIRDS, WESTERN JUNIPER, HABITAT, LARGE MAMMALS, SMALL MAMMALS, KEYS PREDATORS, 3

154 AUTH MASER C., TRAPPE J. M., NUSSBAUM R. A.

DATE

FUNGAL-SMALL MAMMAL INTERRELATIONSHIPS WITH EMPHASIS ON OREGON TITL CONIFEROUS FORESTS.

PUBL ECOLOGY 59(4):799-809.

ALTHOUGH SMALL MAMMALS MAY IMPEDE REFORESTATION THEY ARE ALSO ANNO IMPORTANT FOR REFORESTATION AS VECTORS FOR MYCORRHIZAL DISPERSAL.

SMALL MAMMALS, FOOD HABITS, MYCORRHIZAL FUNGI, OREGON KEYS

155 AUTH MASER C., TRAPPE J. M., URE D. C.

DATE 1978.

IMPLICATIONS OF SMALL MAMMAL MYCOPHAGY TO THE MANAGEMENT OF TITL WESTERN FORESTS.

TRANS. NORTH AM. WILDL. NAT. RESOUR. CONF. 43:78-88. PUBL

THERE IS A COMPLEX INTERRELATIONSHIP BETWEEN TREES, MYCORRHIZAL ANNO FUNGI, AND SMALL MAMMALS. IN MANAGING FORESTS ALL OF THESE INTERACTIONS NEED TO BE CONSIDERED.

SMALL MAMMALS, FOOD HABITS, MYCORRHIZAL FUNGI, CONIFEROUS KEYS FOREST

156 AUTH MCGEE J. M.

DATE IN PRESS.

SMALL MAMMAL RESPONSES TO PRESCRIBED BURNING OF BIG SAGE BRUSH. TITL

PUBL J. RANGE MANAGE.

SMALL MAMMALS, SAGEBRUSH, PRESCRIBED FIRE, WYOMING, SPRING KEYS BURN, FALL BURN, 2, GRAND TETON NATIONAL PARK, POSTFIRE SUCCESSION, MOSAIC, SPECIES COMPOSITION, MASKED SHREW, VAGRANT SHREW, LEAST CHIPMUNK, DEER MOUSE, MEADOW VOLE, MONTANA VOLE, WESTERN JUMPING MOUSE, LONG-TAILED WEASEL, PREDATORS

157 AUTH MCGEE J. M.

DATE 1976.

SOME EFFECTS OF FIRE SUPPRESSION AND PRESCRIBED BURNING ON TITL BIRDS AND SMALL MAMMALS IN SAGEBRUSH.

PH.D. DISSERTATION. UNIV. WYOMING, LARAMIE. 134P. PUBL

CHANGES IN BIRD DENSITY AND DIVERSITY AFTER BURNING SAGEBRUSH ANNO LASTED ONLY 2-3 YEARS. TOTAL SMALL MAMMAL NUMBERS WERE NOT DEPLETED BY FIRE, BUT EACH SPECIES RESPONDED DIFFERENTLY TO HABITAT CHANGES CAUSED BY THE BURNING.

KEYS SMALL MAMMALS, BIRDS, SAGEBRUSH, FIRE SUPPRESSION, PRESCRIBED FIRE, WYOMING, SPRING BURN, FALL BURN, POPULATION DENSITY, SPECIES DIVERSITY, GRAND TETON NATIONAL PARK, POSTFIRE SUCCESSION, MOSAIC, DEER MOUSE, 2

158 AUTH MCGREGOR R. C.

> DATE 1958.

SMALL MAMMAL STUDIES ON A SOUTHEAST ALASKA CUTOVER AREA. TITL

USDA FOR. SERV. STN. PAP. NO. 8. 9P. ALASKA FOR. RES. CENTER. PUBL

JUNEAU, ALASKA.

WHITE-FOOTED MOUSE POPULATIONS IN LOGGED AREAS AVERAGED 1.2-4 ANNO PER ACRE. THEY WERE MOST ABUNDANT ON THE VALLEY BOTTOM. SHREWS WERE MOST NUMEROUS ON SIDEHILLS, AND VOLES IN GRASSY AREAS.

SMALL MAMMALS, ALASKA, LOGGING, POISONS, POPULATION DENSITY, CLEARCUT, WHITE-FOOTED MOUSE, SHREWS, VOLES KEYS

MCKAY D. D., VERTS B. J. AUTH 159

1978. DATE

HABITAT PREFERENCE AND DISPERSAL OF NUTTALLS COTTONTAILS. TITL

NORTHWEST SCI. 52(4):363-368. PUBL.

DISCUSSES THE EFFECT OF SAMPLING BIAS ON THE ESTIMATION OF ANNO HABITAT PREFERENCE IN NUTTAILS COTTONTAILS.

KEYS SMALL MAMMALS, NUTTALL'S COTTONTAIL, OREGON, HABITAT, 3

AUTH MCKEEVER S. 160

> DATE 1960.

FOOD OF THE NORTHERN FLYING SQUIRREL IN NORTHEASTERN TITL CALIFORNIA.

PUBL J. MAMMAL. 41:270-271.

ANNO DURING THE SUMMER, FUNGI WERE THE PRINCIPLE FOOD OF FLYING SQUIRRELS EXAMINED IN LASSEN COUNTY, CALIFORNIA. HAIR MOSS WAS THE PRINCIPLE FOOD DURING THE WINTER WHEN SNOW COVERED THE GROUND.

KEYS SMALL MAMMALS, FLYING SQUIRRELS, FOOD HABITS, CALIFORNIA, FUNGI. 3

161 AUTH MECH D. L., ROGERS L. L.

DATE 1977.

STATUS, DISTRIBUTION, AND MOVEMENTS OF MARTENS IN NORTHEASTERN TITL MINNESOTA.

PUBL USDA FOR. SERV. RES. PAP. NC-143, 7P. NORTH CENT. FOR EXP. STN., ST. PAUL, MINN.

INFORMATION ON MARTEN DENSITY AND HABITAT. HOME RANGES OF 4 ANNO TELEMETERED MARTEN RANGED FROM 4.3 TO 19.9 KM2.

KEYS MARTEN, MOVEMENTS, POPULATION DENSITY, HABITAT, MINNESOTA, PREDATORS, 3

162 AUTH MEEHAN W.R.

> DATE 1974.

THE FOREST ECOSYSTEM OF SOUTHEAST ALASKA. 4. WILDLIFE HABITATS. TITL USDA FOR. SERV. GEN. TECH. REP. PNW-16. 32P. PACIFIC NORTHWEST

FOREST AND RANGE EXP. STN., PORTLAND, ORE.

DISCUSSES THE IMPACTS OF MAN'S ACTIVITIES INCLUDING LOGGING, ON ANNO WILDLIFE HABITATS.

SMALL MAMMALS, PREDATORS, ALASKA, LOGGING, HABITAT, LARGE KEYS MAMMALS, 3

163 AUTH METZGAR L. H.

DATE 1967.

AN EXPERIMENTAL COMPARISON OF SCREECH OWL PREDATION ON RESIDENT TITL AND TRANSIENT WHITE-FOOTED MICE (PEROMYSCUS LEUCOPUS). PUBL

J. MAMMAL. 48(3):387-391.

TRANSIENT MICE WERE MORE SUSCEPTABLE TO PREDATION BY A SCREECH ANNO OWL THAN RESIDENT MICE.

KEYS SMALL MAMMALS, RAPTORS, OWLS, PREDATION, WHITE-FOOTED MOUSE, 2

164 AUTH MILLER R. G., RITCEY R. W., EDWARDS R. Y.

DATE

TITL LIVE TRAPPING MARTEN IN BRITISH COLUMBIA.

PUBL MURRELET 36(1):1-8.

ANNO LOGGING AND FIRE DESTROYS MARTEN HABITAT. MODERN CUTTING, MAINTAINING FOREST STANDS OF DIFFERENT AGES, AND PRESERVING OLD GROWTH MARTEN HABITAT, WILL PERPETUATE MARTEN HABITAT.

KEYS MARTEN, BRITISH COLUMBIA, LOGGING, FIRE, HABITAT, HOME RANGE, PREDATORS, 2

AUTH MOORE A. W. 165

DATE 1940.

WILD ANIMAL DAMAGE TO SEED AND SEEDLINGS ON CUTOVER DOUGLAS FIR TITL LANDS OF OREGON AND WASHINGTON.

U.S. DEP. AGRIC. TECH. BULL. NO. 706. 27P. WASHINGTON, D.C. PUBL

ANNO DESCRIBES THE IMPACTS OF WHITE-FOOTED MICE, SHREWS, OTHER

MAMMALS, AND BIRDS, ON REFORESTATION.

SMALL MAMMALS, OREGON, WASHINGTON, DOUGLAS-FIR, SLASH FIRE, LOGGING, SEED, FOOD HABITS, WHITE-FOOTED MOUSE, SHREWS, BIRDS,

166 AUTH MOORE A. W.

> DATE 1942.

TITL SHREWS AS A CHECK ON DOUGLAS-FIR REGENERATION.

PUBL J. MAMMAL. 23(1):37-41.

DISCOVERED SEED EATERS BY LIVETRAPPING WITH SEED FOR BAIT. ANNO OREGON COASTAL SHREWS EAT CONSIDERABLE QUANTITIES OF DOUGLAS-FIR SEED AND MAY BE THE REASON THERE ISN'T MORE DOUGLAS-FIR REGENERATION.

SMALL MAMMALS, SHREWS, SEED, FOOD HABITS, OREGON, DOUGLAS-FIR, KEYS SLASH FIRE, 3

AUTH MOORE A. W. 167

DATE

THE POCKET GOPHER IN RELATION TO YELLOW PINE REPRODUCTION. TITL

PUBL J. MAMMAL. 24(2):271-272.

IN AREAS GRAZED BY CATTLE, DEER MICE TRAVELING IN POCKET GOPHER BURROWS APPARENTLY CONSUMED PONDEROSA PINE SEED. POCKET GOPHERS WERE NOT EATING THE SEED.

SMALL MAMMALS, POCKET GOPHERS, DEER MOUSE, GRAZING, OREGON, **KEYS** SEED, PONDEROSA PINE, 3, FOOD HABITS

168 AUTH MORE G.

> DATE 1978.

ECOLOGICAL ASPECTS OF FOOD SELECTION IN PINE MARTEN (MARTES TITL AMERICANA),

PUBL M.S. THESIS. UNIV. ALBERTA, EDMONTON, 94P.

KEYS PREDATORS, MARTEN, FOOD HABITS, 2

169 AUTH MORRIS R. D.

DATE 1970.

THE EFFECTS OF ENDRIN ON MICROTUS AND PEROMYSCUS. 1. UNENCLOSED FIELD POPULATIONS.

PUBL CAN. J. ZOOL. 48(4):695-708.

ANNO DEER MOUSE POPULATIONS WERE SIGNIFICANTLY REDUCED AFTER SPRAYING ENDRIN AND DID NOT RECOVER. VOLES DECLINED IMMEDIATELY 35

AFTER SPRAYING BUT IN 2 YEARS VOLE POPULATIONS EXCEEDED PRESPRAY LEVELS, AND EXCEEDED POPULATIONS ON CONTROL AREAS HARM YEAR OF THE STUDY.

KEYS SMALL MAMMALS, INSECTICIDE, POPULATION DENSITY, DEER MOUSE, MEADOW VOLE, 3

AUTH MORRIS R. F., CHESHIRE W. F., MILLER C. A., MOTT D. G.

DATE 1958.

THE NUMERICAL RESPONSE OF AVIAN AND MAMMALIAN PREDATORS DURING \mathtt{TITL} A GRADATION OF THE SPRUCE BUDWORM.

ECOLOGY 39(3):487-494.

RODENT AND INSECTIVORE POPULATIONS FLUCTUATED INDEPENDANTLY OF ANNO BUDWORM DENSITY; HOWEVER, RED-BACKED VOLE AND DEER MOUSE POPULATION CYCLES HAD DEPRESSED PEAKS, POSSIBLY BECAUSE OF SHEET SHORTAGE DURING BUDWORM OUTBREAK.

KEYS BIRDS, SMALL MAMMALS, SPRUCE BUDWORM, FOOD HABITS, POPULATION DENSITY, CONIFEROUS FOREST, CANADA, 2

171 AUTH MOTOBU D. A.

DATE 1978.

TITL EFFECTS OF CONTROLLED SLASH BURNING ON THE MOUNTAIN BEAVER (APLODONTIA RUFA RUFA).

PUBL NORTHWEST SCI. 52(2):92-99.

ANNO SLASH BURNING WAS CONSIDERED SUCCESSFUL FOR REDUCING MOUNTAIN BEAVER POPULATIONS. LOSSES WERE A RESULT OF ANIMALS BEING KILLED BY THE FIRE. SURVIVORS REMAINED WITHIN THEIR HOME RANGES. PREDATORS WERE ATTRACTED BY ROTTING CARCASSES.

SMALL MAMMALS, MOUNTAIN BEAVER, WASHINGTON, SLASH FIRE KEYS MORTALITY, PREDATORS, COYOTE, RAPTORS, LONG-TAILED WEASEL, DOUGLAS-FIR, LOGGING, HOME RANGE, 2

172 AUTH MURIE A.

DATE 1940.

ECOLOGY OF THE COYOTE IN YELLOWSTONE. TITL

FAUNA OF THE NATIONAL PARKS OF THE U.S. FAUNA SERIES NO 4. U.S. PUBL GOVT. PRINTING OFFICE, WASHINGTON, D.C. 206P.

LIFE HISTORY OF THE COYOTE IN YELLOWSTONE NATIONAL PARK. ANNO

1, PREDATORS, COYOTE, YELLOWSTONE NATIONAL PARK, WYOMING, KEYS MONTANA

173 AUTH MURIE A.

DATE-1961,

SOME FOOD HABITS OF THE MARTEN. TITL

PUBL J. MAMMAL. 42(4):516-521.

VOLES WERE PRESENT IN 251 OF 384 MARTEN SCATS. BERRIES WERE ANNO IMPORTANT FOOD ITEMS. RED SQUIRREL NESTS WERE USED BY MARTEN FOR A FEW DAYS AT A TIME ALTHOUGH THE SQUIRRELS WERE RARELY PREYED UPON.

KEYS MARTEN, FOOD HABITS, PREDATION, PREDATORS, SMALL MAMMALS, VOLES, RED SQUIRREL, GRAND TETON NATIONAL PARK, PIKA, 2, WYOMING

174 AUTH MURIE O. J.

DATE 1945.

TITL NOTES ON COYOTE FOOD HABITS IN MONTANA AND BRITISH COLUMBIA.

PUBL J. MAMMAL. 26(1):33-40.

ANNO NOTES OF FOOD HABITS FROM SCAT COLLECTIONS MADE FROM 1934-1935. IN THESE SCATS SNOWSHOE HARE AND COTTONTAILS WERE THE MOST ABUNDANT FOOD ITEM. CONCLUDES THAT COYOTES WILL SEEK AN

ABUNDANT AND EASY TO CAPTURE PREY SPECIES.

KEYS COYOTE, PREDATORS, PREDATION, FOOD HABITS, MONTANA, BRITISH COLUMBIA, SMALL MAMMALS, SNOWSHOE HARE, BIRDS, LARGE MAMMALS, 2

175 AUTH NEGUS N. C., FINDLEY J.

DATE 1959.

TITL MAMMALS OF JACKSON HOLE, WYOMING.

PUBL J. MAMMAL. 40(3):371-381.

ANNO LISTING OF SPECIES FOUND IN JACKSON HOLE. HABITAT INFORMATION GIVEN ON SMALL MAMMALS.

KEYS SMALL MAMMALS, PREDATORS, LARGE MAMMALS, WYOMING, HABITAT, 3

176 AUTH NEWBY F. E., MCDOUGAL J. J.

DATE

TITL RANGE EXTENSION OF THE WOLVERINE IN MONTANA.

PUBL J. MAMMAL. 45(3):483-487.

ONNA WOLVERINE INCREASING IN MONTANA.

KEYS PREDATORS, WOLVERINE, MONTANA, POPULATION DENSITY, 3

AUTH ODUM E. P. 177

DATE 1944.

WATER CONSUMPTION OF CERTAIN MICE IN RELATION TO HABITAT TITL SELECTION.

PUBL J. MAMMAL. 25(4):404-405.

ANNO CAPTIVE RED-BACKED VOLES DRANK NEARLY THEIR WEIGHT IN WATER EACH DAY, ALMOST 10 TIMES AS MUCH WATER AS DEER MICE. IN THE WILD THEY CHOSE THE WETTEST HABITAT.

KEYS SMALL MAMMALS, HABITAT, RED-BACKED VOLES, DEER MOUSE, MOISTURE REQUIREMENTS, 2,

178 AUTH ODUM E. P., POMEROY S. E., DICKINSON J. C. III, HUTCHESON K. DATE

THE EFFECTS OF LATE WINTER LITTER BURN ON THE COMPOSITION, TITL PRODUCTIVITY AND DIVERSITY OF A 4-YEAR OLD FALLOW-FIELD IN GEORGIA.

PUBL TALL TIMBERS FIRE ECOL. CONF. 13:399-419.

ANNO SIGMODON, MUS, PEROMYSCUS, AND REITHRODONTOMYS WERE INTRODUCED INTO FENCED, PARTIALLY BURNED PLOTS. SIGMODON INCREASED IN NUMBERS, MUS AND PEROMYSCUS POPULATIONS REMAINED LOW, AND REITHRODONTOMYS BECAME EXTINCT.

SMALL MAMMALS, COTTON RAT, EASTERN HARVEST MOUSE, OLDFIELD MOUSE, HOUSE MOUSE, PRESCRIBED FIRE, GEORGIA, POPULATION DENSITY, 3

OHMANN L. F., CUSHWA C. T., LAKE R. E., BEER J. R., BRANDER R. 179 AUTH ъ.

DATE 1973.

TITL WILDERNESS ECOLOGY: THE UPLAND PLANT COMMUNITIES, WOODY BROWSE, PRODUCTION, AND SMALL MAMMALS OF TWO ADJACENT 33-YEAR-OLD WILDFIRE AREAS OF NORTHEASTERN MINNESOTA.

USDA FOR. SERV. GEN. TECH. REP. NC-7, 30P. NORTH CENT. FOR. PUBL

EXP. STN., ST. PAUL, MINN. AN ATTEMPT TO RELATE SMALL MAMMAL DISTRIBUTION TO VEGETATIVE ANNO COMMUNITY TYPES. INSUFFICIENT NUMBERS OF ANIMALS WERE TRAPPED TO TEST CORRELATIONS, BUT IT APPEARED THAT THE SMALL MAMMALS WERE UNIFORMLY DISTRIBUTED THROUGH THE VEGETATION TYPES TESTED.

KEYS SMALL MAMMALS, MINNESOTA, DEER MOUSE, RED-BACKED VOLES, HABITAT, JACK PINE, BIRCH, ASPEN, 3, WILDFIRE, POST-FIRE SUCCESSION

180 AUTH ORR-EWING A. L.

DATE 1950.

LIFE HISTORY OF THE DEER MOUSE. TITL

FOR. CHRON. 26(2):115-126. PUBL

ANNO CONTROL OF MICE NECESSARY FOR SUCCESSFUL RESEEDING OF DOUGLAS-FIR ON LOGGED AND BURNED LAND. SUGGESTS CORRELATING CONTROL METHODS WITH LIFE HISTORY AND SEASONAL CYCLES OF THE MICE.

KEYS SMALL MAMMALS, DEER MOUSE, LOGGING, PRESCRIBED FIRE. DOUGLAS-FIR, BRITISH COLUMBIA, POPULATION DENSITY, SEED, FOOD HABITS, SHREWS, 3

181 AUTH PANK L. F.

DATE 1974.

A BIBLIOGRAPHY ON SEED-EATING MAMMALS AND BIRDS THAT AFFECT TITL FOREST REGENERATION.

PUBL U.S. DEP. INTERIOR, FISH AND WILDL. SERV. SPEC. SCI. REP., WILDL. NO. 174. WASHINGTON, D.C. 28P.

BIBLIOGRAPHY ON SEED-EATING MAMMALS AND BIRDS THAT AFFECT ONNA FOREST VEGETATION.

KEYS SMALL MAMMALS, BIRDS, SEED, FOOD HABITS, BIBLIOGRAPHY, 3

AUTH PATRIC E. F., WEBB W. L., PATTON D. R., FFOLLIOTT P. F. 182 DATE 1953.

A PRELIMINARY REPORT ON INTENSIVE BEAVER MANAGEMENT. TITL

TRANS. NORTH AM. WILDL. CONF. 18:533-539. PUBL

REPORTS HIGH BEAVER POPULATIONS DUE TO EXTENSIVE CLEARCUTTING ANNO AND FIRES. SUGGESTS FOREST MANAGEMENT TO PRODUCE SUITABLE BEAVER HABITAT.

SMALL MAMMALS, BEAVER, NEW YORK, POPULATION DENSITY, WILDFIRE, KEYS CLEARCUT, POST-FIRE SUCCESSION, ASPEN, 2

183 AUTH PATTON D.R., FFOLLIOTT P.F.

DATE 1975.

SELECTED BIBLIOGRAPHY OF WILDLIFE AND HABITATS FOR THE TITL SOUTHWEST.

USDA FOR. SERV. GEN. TECH. REP. RM-16. 39P. ROCKY MT. FOR. AND RANGE EXP. STN., FT. COLLINS, COLO. PUBI.

390 REFERENCES ON RESEARCH AND MANAGEMENT OF IMPORTANT WILDLIFE ANNO AND HABITATS IN ARIZONA AND NEW MEXICO. DOES NOT INCLUDE AMPHIBIANS, REPTILES, BATS, OR SMALL RODENTS.

HABITAT, BIBLIOGRAPHY, ARIZONA, NEW MEXICO, SMALL MAMMALS, LARGE MAMMALS, PREDATORS, BIRDS, 3

184 AUTH PEARSON O. P.

DATE 1964,

CARNIVORE-MOUSE PREDATION: AN EXAMPLE OF ITS INTENSITY AND TITL

J. MAMMAL. 45(2):177-188.

PEAK MOUSE POPULATION EXCEEDED ITS FOOD SUPPLY. MORTALITY DUE ANNO TO CARNIVORES, OTHER SOURCES, AND EMIGRATION, REDUCED MOUSE POPULATIONS SO THAT 7% OF THE SEED CROP WAS NOT EATEN. EIGHTY-EIGHT PERCENT OF THE 4400 MICROTUS, 33% OF THE 1200 REITHRODONTOMYS, AND 7% OF THE 7000 MUS WERE EATEN BY

KEYS SMALL MAMMALS, PREDATORS, PREDATION, POPULATION DENSITY, CALIFORNIA, GRAY FOX, RACCOON, SKUNK, SEED, FOOD HABITS, VOLES, HARVEST MOUSE, HOUSE MOUSE, 2

185 AUTH PELIKAN J., VACKAR J.

DATE 1978.

DENSITIES OF RED FOX, BADGER, AND PINE MARTEN POPULATIONS. TITL

PUBL CONG. THERIOL. INT. 2:189.

PREDATORS, RED FOX, BADGER, MARTEN, POPULATION DENSITY, 2 KEYS

PILLMORE R. E., FLICKINGER E. L., RICHMOND M. L. 186 AUTH DATE

1970.

FOREST SPRAYING OF ZECTRAN AND ITS SAFETY TO WILDLIFE. TITL

PUBL J. FOR. 69(10):721-727.

ZECTRAN SPRAYED TO CONTROL SPRUCE BUDWORMS WAS NOT CONSIDERED ANNO HARMFUL TO WILDLIFE. DOCUMENTS THE CONSUMPTION OF SPRUCE BUDWORM LARVAE BY RED SQUIRREL, AND GOLDEN-MANTLED GROUND SQUIRREL, CHIPMUNKS, AND DEER MOUSE. KEYS

SMALL MAMMALS, BIRDS, INSECTICIDE, FOOD HABITS, SPRUCE BUDWORM, 3, RED SQUIRREL, GOLDEN-MANTLED GROUND SQUIRREL, CHIPMUNKS,

187 AUTH QUICK H. F.

DATE 1953.

WOLVERINE, FISHER, AND MARTEN STUDIES IN A WILDERNESS REGION. TITL PUBL

TRANS. NORTH AM. WILDL. CONF. 18:513-532.

PRESENTS INFORMATION ON RANGE, FOOD HABITS AND BEHAVIOR ANNO GATHERED FROM RUNNING TRAPLINES FOR THESE SPECIES.

PREDATORS, MARTEN, FISHER, WOLVERINE, TRAPPING, VOLES, SMALL KEYS MAMMALS, BRITISH COLUMBIA, 2

188 AUTH QUICK H. F.

DATE 1954.

SMALL MAMMAL POPULATIONS IN NORTHERN BRITISH COLUMBIA. TITL PUBL

CAN. FIELD-NAT. 68(3):95-102.

SMALL MAMMAL POPULATIONS STUDIED BECAUSE OF THEIR IMPORTANCE AS ANNO FOOD ITEMS FOR FUR-BEARERS. DESCRIPTION OF POPULATION CYCLES.

SMALL MAMMALS, PREDATORS, FISHER, MARTEN, BRITISH COLUMBIA, KEYS POPULATION DENSITY, 2

189 AUTH QUICK H. F.

DATE 1955.

FOOD HABITS OF MARTEN (MARTES AMERICANA) IN NORTHERN BRITISH TITL PUBL

CAN. FIELD-NAT. 69(4):144-147.

THE MARTEN FOOD BASE CONSISTS OF RED-BACKED VOLES, DEER MICE, ANNO RED SQUIRRELS, AND SNOWSHOE HARE. THESE ANIMALS VARY IN ABUNDANCE BUT LOW LEVELS DID NOT SEEM TO LIMIT MARTEN. THE PROPORTION OF MARTEN SPECIMENS CONTAINING VOLE REMAINS WAS THE SAME DURING LOW VOLE POPULATIONS AS DURING HIGH VOLE POPULATIONS.

KEYS MARTEN, FOOD HABITS, BRITISH COLUMBIA, PREDATORS, PREDATION, RED-BACKED VOLES, DEER MOUSE, RED SQUIRREL, SNOWSHOE HARE, 2

190 AUTH REAM C. H., GRUELL G. E.

DATE

TITL INFLUENCES OF HARVESTING AND RESIDUE TREATMENTS ON SMALL MAMMALS AND IMPLICATIONS FOR FOREST MANAGEMENT.

PUBL IN ENVIRONMENTAL CONSEQUENCES OF TIMBER HARVESTING IN ROCKY MOUNTAIN CONIFEROUS FORESTS. SEP. 11-13, 1979, MISSOULA, MT. GEN. TECH. REP. INT-90.

ANNO REVIEW OF THE EFFECTS OF LOGGING AND RESIDUE TREATMENTS ON SMALL MAMMALS. NUMBERS AND SPECIES COMPOSITION ARE RELATED TO HABITATS WHICH RESULT FROM HARVESTING METHODS. DISCUSSION OF BENEFICIAL AND DETRIMENTAL ASPECTS OF SMALL MAMMALS IN FOREST COMMUNITIES.

SMALL MAMMALS, SPECIES COMPOSITION, POPULATION DENSITY, DEER MOUSE, RED-BACKED VOLES, COLUMBIAN GROUND SQUIRREL, SHREWS, SNOWSHOE HARE, PORCUPINE, FLYING SQUIRRELS, RED SQUIRREL, KEYS PRESCRIBED FIRE, BROADCAST FIRE, CLEARCUT, SELECTIVE CUT, HERBICIDE, INSECTICIDE, POST-FIRE SUCCESSION, BROADCAST FIRE, MOSAIC, POISONS, DAMAGE, SEED, FUNGI, INSECTS, RESIDUE TREATMENTS, 1

191 AUTH RESLER R. A.

> DATE 1972.

TITL CLEARCUTTING: BENEFICIAL ASPECTS FOR WILDLIFE RESOURCES.

J. SOIL WATER CONSERV. 27(6):251-254. PUBL

POINTS OUT POTENTIAL BENEFITS OF CLEARCUTTING TO WILDLIFE IF APPROPRIATE PLANNING PRECEEDS HARVESTING.
SMALL MAMMALS, LARGE MAMMALS, BIRDS, CLEARCUT, LITERATURE ANNO

KEYS REVIEW, 2

192 AUTH RICKARD W. H.

DATE 1960.

TITL THE DISTRIBUTION OF SMALL MAMMALS IN RELATION TO THE CLIMAX VEGETATION MOSAIC IN EASTERN WASHINGTON AND NORTHERN IDAHO.

PUBI. ECOLOGY 41(1):99-106.

ANNO 14 TYPES OF CLIMAX PLANT ASSOCIATIONS SAMPLED FOR SMALL MAMMALS. DISTRIBUTION OF 11 SMALL MAMMAL SPECIES IN DIFFERENT COMMUNITIES DISCUSSED. CHIPMUNKS WERE TRAPPED IN EVERY FOREST STAND. RED-BACKED VOLES WERE TRAPPED IN ALL BUT THE MOST XERIC CONIFEROUS STANDS. SHREWS WERE NOT AS STRONGLY LINKED TO PLANT ASSOCIATIONS AS HERBIVOROUS SMALL MAMMALS.

KEYS SMALL MAMMALS, IDAHO, WASHINGTON, SPECIES COMPOSITION, HABITAT, YELLOW-PINE CHIPMUNK, RED-BACKED VOLES, MASKED SHREW, DUSKY SHREW, DEER MOUSE, 2

AUTH ROPPE J. A., HEIN D.

DATE 1978.

EFFECTS OF FIRE IN A LODGEPOLE PINE FOREST. TITL

PUBL SOUTHWEST NAT. 23(2):279-288.

SPECIES DIVERSITY FOR SMALL MAMMALS AND BIRDS WAS GREATER ON AN ANNO 8 YEAR OLD BURN THAN THE ADJACENT UNBURNED LODGEPOLE. POPULATION DENSITIES AND TOTAL BIOMASS WERE SIMILIAR FOR BOTH

SMALL MAMMALS, LARGE MAMMALS, BIRDS, LODGEPOLE PINE, COLORADO, KEYS WILDFIRE, SPECIES COMPOSITION, POPULATION DENSITY, SUMMER BURN, POST-FIRE SUCCESSION, 1

194 AUTH ROSENZEIG M. L.

DATE 1973.

TITL HABITAT SELECTION BY RODENTS.

PUBL ECOLOGY 54(1):110-117.
ANNO KANGAROO RATS AND POCKET MICE COEXIST, EXPLOITING DIFFERENT VEGETATION STRUCTURES WITHIN THE HABITAT.

KEYS SMALL MAMMALS, RODENTS, HABITAT, KANGAROO RATS, POCKET MOUSE, ARIZONA, VEGETATION STRUCTURE, MESQUITE, 2

195 AUTH ROWE J. S., SCOTTER G. W.

DATE 1973.

TITL FIRE IN THE BOREAL FOREST.

PUBL QUARTERNARY RES. 3:444-464.

FAUNAL SUCCESSION FOLLOWS PLANT SUCCESSION. FIRE IS IMPORTANT FOR MAINTAINING SOIL CHEMICAL PROPERTIES, VEGETATIONAL COMPOSITION, AND ANIMAL POPULATIONS, THROUGH THE MOSAIC OF HABITATS CREATED.

FIRE, POST-FIRE SUCCESSION, MOSAIC, LARGE MAMMALS, SMALL **KEYS** MAMMALS, PREDATORS, SNOWSHOE HARE, MARTEN, RED SQUIRREL, BEAVER, 2, WILDFIRE

196 AUTH SAIGO B. W.

DATE 1969.

THE RELATIONSHIP OF NON-RECOVERED RODENT CACHES TO NATURAL TITL REGENERATION OF PONDEROSA PINE.

M.S. THESIS, OREGON STATE UNIV., CORVALLIS. 98P.
SMALL MAMMAL SEED CACHES THOUGHT TO BE RESPONSIBLE FOR ONE-HALF ANNO OF PONDEROSA PINE REGENERATION. THIS IS MOST IMPORTANT IN AREAS DISTURBED BY ROAD CLEARING, LOGGING AND FIRE. GERMINATING SEED CLUMPS PROVIDE FOOD FOR OREGON JUNCOS AND OTHER ANIMALS. LITERATURE REVIEW ON BENEFICIAL EFFECTS OF SMALL MAMMALS ON REFORESTATION.

SMALL MAMMALS, FOOD HABITS, PONDEROSA PINE, BIRDS, KEYS GOLDEN-MANTLED GROUND SQUIRREL, YELLOW-PINE CHIPMUNK, DEER MOUSE, OREGON JUNCO, LOGGING, WILDFIRE, OREGON, LITERATURE REVIEW, 2

197 AUTH SAMPSON A. W.

DATE 1944.

PLANT SUCCESSION ON BURNED CHAPARRAL LANDS IN NORTHERN TITL

CALIF. AGRIC. EXP. STN. BULL. 685. PUBL

FIRE KILLS MANY SMALL MAMMALS ESPECIALLY THOSE THAT LIVE IN TREES OR BRUSH. REDUCTION OF SURFACE DWELLING SMALL MAMMALS IS ANNO TEMPORARY AND THE INCREASED FOOD SUPPLY AFTER FIRE CAUSES AN INCREASE IN THEIR NUMBERS. MOST PREDATORS ARE MOBILE ENOUGH TO ESCAPE MOST FIRES. KEYS

SMALL MAMMALS, PREDATORS, LARGE MAMMALS, BIRDS, FIRE, FOOD HABITS, POPULATION DENSITY, MORTALITY, 2, CHAPARRAL, CALIFORNIA

198 AUTH SCHEFFER T. H.

DATE 1945.

TITL BURROW ASSOCIATIONS OF SMALL MAMMALS. PUBL.

MURRELET 26(2)24-26.

ANNO NOTES ON KINDS OF SMALL MAMMALS TRAPPED IN MOLE BURROWS. KEYS

SMALL MAMMALS, PREDATORS, PACIFIC NORTHWEST, HABITAT, REPTILES, WEASEL, MOLES, MICE, POCKET GOPHERS, BULL SNAKE, 3

199 AUTH SCOTTER G. W.

DATE 1964.

TITL EFFECTS OF FOREST FIRES ON THE WINTER RANGE OF BARREN-GROUND CARIBOU IN NORTHERN SASKATCHEWAN.

PUBL

WILDL. MANAGE. BULL. SERIES 1(18). CAN. WILDLIFE SERV., OTTAWA. SNOWSHOE HARE AND BEAVER BENEFITTED FROM POST-FIRE SUCCESSION. ANNO RED SQUIRRELS WERE ONLY FOUND IN STANDS OLDER THAN 50 YEARS. FIRE DESTROYED MARTEN HABITAT. KEYS

SMALL MAMMALS, BIRDS, LARGE MAMMALS, POST-FIRE SUCCESSION, MARTEN, PREDATORS, RED SQUIRREL, SNOWSHOE HARE, SASKATCHEWAN, BLACK SPRUCE, BEAVER, FIRE, 2

AUTH SETON E. T. 200

> 1929. DATE

LIVES OF GAME ANIMALS. TITL

VOL. II, PART 2. DOUBLEDAY, DORAN AND CO., INC. NEW YORK. 746P. PUBL

FIRE CAUSES THE DISAPPEARANCE OF MARTEN. ANNO

KEYS MARTEN, FIRE, PREDATORS

SHORT H. L., MCCULLOCH C. Y. 201 AUTH

> DATE 1977.

MANAGING PINYON-JUNIPER RANGES FOR WILDLIFE. TITL

USDA FOR. SERV. GEN. TECH. REP. RM-47, 10P. ROCKY MT. FOR. PUBL AND RANGE EXP. STN. FORT COLLINS, COLO.
DESCRIBES PINYON-JUNIPER HABITATS AND WILDLIFE. DISCUSSES

ANNO MANAGEMENT PROCEDURES TO BENEFIT WILDLIFE.

SMALL MAMMALS, LARGE MAMMALS, BIRDS, REPTILES, PINYON-JUNIPER, **KEYS** FOOD HABITS, SOUTHWEST, HABITAT MANAGEMENT, PREDATORS, GRAZING. HERBICIDE, PRESCRIBED FIRE, 3

202 AUTH SIMS H. P., BUCKNER C. H.

DATE

THE EFFECTS OF CLEARCUTTING AND BURNING OF PINUS BANKSIANA TITL FORESTS ON THE POPULATIONS OF SMALL MAMMALS IN SOUTHEASTERN MANITOBA.

PUBL AMER. MIDL. NAT. 90(1):228-231.

THE TOTAL POPULATION OF SMALL MAMMALS WAS REDUCED AFTER ANNO BURNING, BUT FOLLOWED BY A RAPID REESTABLISHMENT OF A LARGE POPULATION OF DEER MICE WHICH WERE CONSIDERED A HAZARD TO DIRECT SEEDING ON JACK PINE SITES IN MANITOBA.

KEYS SMALL MAMMALS, JACK PINE, MANITOBA, FOOD HABITS, DEER MOUSE, CLEARCUT, SLASH FIRE, 2

SOUTIERE E. C. 203 AUTH

DATE

TITL THE EFFECTS OF TIMBER HARVESTING ON THE MARTEN.

PUBL PH.D. DISSERTATION. UNIV. OF MAINE, ORONO. 87P.

KEYS PREDATORS, MARTEN, LOGGING, MAINE, 2

204 AUTH SOUTIERE E. C.

DATE

TITL EFFECTS OF TIMBER HARVESTING ON MARTEN IN MAINE.

PUBL J. WILDL. MANAGE. 43(4):850-860.

ANNO SELECTIVE TIMBER HARVESTING IS COMPATIBLE WITH THE PRESERVATION OF MARTEN HABITAT. TIMBER HARVESTING DOES NOT LIMIT MARTEN FOOD. CLEARCUTS ARE POOR MARTEN HABITAT FOR THE FIRST FIFTEEN YEARS.

KEYS PREDATORS, MARTEN, MAINE, MEADOW VOLE, SMALL MAMMALS, PREDATION, CLEARCUT, SELECTIVE CUT, BIRDS, MIXED CONIFER-HARDWOOD, RED-BACKED VOLES, HABITAT, 1, SPRUCE-FIR

205 AUTH SPENCER D. A.

DATE 1955.

TITL THE EFFECTS OF RODENTS ON REFORESTATION.
PUBL PROC. SOC. AM. FORESTERS MEETING, 1955:125-128.

ANNO THIRTEEN ACRE SLASH BURN CONTAINED 50% FEWER SMALL MAMMALS THAN ADJACENT UNBURNED AREA DURING 6 DAYS IMMEDIATELY AFTER THE FIRE. THERE IS A PROGRESSIVE SHIFT IN THE TYPES OF RODENT DAMAGE AT DIFFERENT STAGES OF SUCCESSION.

SMALL MAMMALS, SLASH FIRE, POPULATION DENSITY, LOGGING, PACIFIC KEYS NORTHWEST, 3, SLASH FIRE

HTUA 76 STICKEL L. F.

> DATE 1946.

THE SOURCE OF ANIMALS MOVING INTO A DEPOPULATED AREA. TITL

PUBL J. MAMMAL. 27(4):301-307.

STUDIED THE INVASION OF WHITE-FOOTED MICE FROM ESTABLISHED HOME ANNO RANGES TO A CENTRAL AREA WHERE MICE WERE BEING REMOVED BY SNAPTRAPPING.

SMALL MAMMALS, WHITE-FOOTED MOUSE, MIGRATION, MARYLAND, 2 **KEYS**

17 AUTH STODDARD H. L.

DATE 1961.

THE USE OF FIRE ON SOUTHEASTERN GAME LANDS. TITL

IN THE COOPERATIVE QUAIL STUDY ASSOC. MAY 1, 1931 - MAY 1, PUBL 1943. P. 47-63. H. L. STODDARD, H. L. BEADEL AND E. V. KOMAREK. MISC. PUBL. NO. 1. TALL TIMBERS PLANTATION.

FIRE FOR QUAIL MANAGEMENT ALSO DESTROYS COVER NECESSARY FOR OMMA COTTON RATS. POISONING AND TRAPPING RATS IS NOT NECESSARY WHEN FIRE IS USED:

COTTON RAT, FIRE, POPULATION DENSITY, SOUTHEAST, 3, BIRDS, KEYS QUAIL, SMALL MAMMALS

18 AUTH STOUT J., FARRIS A. L., WRIGHT V. L.

DATE

TITL SMALL MAMMAL POPULATIONS OF AN AREA IN NORTHERN IDAHO SEVERELY BURNED IN 1967.

NORTHWEST SCI. 45(4):219-226.

AUTHORS DID NOT DOCUMENT UNUSUAL DENSITIES OF SMALL MAMMALS ON ANNO BURN. RODENTS ON BURN WERE EATING SHRUB BARK.

KEYS SMALL MAMMALS, DEER MOUSE, VOLES, POPULATION DENSITY, IDAHO, FOOD HABITS, POST-FIRE SUCCESSION, WILDFIRE, 2

AUTH SULLIVAN T. P.

> DATE 1979.

REPOPULATION OF CLEAR-CUT HABITAT AND CONIFER SEED PREDATION BY TITL DEER MICE.

PUBL J. WILDL. MANAGE. 43(4):861-871.

MICE CONTINUE TO INVADE RECENT CUT-OVER AREAS AND CONSUME SEED ANNO REGARDLESS OF CONTROL METHODS. SUGGESTS USE OF ALTERNATIVE FOODS TO REDUCE CONIFER SEED CONSUMPTION.

KEYS SMALL MAMMALS, CLEARCUT, DEER MOUSE, BRITISH COLUMBIA, DOUGLAS-FIR, SEED, POISONS, MIGRATION, 1

OAUTH SUNQUIST M. E.

DATE

EFFECTS OF FIRE ON RACCOON BEHAVIOR. TITL

J. MAMMAL. 48(4):673-674. PUBL

ANNO MOVEMENTS OF A FAMILY OF RADIO-COLLARED RACCOONS WERE FOLLOWED 4 DAYS BEFORE AND 4 DAYS AFTER A FIRE WITHIN THEIR HOME RANGE. THE FIRE DID NOT SIGNIFICANTLY AFFECT THE AMOUNT OF TIME THE ANIMALS SPENT IN THE AREA BURNED.

KEYS SMALL MAMMALS, RACCOON, PRESCRIBED FIRE, SAVANNA, MINNESOTA, 2

AUTH TERRILL H. V., MARSHALL W. H.

DATE 1946.
TITL USING DEN BOXES TO BOOST SQUIRREL CROP.
PUBL MISSOURI CONSERV. 7:4-5.

SQUIRRELS DID NOT OCCUPY BURNED AREAS BECAUSE OF LACK OF NEST ANNO

SMALL MAMMALS, SQUIRRELS, FIRE, HABITAT, 2 KEYS

AUTH TESTER J. R. 212

> DATE 1965.

EFFECTS OF A CONTROLLED BURN ON SMALL MAMMALS IN A MINNESOTA TITL OAK SAVANNA.

AM. MIDL. NAT. 74(1):240-243. PUBL

AN OAK SAVANNA WAS RETRAPPED 35 DAYS AFTER A FAST HOT ANNO CONTROLLED BURN. THE NUMBER OF DEER MICE INCREASED FROM 4 TO 400 AND THE NUMBER OF RED-BACKED VOLES FROM 9 TO 13. SUGGESTS VOLES NOT AS AFFECTED BY HABITAT CHANGES CAUSED BY FIRE IN A SAVANNA. AS IN CONIFER SLASH.

KEYS SMALL MAMMALS, DEER MOUSE, RED-BACKED VOLES, OAK-SAVANNA, MORTALITY, POPULATION DENSITY, MINNESOTA, PRESCRIBED FIRE, 2

AUTH TESTER J. R., MARSHALL W. H.

DATE 1962.

213

TITL MINNESOTA PRAIRIE MANAGEMENT TECHNIQUES AND THEIR WILDLIFE IMPLICATIONS.

TRANS. NORTH AM. WILDL. NAT. RESOUR. CONF. 27:267-287. PUBL

ANNO MEADOW VOLE INCREASED WITH INCREASING LITTER AFTER FIRE, WHILE DEER MICE DECREASED.

KEYS SMALL MAMMALS, GRASSLAND, MINNESOTA, WILDFIRE, MEADOW VOLE, DEER MOUSE, POPULATION DENSITY, SPRING BURN, FALL BURN, GRAZING, MOWING, BIRDS, 2

214 AUTH TEVIS L. JR.

DATE 1953.

STOMACH CONTENTS OF CHIPMUNKS AND MANTLED SQUIRRELS IN TITL NORTHEASTERN CALIFORNIA.

PUBL J. MAMMAL. 34:316-324.

ANNO HYPOGEOUS FUNGI ARE THE MOST IMPORTANT FOOD OF CHIPMUNKS AND MANTLED SQUIRRELS IN THE COMMERCIAL TIMBER BELT OF NORTHEASTERN CALIFORNIA. SEEDS, LEAVES, FLOWERS, FRUITS, ROOTS, ARTHROPODS, AND MEAT WERE ALSO EATEN. CONCLUDES SMALL MAMMALS THAT ARE HARMFUL AT ONE TIME AND PLACE MAY BE BENEFICIAL AT ANOTHER TIME OR PLACE.

KEYS SMALL MAMMALS, CHIPMUNKS, GOLDEN-MANTLED GROUND SQUIRREL, FOOD HABITS, CALIFORNIA, 2, DOUGLAS-FIR

215 AUTH TEVIS L. JR.

DATE 1956.

TITL EFFECT OF A SLASH BURN ON FOREST MICE.

PUBL J. WILDL. MANAGE. 20(4):405-409.

EXPERIMENT TO SEE IF SLASH FIRE COULD BE USED TO CONTROL SEED EATING MICE. MOST MICE IN SLASH WERE KILLED BY THE FIRE. AS ONNA SOON AS THE ASH SURFACE WAS HARDENED BY RAIN THERE WAS A REINVASION OF MORE MICE THAN ORIGINALLY INHABITED THE SLASH.

KEYS SMALL MAMMALS, WHITE-FOOTED MOUSE, CHIPMUNKS, WOODRATS, SHREWS, MORTALITY, MIGRATION, SOIL SURFACE, DOUGLAS-FIR, CALIFORNIA, POPULATION DENSITY, CLEARCUT, SLASH FIRE, 1

216 AUTH TEVIS L. JR.

1956. DATE

TITL INVASION OF A LOGGED AREA BY GOLDEN-MANTLED SQUIRRELS. PUBL J. MAMMAL. 37(2):291-292.

ANNO GOLDEN-MANTLED SQUIRRELS MIGRATED FROM AN ISOLATED RIDGE WHERE A POPULATION WAS ESTABLISHED, THROUGH VIRGIN DOUGLAS-FIR TO ESTABLISH POPULATIONS IN NEWLY LOGGED AREAS. SQUIRRELS' SEED EATING HABITS REPRESENTED A THREAT TO REFORESTATION. POPULATION INCREASED IN SPITE OF POISONING.

SMALL MAMMALS, GOLDEN-MANTLED GROUND SQUIRREL, LOGGING, KEYS DOUGLAS-FIR, CALIFORNIA, WHITE FIR, FOOD HABITS, SEED, MIGRATION, 1

217 AUTH TEVIS L. JR.

DATE 1956.

TITL POCKET GOPHERS AND SEEDLINGS OF RED FIR.

PUBL ECOLOGY 37(2):379-381.

IDAHO FESCUE HAD PREVENTED SPREAD OF CONIFERS. OVERGRAZING ANNO CAUSED DISTRUCTION OF TURE AND MULTIPLICATION OF BULBOUS PLANTS. POCKET GOPHERS RESPONDED BY INCREASING. GROUND CHURNED BY POCKET GOPHERS PRODUCED AN IDEAL SEED BED FOR CONIFERS. IN 1951 A BUMPER CROP OF RED FIR CONES PRODUCED MANY SEEDLINGS. THERE WAS ABUNDANT SURVIVAL OF SEEDLINGS ON BARE GROUND AWAY FROM RODENTS.

SMALL MAMMALS, POCKET GOPHERS, GRAZING, FOOD HABITS, SEED, RED KEYS FIR, IDAHO FESCUE, CALIFORNIA, PREDATORS, COYOTE, 2

218 AUTH TEVIS L. JR.

> DATE 1956.

RESPONSES OF SMALL MAMMAL POPULATIONS TO LOGGING DOUGLAS-FIR. TITL

PUBL J. MAMMAL. 37(2)189-196.

LOGGING CAUSES AN INCREASE IN THE NUMBERS OF TOWNSEND ANNO CHIPMUNKS, DUSKY-FOOTED WOOD RATS, WHITE-FOOTED AND BIG-EARED MICE, DIGGER SQUIRRELS, CHICKAREES, GRAY SQUIRRELS, AND BUSH RABBITS. TROWBRIDGE SHREWS, RED-BACKED MICE, FLYING SQUIRRELS AND SHREW-MOLES DECREASE, WHITE-FOOTED MICE AND TOWNSEND'S CHIPMUNKS BECOME MOST NUMEROUS AND ARE RESPONSIBLE FOR MOST OF THE SEED DESTRUCTION.

SMALL MAMMALS, MORTALITY, DOUGLAS-FIR, LOGGING, SLASH FIRE, KEYS FOOD HABITS, SEED, CALIFORNIA, MIGRATION, TOWNSEND'S CHIPMUNK, WHITE-FOOTED MOUSE, PINON MOUSE, CALIFORNIA GROUND SQUIRREL, DUSKY-FOOTED WOOD RAT, GRAY SQUIRREL, FLYING SQUIRRELS, DOUGLAS' SQUIRREL, BRUSH RABBIT, TROWBRIDGE SHREW, RED-BACKED VOLES, SHREW-MOLE, 2, POPULATION DENSITY

219 AUTH TRAPPE J. M., MASER C.

DATE 1977.

ECTOMYCORRHIZAL FUNGI: INTERACTIONS OF MUSHROOM AND TRUFFLES TITL WITH BEASTS AND TREES.

IN MUSHROOMS AND MAN--AN INTERDISCIPLINARY APPROACH TO MYCOLOGY. P. 163-180. A. B. WALTERS, ED. LINN-BENTON COMMUNITY COLLEGE, ALBANY, ORE.

SMALL MAMMALS, FORESTS, AND MYCORRHIZAL FUNGI HAVE EVOLVED ANNO TOGETHER AND ARE MUTUALLY DEPENDANT. SMALL MAMMALS ARE THE PRIMARY DISPERSAL AGENT FOR HYPOGEOUS FUNGI.

SMALL MAMMALS, FOOD HABITS, MYCORRHIZAL FUNGI, 2 KEYS

220 AUTH TRUETT J. C.

DATE 1979.

TITL OBSERVATIONS OF COYOTE PREDATION ON MULE DEER FAWNS IN ARIZONA. PUBL J. WILDL. MANAGE. 43(4):956-958.

ANNO DESCRIPTIONS OF COYOTE ATTACKS ON MULE DEER FAWNS AND DEFENSE OF FAWNS BY DOES.

KEYS PREDATORS, COYOTE, MULE DEER, ARIZONA, PREDATION, 2

221 AUTH TRYON C. A. JR.

DATE 1947.

TITL THE BIOLOGY OF THE POCKET GOPHER (THOMOMYS TALPOIDES) IN MONTANA.

PUBL MONT. STATE COLL. AGRIC. EXP. STN. BULL. 448, 33P.

ANNO LIFE HISTORY AND IMPORTANCE OF THE POCKET GOPHER AS A BURROWING ANIMAL IN WESTERN MOUNTAINS.

KEYS SMALL MAMMALS, POCKET GOPHERS, MONTANA, HABITAT, FOOD HABITS, 3

222 AUTH TURNER G. T., HANSEN R. M., REID V. H., TIETJEN H. P., WARD A.

DATE 1977.

TITL POCKET GOPHERS AND COLORADO RANGE LANDS.

PUBL BULLETIN 5545, COLO. STATE UNIV. EXP. STN., FT. COLLINS, COLO.

ANNO A COMPLETE LIFE HISTORY OF POCKET GOPHERS. INCLUDES SECTION ON CONTROL.

KEYS SMALL MAMMALS, POCKET GOPHERS, COLORADO, HABITAT, FOOD HABITS, POISONS, HERBICIDE, 2

223 AUTH USDA

DATE 1978.

TITL SPECIES LIST BIRDS, MAMMALS, FISH, REPTILES, AND AMPHIBIANS FOR THE FOREST SERVICE INCLUDING SEPARATE LISTS FOR IDAHO, MONTANA AND NORTH DAKOTA.

PUBL USDA FOR. SERV., NORTHERN REGION, MISSOULA, MONT., R1-78-002 82P.

ANNO SPECIES LISTS FOR EACH STATE IN THE NORTHERN REGION.

KEYS SMALL MAMMALS, LARGE MAMMALS, BIRDS, FISH, REPTILES, AMPHIBIANS, MONTANA, IDAHO, NORTH DAKOTA, 3

224 AUTH VIERECK L. A., DYRNESS C. T. (EDS.)

DATE 1979.

TITL ECOLOGICAL EFFECTS OF THE WICKERSHAM DOME FIRE NEAR FAIRBANKS, ALASKA.

PUBL USDA FOR. SERV. GEN. TECH. REP. PNW-90, 71P. PAC. NORTHWEST RANGE AND EXP. STN., PORTLAND, ORE.

ANNO RED-BACKED VOLES WERE REDUCED AFTER THE FIRE, AND DID NOT OVER WINTER IN THE BURN UNTIL 3 YEARS LATER. THE RELATIVELY RARE TUNDRA VOLE BECAME NUMEROUS ON THE BURNED AREA 3 YEARS AFTER THE FIRE. SNOWSHOE HARE POPULATIONS WERE HIGH (6 HARES PER HECTARE) AND CONSUMED LARGE QUANTITIES OF WILLOW SPROUTS AND CHARRED BARK DURING THE FALL AND WINTER AFTER THE FIRE.

KEYS SMALL MAMMALS, RED-BACKED VOLES, TUNDRA VOLE, SNOWSHOE HARE, WILDFIRE, ALASKA, POST-FIRE SUCCESSION, BLACK SPRUCE, 2, HABITAT

225 AUTH VOGL R. J.

DATE 1967.

TITL CONTROLLED BURNING FOR WILDLIFE IN WISCONSIN.

PUBL TALL TIMBERS FIRE ECOL. CONF. 6:47-96.

ANNO HISTORICAL ACCOUNT OF THE IMPORTANCE OF FIRE IN MAINTAINING GRASSLANDS IN WISCONSIN AND THE SIGNIFICANCE OF PRAIRIE AND SAVANNA HABITATS TO WILDLIFE.

KEYS BIRDS, MULE DEER, SMALL MAMMALS, DIRECT EFFECTS, POST-FIRE SUCCESSION, MORTALITY, HABITAT, WISCONSIN, PRESCRIBED FIRE, 2

226 AUTH VOGL R. J.

DATE 1973.

EFFECTS OF FIRE ON THE PLANTS AND ANIMALS OF A FLORIDA WETLAND. TITL

AM. MIDL. NAT. 89:334-347.

NO BIRD OR MAMMAL INJURY WAS OBSERVED DUE TO FIRE. SOME ANNO AMPHIBIANS AND REPTILES WERE KILLED. FOUR MONTHS AFTER THE FIRE MAMMAL POPULATIONS OF BURNED AND UNBURNED AREAS APPEARED SIMILAR.

KEYS BIRDS, REPTILES, MORTALITY, AMPHIBIANS, SMALL MAMMALS, FLORIDA, WETLAND, PRESCRIBED FIRE, 2

227 VOLLAND L. A. AUTH

DATE 1974.

RELATION OF POCKET GOPHERS TO PLANT COMMUNITIES IN THE PINE TITL REGION OF CENTRAL OREGON.

IN WILDLIFE AND FOREST MANAGEMENT IN THE PACIFIC NORTHWEST. P. 149-166. H. C. BLACK, ED. PROC. 1973 SYMP. ORE. STATE UNIV.,

GOPHERS PREFER LODGEPOLE FORESTS WITH LUSH STANDS OF ANNO LONG-STOLEN SEDGE AND/OR FORBS. WHEN LOGGING OR BURNING OCCURS ADJACENT TO THESE COMMUNITIES, INVASION BY GOPHERS CAN BE EXPECTED.

SMALL MAMMALS, POCKET GOPHERS, OREGON, PONDEROSA PINE, LODGEPOLE PINE, HABITAT, 1

228 VREELAND H., LUGASKI T., VREELAND P. AUTH

DATE

INTEGRATED ECOLOGY OF THE GREAT BASIN. PART III. A PRELIMINARY TITL ANALYSIS OF NOWARK SUMMIT, EUREKA COUNTY, NEVADA. PUBL

NORTHWEST SCI. 53(3):180-189.

VEGETATIONAL COMMUNITY IS A GOOD INDICATOR OF ANIMAL SPECIES ANNO AND THEIR POPULATION SIZES. DESCRIBES HABITAT PREFERENCES OF DIFFERENT SMALL MAMMAL SPECIES.

SMALL MAMMALS, GREAT BASIN, SAGEBRUSH-GRASS, GRAZING, HABITAT, LEAST CHIPMUNK, DEER MOUSE, GREAT BASIN POCKET MOUSE, MONTANE KEYS VOLE, BUSHY-TAILED WOODRAT, 2

229 WANGERSKY P. J., CUNNINGHAM W. J. AUTH

DATE 1957.

TIME LAG IN PREY-PREDATOR POPULATION MODELS. TITL

PUBL ECOLOGY 38(1):136-139.

AFTER DEFINING THE PARAMETERS OF PREY AND PREDATOR POPULATIONS, ANNO POPULATION EQUATIONS ARE MOST EASILY HANDLED BY APPROXIMATION ON AN ANALOG COMPUTER.

PREDATION, 3 KEYS

230 AUTH WECKWERTH R. P., HAWLEY V. D.

DATE

MARTEN FOOD HABITS AND POPULATION FLUCTUATIONS IN MONTANA. TITL PUBL

J. WILDL. MANAGE. 26(1):55-74.

FLUCTUATIONS IN PREY SPECIES NUMBERS AFFECTED THE NUMBER OF ANNO MARTEN IN THIS AREA. FOOD ITEMS WERE GENERALLY USED IN PROPORTION TO THEIR ABUNDANCE EXCEPT WHEN AFFECTED BY AVAILABILITY OR PREFERENCE BY MARTEN. MICROTUS AND CLETHRIONOMYS WERE PREFERRED MAMMALIAN FOODS.

KEYS MARTEN, FOOD HABITS, MONTANA, PREDATORS, POPULATION DENSITY, SMALL MAMMALS, 1 A Commence of the Commence of

231 AUTH WEST S. D.

> DATE 1974.

POST-BURN POPULATION RESPONSE OF THE NORTHERN RED-BACKED VOLE, TITL CLETHRIONOMYS RUTILUS IN INTERIOR ALASKA.

M.S. THESIS, UNIV. ALASKA, FAIRBANKS. 66P. PUBI.

SMALL MAMMALS, RED-BACKED VOLES, ALASKA, POST-FIRE SUCCESSION, WILDFIRE, 2

AUTH WEST S. D. 232

DATE 1979.

HABITAT RESPONSES OF MICROTENE RODENTS TO CENTRAL ALASKAN TITL FOREST SUCCESSION.

PH.D. THESIS. UNIV. CALIF., BERKELEY. 115P.

KEYS SMALL MAMMALS, VOLES, ALASKA, PLANT SUCCESSION, HABITAT, 2

233 AUTH WILLIAMS O.

DATE 1955.

DISTRIBUTION OF MICE AND SHREWS IN A COLORADO MONTANE FOREST. TITL

PUBL J. MAMMAL. 36(2):221-231.

ONNA GIVES HABITAT TYPES IN WHICH VARIOUS SMALL MAMMALS WERE TRAPPED.

KEYS SMALL MAMMALS, SHREWS, WHITE-FOOTED MOUSE, RED-BACKED VOLES ROCKY MOUNTAIN PHENACOMYS, MEADOW VOLE, WESTERN JUMPING MOUSE, HABITAT, COLORADO, 3

234 AUTH WILLIAMS O.

> 1959. DATE

FOOD HABITS OF THE DEER MOUSE. TITL

PUBL J. MAMMAL. 40(3):415-419.

SEEDS MADE UP TWO-THIRDS TO THREE-FOURTHS OF THE MATERIAL FOUND ANNO IN THE STOMACHS OF DEER MICE COLLECTED IN WYOMING AND COLORADO. ONE-TENTH TO ONE-FIFTH OF THE MATERIAL CONSISTED OF INSECT AND ARACHNID REMAINS.

KEYS SMALL MAMMALS, DEER MOUSE, FOOD HABITS, COLORADO, MONTANA, 2

235 AUTH WOLFF J. O.

DATE 1978.

TITL FOOD HABITS OF SNOWSHOE HARES IN INTERIOR ALASKA.

PUBL J. WILDL. MANAGE. 42(1):148-153.

ANNO DESCRIBES FOOD HABITS OF SNOWSHOE HARES IN ALASKA.

KEYS SNOWSHOE HARE, FOOD HABITS, ALASKA, SMALL MAMMALS, 3

236 AUTH YEAGER L. E.

DATE 1950.

IMPLICATIONS OF SOME HARVEST AND HABITAT FACTORS ON PINE MARTEN TITL MANAGEMENT.

TRANS. NORTH AM. WILDL. CONF. 15:319-334.

THE IMMEDIATE EFFECT OF FIRE ON MARTEN POPULATIONS IS ANNO DESTRUCTIVE. LOGGING AND GRAZING ARE SLOWLY CONSUMING MARTEN HABITAT. RECOMMENDS NOVEMBER-DECEMBER TRAPPING SEASONS BECAUSE MORE MALES ARE TRAPPED DURING THIS TIME AND COULD BE REMOVED AS SURPLUS POPULATION, YIELDS OF HIGH QUALITY PELTS, AND BETTER CONDITIONS FOR TRAPPING.

KEYS MARTEN, HABITAT, FIRE, LOGGING, GRAZING, TRAPPING, 2

237 AUTH YEAGER L. W.

DATE 1961.

TITL CLASSIFICATION OF NORTH AMERICAN MAMMALS AND BIRDS ACCORDING TO FOREST HABITAT PREFERENCE.

PUBL J. FOR. 59(9):671-674.
ANNO CLASSIFICATION OF BIRDS AND MAMMALS BY FOREST HABITAT PREFERENCE.

KEYS BIRDS, SMALL MAMMALS, LARGE MAMMALS, HABITAT, 2

AUTHOR INDEX

Abramsky, Z. 1 Adamcik, R. S. 123 Adams, L. 2-4 Adelman, E. 5 Agee, J. K. 6 Ahlgren, C. E. 7, 8, 135 Aldous, C. M. 61 Ambrose, H. W. 9 Ambrose, R. E. 10 Amdelt, W. F. 11, 12 Anderson, R. J. 13 Aumann, G. D. 14 Baker, R. H. 15 Baker, W. W. 16 Barmore, W. J., Jr. 17 Barnes, V. G. 13 Barnes, V. G., Jr. 18 Beall, R. 127 Beck, A. M. 19 Beer, J. R. 179 Bendell, J. F. 20, 21 Bergstrom, D. 22 Bernard, S. R. 23 Biswell, H. H. 24 Black, H. C. 25-27, 30, 39, 71, 112 Bock, C. E. 28, 29 Bock, J. H. 28, 29 Borrecco, J. E. 30 Brabant, A. 31 Brand, C. J. 32, 33, 123 Brander, R. B. 179 Broadbrooks, H. E. 34 Brown, K. F. 23 Bruce, A. M. 13 Bruner, A. 127 Buckley, J. L. 138 Buckner, C. H. 202 Buckner, J. L. 35 Buech, R. R. 36 Buechner, H. K. 37 Burns, S. 38 Burton, D. H. 39 Butterworth, B. B. 40 Campbell, T. M. 41 Cheschire, W. F. 170 Chew, R. M. 40 Childs, H. E., Jr. 116 Clark, T. W. 41 Cleary, B. D. 42 Clothier, R. R. 43 Cook, D. B. 90 Cook, S. F., Jr. 44 Costa, R. 45 Cowan, I. McT. 46 Cowles, R. B. 47 Crawford, H. S. 145 Cross, S. P. 65

Crouch, G. L. 48, 49

Cunningham, W. J. 229 Cushwa, C. T. 179 Czuhai, E. 145 Darnell, R. M. 139 Davis, P. R. 50 De Vos, A. 51, 52 Debyle, N. V., Ed. 53 Dice, L. R. 54 Dickinson, J. C. III, 178 Dieterich, J. H. 142 Dimock, E. J. 25 Dimock, E. J. II, 55 Dyer, M. I. 1 Dyrness, C. T. 224 Eadie, W. R. 56 Eastman, J. 57 Edgerton, P. J. 58 Edwards, R. Y. 59, 164 Ellison, L. 60, 61 Elsing, D. 36 Evans, J. 25 Evans, K. E. 62 Fala, R. A. 63 Farris, A. L. 208 Fenner, R. L. 116 Ffolliott, P. F. 45, 142, 182 Findley, J. 175 Fischer, C. A. 33 Fisher, E. L. 64 Fisher, J. L. 65 Fitch, H. S. 66, 67 Flickinger, E. L. 186 Fogel, R. D. 68 Fowells, H. A. 69 Fox, J. F. 70 Fredriksen, R. L. 145 Frenzel, R. W. 71 Friday, G. P. 72 Garman, E. H. 73 Gashwiler, J. S. 74-80, 153 Getz, L. L. 81 Gipson, P. S. 11, 12 Givens, L. S. 82 Gloyd, H. K. 102 Godfrey, G. K. 83 Graham, S. A. 84 Grange, W. 85 Greaves, R. D. 42 Grechman, R. 40 Gruell, G. E. 190 Gullion, G. W. 86 Gunderson, H. L. 87 Halvorson, C. H. 88 Hamilton, W. J., Jr. 89, 90 Hanavan, M. G. 4 Handley, C. O., Jr. 91 Hansen, L. P. 92 Hansen, R. M. 119, 120, 222

Hanson, E. E. 93, 94 Harlow, R. F. 145, 146 Harris, A. S. 95 Harrison, P. D. 1 Hartesveldt, R. J. 96, 97 Harvey, H. T. 96, 97 Hawley, V. D. 98, 230 Hayden, P. 17 Hayward, C. L. 99 Healey, M. C. 100 Hein, D. 193 Hermann, R. K. 42 Hickie, P. 101 Hisaw, F. L. 102 Hoffman, G. R. 103 Hoffman, R. S. 104 Hooven, E. F. 30, 105-112 Hooven, E. H. 26 Horn, E. E. 113 Hornocker, M. G. 128 Horton, J. 114 Hosley, N. W. 4 Houtcooper, W. C. 115 Howard, W. E. 116 Hurley, J. F. 64 Hutcheson, K. 178 Ingram, R. 117 Jameson, E. W., Jr. 118 Johnson, D. R. 119 Johnson, D. W. 4 Johnson, M. K. 120 Jones, J. H. 121 Julander, O. 151 Kelth, L. B. 32, 33, 122, 123 Kerfoot, W. C. 140 Kipp, D. H. 124 Kirkland, G. L., Jr. 125 Kirkpatrick, R. C. 126 Klebenow, D. R. 127 Koehler, G. M. 128, 129 Komarek, E. V., Sr. 130-132 Komarek, R. 133 Korschgen, L. J. 134 Krefting, L. W. 135 Lake, R. E. 179 Landers, J. L. 35 Lawrence, G. E. 136 Lawrence, W. H. 137 Lensink, C. J. 138 Lobue, J. 139 Long, C. A. 140 Lowe, P.O. 141, 142 Lowrle, J. C. 112 Lubina, J. A. 143 Lugaski, T. 228 Lutz, H. J. 144 Lyon, L. J. 145 Mackay, R. H. 46

Manville, R. H. 146 Marshall, J. T., Jr. 147 Marshall, W. H. 148-150, 211, 213 Marston, R. B. 151 Martell, A. M. 152 Maser, C. 153-155, 219 Mason, R. 127 McCulloch, C. Y. 201 McDougal, J. J. 176 McGee, J. M. 156, 157 McGregor, R. C. 158 McKay, D. D. 159 McKeever, S. 160 McKnight, J. R. 29 Mech, D. L. 161 Meehan, W. R. 162 Metz, L. J. 145, 146 Metzgar, L. H. 163 Miller, C. A. 170 Miller, R. G. 164 Moore, A. W. 165-167 Moore, W. R. 129 More, G. 168 Morris, D. W. 80 Morris, R. D. 169 Morris, R. F. 170 Motobu, D. A. 171 Mott, D. G. 170 Murie, A. 172, 173 Murie, O. J. 174 Negus, N. C. 175 Newby, F. E. 98, 176 Nussbaum, R. A. 154 Odum, E. P. 177, 178 Ohmann, L. F. 179 Orr-Ewing, A. L. 73, 180 Pank, L. F. 181 Patric, E. F. 182 Pattie, D. L. 104 Patton, D. R. 45, 142, 182, 183 Pearson, H. A. 145, 146 Pearson, O. P. 184 Pelikan, J. 185 Pillmore, R. E. 186 Pomeroy, S. E. 178 Probasco, G. E. 62 Quick, H. F. 187-189 Radtke, R. E. 36 Ream, C. H. 190 Reid, V. H. 222 Resler, R. A. 191 Richmond, M. L. 186 Rickard, W. H. 192 Ritcey, R. W. 164 Robinette, W. L. 80 Rochelle, J. A. 25 Rogers, L. L. 161 Roppe, J. A. 193 Rosenzeig, M. L. 194

Roundy, B. 127 Rowe, J. S. 195 Rush, D. H. 123

Saigo, B. W. 196 Sampson, A. W. 197 Scheffer, T. H. 198 Schubert, G. H. 69 Scotter, G. W. 195, 199 Seton, E. T. 200 Sheldon, H. L. 36 Shellhammer, H. S. 97 Short, H. L. 201 Siderits, K. 36 Sims, H. P. 202 Skoog, R. O. 138 Smith, N. S. 121 Soutiere, E. C. 203, 204 Spencer, D. A. 205 Stager, W. 127 Starkey, E. E. 71 Stecker, R. E. 97 Stickel, L. F. 206 Stoddard, H. L. 207 Stout, J. 208 Sullivan, T. P. 209 Sunquist, M. E. 210 Surrendi, P. C. 122 Taber, R. D. 27 Taylor, A. R. 129 Taylor, D. 17 Terrill, H. V. 211 Tester, J. R. 212, 213 Tevis, L., Jr. 214-218 Thomas, J. W. 58 Tietjen, H. P. 222 Todd, A. W. 123 Trappe, J. M. 68, 154, 155, 219 Truett, J. C. 220 Tryon, C. A., Jr. 221 Turner, G. T. 222 Ure, D. C. 155 **USDA 223** Vackar, J. 185 Verts, B. J. 160 Viereck, L. A. 224 Vogl, R. J. 19, 225, 226 Volland, L. A. 227 Vreeland, H. 228 Vreeland, P. 228 Wangersky, P. J. 229 Ward, A. L. 222 Ward, K. 127 Warnock, J. E. 92 Webb, W. L. 182 Weckwerth, R. P. 230 West, S. D. 231, 232 Williams, O. 233, 234 Wolff, J. O. 235 Wright, V. L. 208 Yeager, L. E. 236 Yeager, L. W. 237

KEYWORDS Geographical Area

Alaska 85, 93, 95, 138, 144, 158, 162, 224, 231, 232, Alberta 32, 33, 46, 85, 122 Arizona 28, 29, 45, 121, 141, 142, 183, 194, 220 British Columbia 59, 73, 85, 100, 164, 174, 180, 187-California 24, 40, 44, 47, 66, 71, 116, 136, 143, 160, 184, 197, 214-218 Canada 48, 70, 170 Colorado, 1, 119, 193, 222, 233, 234 England 83 Florida 226 Georgia 35, 178 Glacier National Park 98 Grand Teton National Park 17, 41, 156, 157, 173 Great Basin 228 ldaho 2, 4, 103, 120, 128, 129, 148, 150, 192, 208, 223 Indiana 115 Lava Beds National Monument 71 Maine 203, 204 Manitoba 202 Maryland 206 Michigan 54, 84, 137 Minnesota 7, 8, 36, 85, 87, 135, 161, 179, 210, 212, 213 Missouri 134 Montana 2, 3, 5, 43, 88, 98, 104, 146, 149, 150, 172, 174, 176, 221, 223, 230, 234 Nebraska 11, 124 Nevada 80, 127 New England 81 New Mexico 183 New York 182 North Dakota 223 Ontario 20 Oregon 18, 25, 26, 30, 39, 42, 49, 58, 76-79, 105-107, 109-112, 117, 147, 154, 159, 165-167, 196, 227 Pacific Northwest 74, 75, 101, 198, 205 Pennsylvania 63 Saskatchewan 199 Southeast 82, 130, 207 Southwest 201. Tennessee 10

> z, 151 - 1 103, 165, 171, 192

Western United States 23 Wisconsin 19, 85, 124, 225 Wyoming 2, 41, 50, 140, 156, 157, 172, 173, 175 Yellowstone National Park 172

Treatments

Fire - 5, 21, 31, 52, 54, 61, 69, 86, 108, 117, 126, 137, 143, 145, 164, 195, 197, 199, 200, 207, 211, 236 Wildfire 6, 17, 26, 29, 36, 40, 44, 50, 57, 59, 70, 85, 91, 96, 106, 114, 122, 124, 128, 129, 131-133,

135, 141, 142, 144, 179, 182, 193, 195, 196, 208, 213, 224, 231 Prescribed fire 7, 8, 15, 19, 24, 28, 35, 55, 63, 64, 71, 82, 94, 106, 113, 116, 127, 130, 133, 135, 156, 157, 178, 180, 190, 201, 210, 212, 225, Broadcast fire 53, 88, 190 Slash fire 26, 73, 74, 79, 109, 112, 165, 166, 171, 202, 205, 215, 218 Spring burn 156, 157, 213 Summer burn 193 Fall burn 124, 156, 157, 213 Fire suppression 150, 157 Logging - 5, 8, 18, 26, 41, 45, 52, 54, 55, 58, 89, 95, 101, 106-108, 112, 113, 117, 129, 137, 150, 151, 158, 162, 164, 165, 171, 180, 196, 203, 205, 216, 218, 236 Clearcut 10, 18, 26, 45, 50, 53, 63, 74-79, 88, 108-110, 125, 158, 182, 190, 191, 202, 204, 209, Selective cut 10, 34, 190, 204 Residue treatments 10, 55, 190 Slash 64 Other Treatments Disking 35 Herbicide 26, 30, 49, 119, 190, 201, 222 Insecticide 2, 169, 186, 190 Fuels 64 Grazing 15, 28, 37, 60, 61, 101, 167, 201, 213. 217, 228, 236 Mowing 139, 213

Effects of Treatments

Poisons 69, 77, 111, 158, 190, 209, 222

Longterm fire effects 59
Plant succession 5, 92, 101, 110, 125, 137, 232
Postfire succession 8, 17, 21, 26, 47, 63, 70, 79, 85, 88, 106, 108, 109, 135, 142, 156, 157, 179, 182, 190, 193, 195, 199, 208, 224, 225, 231
Fire disclimax 19
Mosaic 21, 94, 129, 190, 195
Snags 16, 38
Vegetation structure 1, 4, 19-21, 41, 56, 58, 72, 88, 113, 119, 139, 143, 145, 194

Fire Effects on Soil and Moisture

Nutrients 21
Sodium 14
Soil 61
Soil aeration 90
Soil characteristics 6, 110
Soil compaction 61
Soil erosion 60
Soil surface 215
Microclimate 21, 81
Molsture requirements 81, 178
Relative humidity 136

Strip-mining 92

Trapping 67, 112, 187, 236

Population Characteristics

Behavioral adaptations 91, 131, 132 Damage 25, 42, 48, 55, 75, 107, 190 Food habits 2, 3, 7, 8, 19-22, 28, 34, 35, 39, 43, 44, 46, 49, 53, 57, 59, 63, 67-70, 75, 76, 78, 84, 88-90, 96, 97, 99, 101, 105-108, 111, 113, 115, 118-120, 128, 129, 135, 138, 142, 148-151, 154, 155, 160, 165-168, 170, 173, 174, 180, 181, 184, 186, 189, 196, 197, 201, 202, 208, 214, 216-219, 221, 222, 230, 234, 235 Fungi 68, 160, 190 Mycorrhizal fungi 22, 154, 155, 219 Insects 84, 89, 90, 169, 186, 190 Seed 35, 73, 75, 76, 78, 99, 101, 105, 107, 108, 152, 165-167, 180, 181, 184, 190, 209, 216-218 Home range 12, 164, 171 Habitat 5, 8, 12, 18, 19, 21, 23, 26, 30, 34, 38, 43-45, 55-58, 61, 62, 72, 86, 87, 90, 94, 103, 104, 106, 109, 113, 117, 128, 129, 135, 136, 139, 141, 142, 144, 145, 148, 150, 153, 159, 161, 162, 164, 175, 177, 179, 183, 192, 194, 198, 204, 211, 221, 222, 224, 225, 227, 228, 232, 233, 236, 237 Life history 23 Migration 51, 77, 79, 122, 139, 206, 209, 215, 216, 218 Morphological adaption 91 Mortality 6, 17, 19, 26, 40, 57, 74, 113, 114, 116, 122, 124, 130, 132, 136, 145, 171, 197, 212, 215, 218, 225, 226 Movements 12, 65, 161 Population density 3, 7, 8, 10, 14, 15, 17, 19, 21, 24, 32-34, 36, 37, 41, 44, 46, 51, 53, 56, 59-61, 63, 67, 70, 73, 74, 77, 79, 83, 85, 88, 93, 94, 98, 100, 101, 106-109, 111, 117-119, 122, 123, 125, 127, 130, 133, 135, 136, 142, 143, 150, 151, 157, 158, 161, 169, 170, 176, 178, 180, 182, 184, 185, 188, 190, 193, 197, 205, 207, 208, 212, 213, 215, 218, 230 Predation 9, 11, 15, 19, 21, 24, 32, 34, 41, 46, 47, 66, 93, 102, 113, 117, 120, 121, 128, 129, 131-133, 138, 140, 147, 163, 173, 174, 184, 189, 204, 220, 229 Predators 3, 5, 10-12, 21, 23, 27, 31-34, 41, 46, 51, 52,

121, 123, 128, 133, 134, 135, 138, 144, 148-150, 153, 156, 161, 162, 164, 168, 171-176, 183-185, 187-189, 195, 197-201, 203, 204, 217, 220, 230 Reproduction 88, 100, 106, 109, 122 Species composition 17, 21, 26, 79, 106, 108, 143, 156, 190, 192, 193 Species diversity 19, 36, 94, 125, 127, 136, 157

54, 59, 62, 64, 70, 80, 86, 93, 98, 104, 112, 117, 120,

Plant Associations

Brush grass 19, 44, 116, 119 Sagebrush-grass 71, 228 Chaparral 40, 47, 136, 143, 197 Coastal marshes 82 Coniferous forest 27, 85, 117, 155, 170 Forest-field transition 72 Grassland 1, 15, 28, 29, 37, 44, 61, 62, 91, 131, 213 Larch-fir 88 Longleaf pine-wire grass-bracken fern 35 Mixed conifer-hardwood 135, 204 Oak-savanna 212

Pinyon-juniper 127, 201 Savanna 210 Spruce-fir 148, 204 Subalpine forest 94 Swamps 81 Transition zone forest 147 Upland woods 81

Plant Species

Alfalfa (Medicago spp.) 139 Aspen (Populus spp.) 86, 137, 151, 179, 182 Birch (Betula spp.) 179 Black spruce (Picea mariana) 152, 199, 224 Cheat grass (Bromus tectorum) 71 Corn (Zea mays) 115 Douglas-fir (Pseudotsuga menziesil) 25, 26, 74-79, 99, 101, 106, 109, 110, 165, 166, 171, 180, 209, 214-216, 218 Idaho fescue (Fescue idahoensis) 217 Jack pine (Pinus banksiana) 7, 8, 152, 179, 202 Lodgepole pine (Pinus contorta) 50, 193, 227 Manzanita (Arctostaphylos spp.) 24 Mesquite (Prosopis spp.) 194 Oak (Quercus spp.) 63 Ponderosa pine (Pinus ponderosa) 3, 24, 45, 49, 107, 141, 142, 167, 196, 227 Red fir (Ables magnifica) 217 Sagebrush (Artemisia spp.) 120, 156, 157 Sequola (Sequola spp.) 96, 97 Sitka spruce (Picea sitchensis) 95 Tamarack (Larix spp.) 84 Western hemlock (Tsuga heterophylla) 78, 95 Western Juniper (Juniperus occidentalis) 153 Western redcedar (Thuja plicata) 80 White cedar (Thuja occidentalis) 87 White fir (Abies concolor) 216 White pine (Pinus monticola) 152

Animal Species

INSECTS 89, 90, 190 (also see specific species) Larch sawily (Lygaeonematus erichsonii) 84 Spruce budworm (Choristoneura fumiferana) 170, 186 FISH 4, 64, 110, 124, 223 AMPHIBIANS 62, 133, 223, 226 REPTILES 16, 34, 62, 102, 110, 116, 132, 198, 201, 223, 226 Bull snake (Pituophis sayi) 102, 198

BIRDS 4, 6, 7, 10, 16, 17, 21, 25, 28, 29, 35, 38, 47, 48, 50, 55, 57, 58, 62, 64, 76, 78, 82, 86, 89, 93, 94, 106, 110, 114, 116, 123, 124, 127, 132, 134, 136, 140-142, 144, 145, 147, 150, 153, 157, 163, 165, 170, 174, 181, 183, 186, 191, 193, 196, 197, 199, 201, 204, 207, 213, 223, 225, 226, 237 (also see specific species)

Order Ansiformes (waterfowl)

Blue goose (Chen caerulescens) 82 Snow goose (Chen hyperborea) 82 Order Falconiformes (vultures, hawks, and falcons) 10, 15, 19, 21, 28, 34, 48, 124, 131, 136, 171 (also see specific species)

California condor (Gymnogyps Californianus) 47, 57

Goshawk (Accipiter gentilis) 123

Red-tailed hawk (Buteo jamaicensis) 123

Order Galliformes (gallinaceous birds)
Domestic turkey (Meleagris spp.) 11
Ruffed grouse (Bonasa umbellus) 123
Bobwhite (Colinus virginianus) 207

Order Strigiformes (owls) 4, 9, 21, 24, 66, 123, 140, 147, 163 (also see specific species)

Barn owl (Tyto alba) 9, 66

Great horned owl (Bubo virginianus) 3, 66, 123

Spotted owl (Strix occidentalis) 147

Order Passeriformes (perching birds)
Loggerhead shrike (Lanius Iudovidianus) 131
Pine siskin (Spinus pinus) 7

Oregon junco (Junco oreganus) 196

Nomenclature for birds according to: U.S. Department of Agriculture

1978. Species list birds, mammals, fish, reptiles, and amphibians for the Forest Service. USDA For. Serv. R1 78-002, 82 p.

Mammals

Order Insectivora (insectivores)

Family Soricidae (shrews) 4, 26, 78, 79, 84, 89, 95, 103, 112, 158, 165, 166, 180, 190, 215, 233 (also see specific species)

Masked shrew (Sorex cinereus) 36, 156, 192 Vagrant shrew (Sorex vagrans) 30, 43, 88, 156 Dusky shrew (Sorex obscurus) 192 Trowbridge's shrew (Sorex trowbridgii) 30, 218 Short-tailed shrew (Blarina brevicauda) 10

Family Taipidae (moles) 198 (also see specific species) Shrew-mole (Neurotrichus gibbsii) 218

Order Lagomorpha (Lagomorphs)

Family Ochotonidae (pikas) 91, 173

Family Leporidae (hares and rabbits) 47, 80, 120, 124, 132 (also see specific species)

Cottontall rabbit (Sylvilagus spp.) 45, 141
Brush rabbit (Sylvilagus bachmani) 218
Nuttall's cottontall (Sylvilagus nuttallii) 159
Desert cottontall (Sylvilagus audubonii) 121
Snowshoe hare (Lepus americanus) 3, 32, 33, 52, 70, 79, 85, 122, 123, 149, 174, 189, 190, 195, 199, 224, 235

Blacktail Jackrabbit (*Lepus californicus*) 80, 121 Order Rodentia (rodents) 41, 101, 141, 142, 194 (also see specific species)

Family Aplodontidae (mountain beaver)

Mountain beaver (Aplodontia rufa) 171

Family Scluridae (squirrels)

Eastern chipmunk (*Tamias striatus*) 10, 72 Chipmunks (*Eutamias* spp.) 2, 4, 26, 74, 78, 103, 128, 141, 186, 214, 215

Least chipmunk (Eutamias minimus) 8, 36, 50, 119, 156, 228

Yellow pine chipmunk (Eutamias amoenus) 34, 94, 192, 196

Townsends chipmunk (Eutamias townsendii) 79, 94, 112, 218

Redtall chipmunk (*Eutamias ruficaudus*) 88 Unita ground squirrel (*Spermophilus armatus*) 156, 157

Columbian ground squirrel (Spermophilus Columbianus) 133, 146, 190

Thirteen-lined ground squirrel (Spermophilus tridecemlineatus) 1, 19

California ground squirrel (Spermophilus beecheyi) 79, 218

Golden-mantled squirrel (Spermophilus lateralis) 34, 50, 186, 196, 214, 216

Red squirrel (*Tamiasciurus hudsonicus*) 34, 72, 99, 149, 173, 186, 189, 190, 195, 199

Douglas' squirrel (Tamiasclurus douglasii) 79, 94, 96, 97, 218

Squirrels (Sciurus spp.) 211

Gray squirrel (Sciurus Carolinensis) 218

Fox squirrel (Sciurus niger) 72

Flying squirrels (Glaucomys spp.) 79, 160, 190, 218

Family Geomyidae (pocket gophers)

Pocket gophers (*Thomomys* spp.) 13, 26, 37, 49, 60, 61, 66, 102, 107, 119, 151, 167, 198, 217, 221, 222, 227

Western pocket gopher (Thomomys mazama) 39

Family Heteromyidae (heteromyids)

Pocket mice (*Perognathus* spp.) 28, 121, 194 Great Basin pocket mouse (*Perognathus parvus*) 71, 228

Kangaroo rats (*Dipodomy*s spp.) 28, 121, 143, 194

Heermann's kangaroo rat (Dipodomys heermanni) 71

Family Castoridae (beavers)

Beaver (Castor canadensis) 59, 133, 137, 182, 195, 199

Family Cricetidae (New World rats and mice) 52, 65, 78, 89, 198 (also see specific species)

Harvest mice (Reithrodontomys spp.) 15, 24, 184 Eastern harvest mouse (Reithrodontomys humulis) 178

Western harvest mouse (Reithrodontomys megalotis) 1

Deer mouse (*Peromyscus maniculatus*) 1, 7, 8, 19, 24, 26, 28, 30, 36, 50, 63, 71, 74, 75, 77, 79, 80, 88, 92, 94, 95, 100, 103, 105, 106, 112, 115, 118, 119, 128, 133, 135, 139, 143, 153, 156, 157, 167, 169, 177, 179, 180, 186, 189, 190, 192, 196, 202, 208, 209, 212, 213, 228, 234

Oldfield mouse (Peromyscus polionotus) 131, 178

White footed mouse (*Peromyscus leucopus*) 3, 10, 19, 20, 72, 81, 92, 158, 163, 165, 206, 215, 218, 233

Cotton mouse (Peromyscus gossypinus) 130
Brush mouse (Peromyscus boylii) 143
Plñon mouse (Peromyscus truel) 24, 218
Golden mouse (Ochrotomys nuttalli) 130
Northern plgmy mouse (Balomys taylori) 15
Northern grasshopper mouse (Onychomys leucogaster) 1

Cotton rats (Sigmodon spp.) 15, 28, 130-132, 178, 207 Woodrats (Neotoma spp.) 121, 215 Bushy-tailed woodrat (Neotoma cinerea) 228 Dusky-footed woodrat (Neotoma fuscipes) 143, Red-backed voles (Clethrionomys spp.) 8, 19, 36, 46, 50, 63, 74, 79, 81, 87, 88, 94, 103, 135, 149, 152, 177, 179, 189, 190, 192, 204, 212, 218, 224, 231, 233 Heather vole (Phenacomys intermedius) 233 Voles (Microtus spp.) 9, 14, 26, 83, 84, 95, 118, 128, 158, 173, 184, 187, 208, 232 Meadow vole (Microtus pennsylvanicus) 56, 63, 103, 135, 139, 156, 169, 204, 213, 233 Montane vole (Microtus Montanus) 71, 119, 156, 228 California vole (Microtus Californicus) 143

Tundra vole (Microtus oeconomus) 224
Rock vole (Microtus chrotorrhinus) 36
Creeping vole (Microtus oregoni) 30, 79, 109, 112
Prairie vole (Microtus ochrogaster) 1

Prairie vole (*Microtus ochrogaster*) 1 Muskrat (*Ondatra zibethicus*) 82 Family Muridae (Old World rats and mice)

House mouse (Mus musculus) 115, 131, 178, 184

Family Zapodidae (jumping mice)

Western jumping mouse (Zapus princeps) 156, 233

Pacific jumping mouse (Zapus trinotatus) 30 Family Erethizontidae (New World porcupines) Porcupine (Erethizon dorsatum) 52, 80, 190 Order Carnivora (carnivores)

Family Canidae (canids)

Coyote (Canis latrans) 11, 12, 59, 120, 123, 133, 134, 171, 172, 174, 217, 220
Arctic fox (Alopex lagopus) 93
Red fox (Volpes volpes) 131, 134, 185
Gray fox (Urocyon cinereoargenteus) 131, 134, 184

Family Procyonidae (procyonids)
Raccoon (*Procyon lotor*) 184, 210

Family Mustelidae (mustelids)

Marten (Martes americana) 31, 41, 46, 51, 52, 54, 59, 98, 117, 128, 129, 133, 138, 144, 148-150, 161, 164, 168, 173, 185, 187-189, 195, 199, 200, 203, 204, 230, 236

Fisher (Martes pennanti) 51, 52, 54, 117, 144, 187, 188

Weasel (Mustela spp.) 198

Ermine (Mustela erminea) 79, 144

Long-tailed weasel (Mustela frenata) 10, 156, 171

Mink (Mustela vison) 3 Wolverine (Gulo gulo) 59, 117, 176, 187 Badger (Taxidea taxus) 185 Skunk (Spilogale spp.) 112, 184

Family Felidae (cats)

Mountain lion (Felis concolor) 59, 133 Lynx (Felis lynx) 32-34, 70, 123, 144 Bobcat (Felis rufus) 80, 121, 134 House cat (Felis domestica) 134

Order Artiodactyla (even-toed ungulates) 6, 21, 25, 27, 35, 42, 48, 50, 55, 57, 59, 62, 64, 86, 91, 104, 110, 113, 124, 132, 133, 141, 142, 144, 145, 153, 162, 174, 175, 183, 191, 193, 195, 197, 199, 201, 223, 237 (also see specific species)

Family Cervidae (cervids)

Elk (Cervus elaphus) 141 Mule deer (Odocoileus hemionus) 59, 220, 225 White-tailed deer (Odocoileus virginianus) 142 Moose (Alces alces) 59

Caribou (Rangifer tarandus) 59

Mammal nomenclature according to:

Jones, J. K., D. C. Carter, and H. H. Genoways 1975. Revised checklist of North American mammals north of Mexico. Texas Tech Univ. Mus. Occas. Pap. 28:1-14.

General Reference Information

Bibliography 13, 21, 27, 50, 68, 145, 181, 183 Identification key 104 Literature Review 191, 196

Ream, Catherine H.

1981. The effects of fire and other disturbances on small mammals and their predators; an annotated bibliography. USDA For. Serv. Gen. Tech. Rep. INT-106, 55 p. Intermt. For. and Range Exp. Stn., Ogden, Utah 84401.

An annotated bibliography (with keywords) on the effects of fire, logging, grazing, and spraying on small mammals and their predators. Includes a brief summary of the general effects of fire on some of the more common small mammals in western coniferous forests.

KEYWORDS: small mammals, predators, fire, logging, bibliography

Ream, Catherine H.

1981. The effects of fire and other disturbances on small mammals and their predators: an annotated bibliography. USDA For. Serv. Gen. Tech. Rep. INT-106, 55 p. Intermt. For. and Range Exp. Stn., Ogden, Utah 84401.

An annotated bibliography (with keywords) on the effects of fire, logging, grazing, and spraying on small mammals and their predators. Includes a brief summary of the general effects of fire on some of the more common small mammals in western coniferous forests.

KEYWORDS: small mammals, predators, fire, logging, bibliography